

01-21-00

A

Attorney Docket No.: 5808.200-US PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

FILING UNDER 37 C.F.R. 1.53(b)

Box Patent Application Assistant Commissioner for Patents Washington, DC 20231

Express Mail Label No. EL293692871US Date of Deposit January 20, 2000

Sir:

This is a request for filing a patent application under 37 C.F.R. 1.53(b) of

Applicant(s): Martin Lehmann

Title: Improved Phytases

75 pages of specification 56 sheets of drawings

3 sheets of Declaration and Power of Attorney

[x] The filing fee is calculated as follows:

Basic Fee: \$ 690.00

Total Claims: $14 - 20 = 0 \times 18 =$ \$0

Independent Claims: $9 - 3 = 6 \times 78 =$ \$ 468.00

Total Fee: \$1,158.00

Priority of Danish application nos. PA 1999 00092 and PA 1999 01340 filed on January 22, 1999 and September 21, 1999 is claimed under 35 U.S.C. 119. A certified copy is submitted herewith.

Priority of U.S. provisional application nos. 60/117,659 and 60/156,495 filed on January 28, 1999 and September 28, 1999 is claimed under 35 U.S.C. 119.

Please amend the specification as follows: At page 1, after the title, insert Cross-Reference to Related Applications

This application claims priority of provisional application nos. 60/117,659 and 60/156,495 filed on January 28, 1999 and September 28, 1999 and of Danish application



nos. PA 1999 00092 and PA 1999 01340 filed January 22, 1999 and September 21, 1999, the contents of which are fully incorporated herein by reference.

Address all future communications to Steve T. Zelson, Esq., Novo Nordisk of North America, Inc., 405 Lexington Avenue, Suite 6400, New York, NY 10174-6401.

Please charge the required fee, estimated to be \$1,158, to Novo Nordisk of North America, Inc., Deposit Account No. 14-1447. A duplicate of this sheet is enclosed.

Respectfully submitted,

Date: January 20, 2000

Carol E. Rozek, Reg. No. 36,993
Novo Nordisk of North America, Inc. 405 Lexington Avenue, Suite 6400
New York, NY 10174-6401
(212) 867-0123



01-21-00



*#torney Docket No.: 5808.200-US

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

EXPRESS MAIL CERTIFICATE

Box Patent Application Assistant Commissioner for Patents Washington, DC 20231

Re: U.S. Patent Application for

Title: Improved Phytases
Applicants: Martin Lehmann

Sir:

Express Mail Label No. EL293692871US

Date of Deposit: January 20, 2000

I hereby certify that the following attached paper(s) or fee

- 1. Filing Under 37 C.F.R. 1.53(b) (in duplicate)
- 2. Patent Application
- 3. Unexecuted Combined Declaration and Power of Attorney
- 4. Certified Copy of Priority Applications

are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" under 37 C.F.R. 1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, DC 20231.

Miriam Kelly

(Name of person mailing paper(s) or fee)

(Signature of person mailing paper(s) or fee)

Mailing Address: Novo Nordisk of North America, Inc. 405 Lexington Avenue, Suite 6400 New York, NY 10017 (212) 867-0123 1

Improved phytases

Phytases are enzymes that hydrolyze phytate (myo-inositol hexakisphosphate) to myo-inositol and inorganic phosphate. They are known to be valuable feed additives.

The present invention relates to improved phytases, viz. phytases of amended characteristics, e.g. amended activity characteristics, reference being made to e.g. the phytase(s) it has been derived from, or to known phytases. Amended activity characteristics means amended in at least one phytase activity related respect, such as (non-exclusive list): pH stability, temperature stability, pH profile, temperature profile, specific activity (in particular in relation to pH and temperature), substrate specificity, substrate cleavage pattern, substrate binding, position specificity, the velocity and level of release of phosphate from corn, reaction rate, phytate degradation rate), end level of released phosphate reached.

Examples of amended activity characteristics are amended specific activity (e.g. increased, e.g. increased at a pH of 3, 20 4, 5, or 6); amended pH or temperature profile; and/or amended (e.g. increased) thermostability, e.g. of an increased melting temperature as measured using Differential Scanning Calorimetry (DSC).

The present invention also relates to a process for the preparation of a modified protein, wherein in a first step a consensus sequence is determined from a number of highly homologous sequences according to steps a), b) and c) below:

 a) at least three, preferably at least four amino acid sequences are aligned by any standard alignment program known in 30 the art;

- b) at every position of the amino acid sequence alignment, the amino acids are evaluated for their evolutionary similarity and a consensus residue is chosen by any standard program known in the art, whereby the minimal requirements for calculation of a consensus residue are set in such a way that the program is already able to determine a consensus residue if a given residue occurs in only two of the aligned sequences. However, if there is a subgroup of sequences among the compared amino acid sequences that shows a much higher degree of similarity with each other than with the remaining sequences of the alignment, the subgroup may be represented in the calculation only with its consensus sequence determined in the same way as outlined in EP 897985, or alternatively, to each sequence of the subgroup, a vote weight of 1 divided by the number of sequences in the subgroup will be assigned;
 - c) in case no consensus amino acid at a defined position is identified by the program, any of the amino acids, preferably the most frequently occurring amino acid at this position is selected.
- In a second aspect of the invention, a homologous sequence is compared with the consensus sequence, and one or more non-consensus residues in this homologous sequence are replaced by the corresponding consensus residues.

Preferably, only such amino acid residues are replaced in 25 the homologous amino acid sequence where a consensus residue can clearly be defined by the program under moderately stringent conditions whereas at all positions of the alignment where no preferred consensus amino acid can be determined under moderately stringent conditions, the amino acids the 30 homologous protein remain unchanged.

In a third aspect of the invention, the active center of the protein of interest is determined, comprising all amino acid residues that are involved in forming the active center, both in the consensus sequence, and in the sequence of a homologous protein; subsequently, some or all of the divergent amino acid residues of the homologous protein are inserted in the backbone of the consensus sequence.

In one embodiment of this process, the program used for the comparison of amino acids at a defined position regarding 10 their evolutionary similarity is the program "PRETTY".

The active center of the protein can be determined by using an analysis of the three-dimensional structure of the protein.

An example of a homologous protein is an enzyme family, an example of a defined protein family is the family of phytases, e.g. of fungal origin.

For example, the amino acid sequence of the phytase can be changed by the introduction of at least one mutation or substitution chosen from

20	E58A	F54Y
	D69K	I73V
	D197N	K94A
	T214L	R101A
	E222T	N153K
25	E267D	V158I
	R291I	A203G
	R329H	S205G
	S364T	V217A
	A379K	A227V
30	G404A	V234L
		P238A

5

4

Q277E

A287H

A2920

V366I

A396S

E4150

G437A

R451E

For interpreting these abbreviations, as an example, the mutation E58A is to be interpreted as follows: When subtracting 26 from the number, you get the position or residue number in the consensus phytase sequence or another phytase sequence aligned as shown in Fig. 1 (corresponding to the addition of a 26 amino acid signal sequence to the sequences shown in Fig. 1).

15 For example, in E58A, number 58 means position number 32 (58-26=32). And the letter before the number, i.e. E, represents the amino acid in the phytase to be modified which is replaced by the amino acid behind the number, i.e. A.

The above-mentioned amino acid replacements, alone and/or 20 in combination, have a positive effect on the protein stability.

The following sub-groups of mutations are also interesting (i.e. phytases comprising at least one mutation selected from either one of the groups of):

E58A, D69K, D197N, T214L, E222T, E267D, R291I, R329H, 25 S364T, A379K, G404A;

F54Y, I73V, K94A, R101A, N153K, V158I, A203G, S205G, V217A, A227V, V234L, P238A, Q277E, A287H, A292Q, V366I, A396S, E415Q, G437A, R451E;

E58A, D69K, D197N, F54Y, I73V, K94A;

30 T214L, E222T, E267DR101A, N153K, V158I;

R291I, R329H, S364TA203G, S205G, V217A;

A379K, G404AA227V, V234L, P238A, Q277E;

A287H, A292Q, V366I, A396S, E415Q, G437A, R451E;

T214L, E222T, S364T, V158I, A203G, G404A, A227V, P238A, A396S, G437A, R451E.

- Examples of host cells are plant cells, animal cells, and microbial cells, e.g. prokaryotic or eukaryotic cells, such as bacterial, fungal or yeast cells. An example of a fungal host is a strain of the genus Aspergillus, and examples of yeast hosts are strains of Saccharomyces, and strains of Hansenula.
- The invention also relates to a modified protein obtainable or obtained by any of the processes described above.

The invention also relates to a variant or mutein of a phytase such as (but not limited to) the consensus phytase-1, wherein, in the amino acid sequence in Figure 2, at least one of the following replacements have been effected: Q50L, Q50T, Q50G, Q50T-Y51N, Q50L-Y51N or Q50T-K91A.

In the third aspect mentioned above, a consensus sequence is determined from homologous sequences as described above; in a second step the active center of the protein comprising all 20 amino acid residues that are involved in forming the active center is determined in the consensus sequence and in the sequence of a single homologous protein as well. The single homologous protein may have preferred properties like high specific activity or different pH dependency of enzymatic 25 activity. In a third step some or all amino acid residues that are involved in forming the active center of the homologous protein are inserted into the backbone of the sequence. The result thereof is a chimeric protein having the active center derived from a single protein and the backbone of 30 the consensus sequence.

The active center of the protein can be determined e.g. by using any analysis of the three-dimensional structure of the protein, e.g. by homology modelling on the basis of a known 3D-structure of a known protein.

The present invention also provides consensus proteins obtainable or obtained by such processes, in particular proteins comprising at least one of the amino acid sequences shown in Figures 2-6, 10 or 21, or variants or muteins thereof. Examples of such variants are shown in Figs. 7-9.

Such variants or muteins can be defined and prepared on the basis of the teachings given in European Patent Application number 0897010, e.g. Q50L, Q50T, Q50G, Q50L-Y51N, or Q50T-Y51N. These mutations are defined as above, or, alternatively, by reference to Fig. 2. When referring to Fig. 2, no subtraction of the 26 amino acid signal peptide is required (e.g. in "Q50L," at position 50 of the amino acid sequence of Fig. 2, the amino acid Q has been replaced by amino acid L).

A food, feed, or pharmaceutical composition comprising the phytases of the invention is another aspect of the invention.

In this context, and relating to the process of the 20 invention, "at least three, preferably at least four amino acid sequences of such defined protein family" means that three, four, five, six to twelve, twenty, fifty, or even more sequences can be used for the alignment and the comparison to create the 25 amino acid sequence of the consensus protein. "Sequences of a defined protein family" means that such sequences fold into a three-dimensional structure, wherein the alpha-helices, the beta-sheets and beta-turns are at the same position so that such structures are, as called by the man skilled in the art, largely 30 superimposable. Furthermore these sequences characterize proteins that show the same type of biological activity, e.g. a

defined enzyme class, e.g. the phytases. The three-dimensional structure of one such protein is sufficient to allow the modelling of the structure of the other homologous proteins of such a family. An example, how this can be done, is given in 5 Example 1. "Evolutionary similarity" in the context of the present invention refers to a scheme which classifies amino acids regarding their structural similarity which allows that one amino acid can be replaced by another amino acid with a minimal influence on the overall structure, as this is done e.g. 10 by programs, like "PRETTY", known in the art. The phrase "the degree of similarity provided by such a program...is set to less stringent number" means in the context of the present invention that values for the parameters which determine the degree of similarity in the program used in the practice of the present 15 invention are chosen in a way to allow the program to define a consensus amino acid for a maximum of positions of the whole amino acid sequence, e. g. in case of the program PRETTY a value of 2 or 3 for the THRESHOLD and a value of 2 for the PLURALITY can be chosen. Furthermore, "a vote weight of one divided by the 20 number of such sequences" means in the context of the present invention that the sequences which define a group of sequences with a higher degree of similarity as the other sequences used for the determination of the consensus sequence only contribute to such determination with a factor which is equal to one

As mentioned before, should the program not allow to select the consensus amino acid, the most frequent amino acid is selected; should the latter be impossible the man skilled in the art will select an amino acid from all the sequences used for the comparison which is known in the art for its property to improve the thermostability in proteins as discussed e.g. by

25 divided by the number of all sequences of this group.

Janecek, S. (1993), Process Biochem. 28, 435-445; Fersht, A. R.
& Serrano, L. (1993), Curr. Opin. Struct. Biol. 3, 75-83; Alber,
T. (1989), Annu. Rev. Biochem. 58, 765-798; Matthews, B. W.
(1987), Biochemistry 26, 6885-6888; or Matthews, B. W. (1991),
5 Curr. Opin. Struct. Biol. 1, 17-21.

The stability of an enzyme is relevant for many industrial applications. Therefore, a lot of attempts, more or less successful, have been made to improve the stability, preferably the thermostability of enzymes by rational or random approaches.

Here we present an alternative way to improve the thermostability of a protein.

The invention provides a process for the preparation of a consensus protein comprising a process to calculate an amino acid residue for nearly all positions of a so-called consensus protein and to synthesize a complete gene from this sequence that can be expressed in a pro- or eukaryotic expression system.

DNA sequences of the present invention can be constructed starting from genomic or cDNA sequences encoding the proteins, e.g. phytases, of interest. For example, they can be constructed 20 by methods of in vitro mutagenesis [see e.g. Sambrook et al., Molecular Cloning, Cold Spring Harbor Laboratory Press, New York]. A widely used strategy for "site-directed mutagenesis", as originally outlined by Hurchinson and Edgell [J. Virol. 8, (1971)],involves the annealing of a synthetic 25 oligonucleotide carrying the desired nucleotide substitution to a target region of a single-stranded DNA sequence wherein the mutation should be introduced [for review see Smith, Annu. Rev. Genet. 19, 423 (1985), and for improved methods, see references 2-6 in Stanssen et al., Nucl. Acids Res., 17, 4441-4454 (1989). 30 Another possibility of mutating a given DNA sequence is the

mutagenesis by using the polymerase chain reaction (PCR). DNA as

starting material can be isolated by methods known in the art and described e.g. in Sambrook et al. (Molecular Cloning) from the respective strains.

For strain information, see e.q. EP 684313 or any 5 depository authority indicated below. Aspergillus niger [ATCC 9142], Myceliophthora thermophila [ATCC 48102], Talaromyces thermophilus [ATCC 20186] and Aspergillus fumigatus [ATCC 34625] have been redeposited according to the conditions of the Budapest Treaty at the American Type Culture Cell Collection 10 under the following accession numbers: ATCC 74337, ATCC 74340, ATCC 74338 and ATCC 74339, respectively. It is, however, understood that DNA encoding a consensus protein in accordance with the present invention can also be prepared in a synthetic manner as described, e.g. in EP 747483 or EP 897985, or in the 15 examples, by methods known in the art.

For sequence information, see e.g. EP 684313, or sequence data bases, for example like Genbank (Intelligenetics, California, USA), European Bioinformatics Institute (Hinston Hall, Cambridge, GB), NBRF (Georgetown University, Medical Centre, Washington DC, USA) and Vecbase (University of Wisconsin, Biotechnology Centre, Madison, Wisconsin, USA).

The process of the present invention can e.g. be used to improve the thermostability of the enzyme phytase.

Once complete DNA sequences of the present invention have
25 been obtained they can be integrated into vectors by methods
known in the art and described e.g. in Sambrook et al. (s.a.) to
overexpress the encoded polypeptide in appropriate host systems.
However, a man skilled in the art knows that also the DNA
sequences themselves can be used to transform the suitable host
30 systems of the invention to get overexpression of the encoded
polypeptide. Appropriate host systems are for example fungi,

Aspergilli, e.g. Aspergillus niger [ATCC 9142] Aspergillus ficuum [NRRL 3135] or like Trichoderma, e.g. Trichoderma reesei; or yeasts, like Saccharomyces, Saccharomyces cerevisiae or Pichia, like Pichia pastoris, or 5 Hansenula polymorpha, e.g. H. polymorpha (DSM5215); or plants, as described, e.g. by Pen et al., Bio/Technology 11, 811-814 (1994). A man skilled in the art knows that such microorganisms are available from depository authorities, e.g. the American Culture Collection (ATCC), the Centraalbureau Туре 10 Schimmelcultures (CBS) orthe Deutsche Sammlung Mikroorganismen und Zellkulturen GmbH (DSM) or any other depository authority as listed in the Journal "Industrial Property" [(1991) 1, pages 29-40]. Bacteria which can be used are e.g. E. coli; Bacilli as, e.g., Bacillus subtilis; or 15 Streptomyces, e.g. Streptomyces lividans (see e.g. Anné and Mallaert in FEMS Microbiol. Lett. 114, 121 (1993). Preferred E. coli strains, which can be used are E. coli K12 strains e.g. M15 [described as DZ 291 by Villarejo et al. in J. Bacteriol. 120, 466-474 (1974)], HB 101 [ATCC No. 33694] or E. coli SG13009 20 [Gottesman et al., J. Bacteriol. 148, 265-273 (1981)].

Vectors which can be used for expression in fungi are known in the art and described e.g. in EP 420358, or by Cullen et al. [Bio/Technology 5, 369-376 (1987)], Ward [Molecular Industrial Mycology, Systems and Applications for Filamentous 25 Fungi, Marcel Dekker, New York (1991)], Upshall et al. [Bio/Technology 5, 1301-1304 (1987)], Gwynne al. [Bio/Technology 5, 71-79 (1987)], or Punt et al. [J. Biotechnol. 17, 19-34 (1991)]; and for yeasts by Sreekrishna et al. [J. Basic Microbiol. 28, 265-278 (1988), Biochemistry 28, 4117-4125 30 (1989)], Hitzemann et al. [Nature 293, 717-722 (1981)] or in EP 183070, EP 183071, EP 248227, or EP 263311. Suitable vectors

which can be used for expression in E. coli are mentioned, e.g. by Sambrook et al. [s.a.], Fiers et al. [Procd. 8th Int. Biotechnology Symposium", Soc. Franc. de Microbiol., Paris (Durand et al., eds.), pp. 680-697 (1988)], Bujard et al. [Meth. 5 Enzymol. 155, 416-433 (1987)], or Stüber et al. [Immunological Methods, eds. Lefkovits and Pernis, Academic Press, Inc., Vol. IV, 121-152 (1990)]. Vectors that can be used for expression in Bacilli are known in the art and described, e.g. in EP 207459, EP 405370, Proc. Natl. Acad. Sci. USA 81, 439 (1984) or Yansura and Henner, Meth. Enzymol. 185, 199-228 (1990). Vectors which can be used for the expression in H. Polymorpha are known in the art and described, e.g. in Gellissen et al., Biotechnology 9, 291-295 (1991).

Either such vectors already carry regulatory elements, 15 e.g. promotors, or the DNA sequences of the present invention can be engineered to contain such elements. Suitable promotor elements which can be used are known in the art and are, e.g. for Trichoderma reesei the cbh1- [Haarki et al., Biotechnology 7, 596-600 (1989)] or the pkil-promotor [Schindler et al., Gene 20 130, 271-275 (1993)]; for Aspergillus oryzae the amy-promotor [Christensen et al., Abstr. 19th Lunteren Lectures on Molecular Genetics F23 (1987), Christensen et al., Biotechnology 6, 1419-1422 (1988), Tada et al., Mol. Gen. Genet. 229, 301 (1991)]; and for Aspergillus niger the glaA- [Cullen et al., Bio/Technology 25 5, 369-376 (1987), Gwynne et al., Bio/Technology 5, 713-719 (1987), Ward in Molecular Industrial Mycology, Systems and Applications for Filamentous Fungi, Marcel Dekker, New York, 83-106 (1991)], alcA- [Gwynne et al., Bio/Technology 5, 718-719 (1987)], suc1- [Boddy et al., Curr. Genet. 24, 60-66 (1993)], 30 aphA- [MacRae et al., Gene 71, 339-348 (1988), MacRae et al., Gene 132, 193-198 (1993)], tpiA- [McKnight et al., Cell 46, 143-

147 (1986), Upshall et al., Bio/Technology 5, 1301-1304 (1987)], gpdA- [Punt et al., Gene 69, 49-57 (1988), Punt et al., J. Biotechnol. 17, 19-37 (1991)] and the pkiA-promotor [de Graaff et al., Curr. Genet. 22, 21-27 (1992)]. Suitable promotor 5 elements that can be used for expression in yeast are known in the art and are, e.g. the pho5-promotor [Vogel et al., Mol. Cell. Biol., 2050-2057 (1989); Rudolf and Hinnen, Proc. Natl. Acad. Sci. 84, 1340-1344 (1987)] or the gap-promotor for expression in Saccharomyces cerevisiae; the aox1-promotor [Koutz 10 et al., Yeast 5, 167-177 (1989); Sreekrishna et al., J. Basic Microbiol. 28, 265-278 (1988)] for Pichia pastoris; or the FMD promoter [Hollenberg et al., EPA No. 0299108] or MOX-promotor [Ledeboer et al., Nucl. Acids Res. 13, 3063-3082 (1985)] for H. polymorpha.

Accordingly vectors comprising DNA sequences of the present invention, preferably for the expression of said DNA sequences in bacteria or a fungal or a yeast host and such transformed bacteria or fungal or yeast hosts are also a part of the invention.

The invention also provides a system that allows for high expression of proteins, in particular of the phytases of the invention, such as recombinant Hansenula strains. To achieve that, the codons of the DNA sequence of such a protein may be selected on the basis of a codon frequency table of the organism used for expression, e.g. of yeast as in the present case (see e.g. in Example 1). Optionally, the codons for the signal sequence may be selected in a manner as described for the specific case in Example 1; that means that a codon frequency table is prepared on the basis of the codons used in the DNA sequences which encode the amino acid sequences of the given protein family. Then the codons for the design of the DNA

sequence of the signal sequence are selected from a codon frequency table of the host cell used for expression whereby always codons of comparable frequency in both tables are used.

Once such DNA sequences have been expressed in an appropriate host cell in a suitable medium, the encoded protein can be isolated either from the medium in the case the protein is secreted into the medium or from the host organism in case such protein is present intracellularly by methods known in the art of protein purification or described in case of a phytase, e.g. in EP 420358. Accordingly, a process for the preparation of a polypeptide of the present invention wherein transformed bacteria or a host cell as described above are cultured under suitable culture conditions, and the polypeptide is recovered therefrom and a polypeptide when produced by such a process; or 15 a polypeptide encoded by a DNA sequence of the present invention, are also a part of the present invention.

Once obtained, the polypeptides of the present invention can be characterized regarding their properties that make them useful in agriculture by any assay known in the art.

In general, the polypeptides of the present invention can be used without being limited to a specific field of application, e.g. in case of phytases for the conversion of inositol polyphosphates, like phytate, to inositol and inorganic phosphate.

Furthermore, the polypeptides of the present invention can be used in a process for the preparation of a pharmaceutical composition or compound food or feeds wherein the components of such a composition are mixed with at least one polypeptide of the present invention. Accordingly, compound food or feeds or pharmaceutical compositions comprising at least one polypeptide of the present invention are also a part of the present invention. A man skilled in the art is familiar with their process of preparation. Such pharmaceutical compositions or compound foods or feeds can further comprise additives or components generally used for such purpose and known in the state of the art.

The present invention also provides a process for the reduction of levels of phytate in animal manure wherein an animal is fed such a feed composition in an amount effective in converting phytate contained in the feedstuff to lower inositol phosphates and/or inositol, and inorganic phosphate.

In the present context, a phytase is an enzyme or polypeptide that has phytase activity. A phytase can be e.g. a myo-inositol hexakisphosphate phosphohydrolase, such as (myo-inositol hexakisphosphate 3-phosphohydrolase, EC 3.1.3.8) and (myo-inositol hexakisphosphate 6-phosphohydrolase, EC 3.1.3.26).

In one embodiment, the phytase is purified, viz. at least 85%, preferably at least 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99% pure, as evaluated by SDS-PAGE. The phytase may be isolated. Phytase activity can be determined using any phytase assay known in the art, e.g. the assay described herein (see Example 9). The assay temperature may be the optimum temperature of the actual phytase, and the assay pH may be the optimum pH of the actual phytase.

The assay temperature may e.g. be selected within the 25 range of 20-90°C, or 30-80°C, or 35-75°C, for instance temperatures of 37°C, 50°C, 60°C, or 70°C.

The assay pH may e.g. be selected within the range of pH 2-9, or 3-8, or 3-6, for instance assay pH values of 3, 4, 5, 6, or 7 may be chosen.

Amino acid sequence homology (or polypeptide or amino acid homology) is determined as the degree of identity between two

sequences. This may suitably be determined by means of computer programs known in the art such as GAP provided in the GCG program package [Program Manual for the Wisconsin Package, Genetics Computer Group, 575 Science Drive, Madison, Wisconsin 53711, USA], see also Needleman, S.B. and Wunsch, C.D., (1970), J. Mol. Biol., 48, 443-453]. In release 9.1, for comparing polypeptide sequences, the Length Weight is set to 0, and the Gap Weight is set to 3.0.

The degree of identity or homology between two DNA (nucleic acid) sequences may be determined by means of computer programs known in the art such as GAP provided in the GCG program package [Program Manual for the Wisconsin Package, Genetics Computer Group, 575 Science Drive, Madison, Wisconsin 53711, USA), see also Needleman, S.B. and Wunsch, C.D., (1970), J. Mol. Biol., 48, 443-453]. In release 9.1, GAP is used with the following settings for DNA sequence comparison: GAP creation penalty of 50 and GAP extension penalty of 3.

Suitable experimental conditions for determining whether a given DNA or RNA sequence hybridizes to a specified nucleotide 20 or oligonucleotide probe involves presoaking of the filter containing the DNA or RNA fragments to examine for hybridization in 5 x SSC (Sodium chloride/Sodium citrate; (J. Sambrook, E.F. Fritsch, and T. Maniatis, 1989, Molecular Cloning, A Laboratory Manual, 2nd edition, Cold Spring Harbor, New York) for 10 min, 25 and prehybridization of the filter in a solution of 5 x SSC, 5 x Denhardt's solution, 0.5 % SDS and 100 µg/ml of denatured sonicated salmon sperm DNA (Sambrook et al. 1989), followed by hybridization in the same solution containing a concentration of 10 ng/ml of a random-primed (Feinberg, A. P. and Vogelstein, B. 30 (1983) Anal. Biochem. 132:6-13), 32P-dCTP-labeled (specific

activity > 1 x $10^9 \text{ cpm/}\mu\text{g})$ probe for 12 hours at approximately 45°C.

The filter is then washed twice for 30 minutes in 2 x SSC, 0.5 % SDS at at least 55°C (low stringency), at at least 60°C (medium stringency), at at least 65°C (medium/high stringency), at at least 70°C (high stringency), or at at least 75°C (very high stringency).

Molecules to which the oligonucleotide probe hybridizes under these conditions can be detected using an x-ray film.

Phytases of 10 amended thermostability, or thermostable phytases, are aspect of one the present invention. "thermostable" phytase is a phytase that has a Tm (melting temperature) - as measured on purified phytase protein by Differential Scanning Calorimetry (DSC) - of at least 65°C. For 15 the DSC, a constant heating rate may be used, e.g. of 10°C/min. In alternative embodiments, the Tm is at least 66, 67, 68, 69, 70, 71, 72, 73, 74 or 75°C. Or, the Tm is equal to or lower than 150°C, or equal to or lower than 145, 140, 135, 130, 125, 120, 115 or 110°C. Accordingly, examples of intervals of Tm are: 65-20 150°C, 66-150°C, - (etc.) - 75-150°C; 65-145°C, 66-145°C, -(etc.) - 75-145°C; 65-140°C, - (etc.) - 75-140°C; - (etc.) - 65-110°C, 66-110°C, - (etc.) - 75-110°C.

Particular ranges for Tm are the following: between 65 and 110°C; between 70 and 110°C; between 70 and 100°C; between 75 and 95°C, or between 80 and 90°C.

In Examples 9 and 10 below, the measurement of Tm by DSC is described, and the Tm's of a number of phytases are shown.

The optimum temperatures are also indicated, since - as an alternative mean - a thermostable phytase can be defined as a phytase having a temperature-optimum of at least 60°C.

Preferably, the optimum temperature is determined on the

substrate phytate or phytic acid at pH 5.0 or 5.5. Example 9 describes an example of a phytase assay, including a definition of units.

In alternative embodiments, the optimum temperature is at 5 least 61, 62, 63, 64, 65, 66, 67, 68, 69 or 70°C. In a particular embodiment, the optimum temperature is equal to or lower than 140°C, or equal to or lower than 135, 130, 125, 120, 115, 110, 105 or 100°C. Accordingly, examples of intervals of optimum temperature are: 60-140°C, 61-140°C, - (etc.) - 70-10 140°C; 60-135°C, 61-135°C, - (etc.) - 70-135°C; 60-130°C, - (etc.) - 70-130°C; - (etc.) - 60-100°C, 61-100°C, - (etc.) - 70-100°C.

Before describing the present invention in more detail a short explanation of the Figures enclosed is given below.

15

Figure 1: Design of the consensus phytase-1 sequence. The letters represent the amino acid residues in the one-letter code. The following sequences were used for the alignment: phyA from Aspergillus terreus 9A-1 [Mitchell, D. B., Vogel, K., 20 Weimann, B. J., Pasamontes, L. & van Loon, A. P. G. M. (1997) The phytase subfamily of histidine acid phosphatases: isolation of genes for two novel phytases from the fungi Aspergillus terreus and Myceliophthora thermophila, Microbiology 143, 245-252); from amino acid (aa) 27; SEQ ID NO: 1]; phyA from A. 25 terreus cbs116.46 [EP 897985]. A heat resistant phytase of Aspergillus fumigatus with superior performance in animal experiments. Phytase optimization and natural variability. In: The Biochemistry of phytate and phytases (eds. Rasmussen, S.K; Raboy, V.; Dalbøge, H. and Loewus, F.; Kluwer 30 Publishers); from aa 27; SEQ ID NO: 2; phyA from Aspergillus niger var. awamori (Piddington et al (1993) Gene 133, 55-62;

from aa 27; SEQ ID NO: 3); phyA from A. niger T213 (EP 897985); from aa 27; SEQ ID NO: 4); phyA from A. niger strain NRRL3135 [van Hartingsveldt, W., van Zeijl, C. M. F., Harteveld, G. M., Gouka, R. J., Suykerbuyk, M. E. G., Luiten, R. G. M., van 5 Paridon, P. A., Selten, G. C. M., Veenstra, A. E., van Gorcom, R. F. M., & van den Hondel, C. A. M. J. J. (1993) Cloning, characterization and overexpression of the phytase-encoding gene (phyA) of Aspergillus niger. Gene 127, 87-94; from aa 27; SEO ID NO: 5]; phyA from Aspergillus fumigatus ATCC 13073 (Pasamontes, 10 L., Haiker, M., Wyss, M., Tessier, M. & van Loon, A. P. G. M. (1997) Cloning, purification and characterization of a heat stable phytase from the fungus Aspergillus fumigatus, Appl. Environ. Microbiol. 63, 1696-1700; from aa 25; SEQ ID NO: 6]; phyA from A. fumigatus ATCC 32722 (EP 897985); from aa 27; SEQ 15 ID NO: 7); phyA from A. fumigatus ATCC 58128 (EP 897985); from aa 27; SEQ ID NO: 8); phyA from A. fumigatus ATCC 26906 (EP 897985); from aa 27; SEQ ID NO: 9); phyA from A. fumigatus ATCC 32239 (EP 897985); from aa 30; SEQ ID NO: 10; phyA from Emericella nidulans [Pasamontes, L., Haiker, M., Henriquez-20 Huecas, M., Mitchell, D. B. & van Loon, A. P. G. M. (1997a). Cloning of the phytases from Emericella nidulans and the thermophilic fungus Talaromyces thermophilus. Biochim. Biophys. Acta 1353, 217-223; from aa 25; SEQ ID NO: 11]; phyA from Talaromyces thermophilus (Pasamontes et al., 1997a; from aa 24; 25 SEQ ID NO: 12); and phyA from Myceliophthora thermophila (Mitchell et al., 1997; from aa 19; SEQ ID NO: 13). The alignment was calculated using the program PILEUP. The location of the gaps was refined by hand. Capitalized amino acid residues in the alignment at a given position belong to the amino acid 30 coalition that establish the consensus residue. In bold, beneath the calculated consensus sequence, the amino acid sequence of

the finally constructed consensus phytase (Fcp) is shown (SEQ ID NO: 14). The gaps in the calculated consensus sequence were filled by hand according to principals stated in Example 1.

Figure 2: DNA sequence (SEQ ID NO: 15) of the consensus phytase-1 gene (fcp) and of the primers used for the gene construction. The calculated amino acid sequence (Figure 1, SEQ ID NO: 14) was converted into a DNA sequence using the program BACKTRANSLATE [Devereux, J., Haeberli, P. & Smithies, O. (1984) 10 A comprehensive set of sequence analysis programs for the VAX. Nucl. Acids Res. 12, 387-395], and the codon frequency table of highly expressed yeast genes (GCG program package, 9.0). The signal peptide of the phytase from A. terreus cbs 116.46 was fused to the N-terminus. The amino acid sequence shown in Fig. 2 15 is SEQ ID NO: 16. The bold bases represent the sequences of the oligonucleotides used to generate the gene. The names of the respective oligonucleotides are alternately noted above or below the sequence. The underlined bases represent the start and stop codon of the gene. The bases written in italics represent the 20 two introduced Eco RI sites.

Figure 3: Alignment and consensus sequence of five Basidiomycete phytases. The letters represent the amino acid residues in the one-letter code. The amino acid sequences of the phytases from Paxillus involutus, phyA1 (from aa 21; SEQ ID NO: 17; and phyA2 (from aa 21, WO 98/28409; SEQ ID NO: 18); Trametes pubescens (from aa 24, WO 98/28409; SEQ ID NO: 19); Agrocybe pediades (from aa 19, WO 98/28409; SEQ ID NO: 20); and Peniophora lycii (from aa 21, WO 98/28409; SEQ ID NO: 21), starting with the amino acid residues mentioned in parentheses, were used for the alignment and the calculation of the

corresponding consensus sequence called "Basidio" (Example 2; SEQ ID NO: 22). The alignment was performed with the program PILEPUP. The location of the gaps was refined by hand. The consensus sequence was calculated by the program PRETTY. While a 5 vote weight of 0.5 was assigned to the two P. involutus phytases, all other genes were used with a vote weight of 1.0 for the consensus sequence calculation. At positions where the program was not able to determine a consensus residue, the Basidio sequence contains a dash. Capitalized amino acid residues in the alignment at a given position represent the amino acid coalition that established the consensus residue.

Figure 4: Design of consensus phytase-10 amino acid sequence. By adding the sequence of Thermomyces lanuqinosus 15 phytase [Berka, R. M., Rey, M. W., Brown, K. M., Byun, T. & Klotz, A. V. (1998) Molecular characterization and expression of phytase gene from the thermophilic fungus Thermomyces lanuginosus. Appl. Environ. Microbiol. 64, 4423-4427; SEQ ID NO: 23] and the consensus sequence of the phytases from five 20 Basidiomycetes (SEQ ID NO: 22) to the alignment of Figure 1, an improved consensus sequence was calculated by the program PRETTY. Additionally, the amino acid sequence of A. niger T213 was omitted, and a vote weight of 0.5 was assigned to the niger phytase sequences. remaining two Α. For further 25 information see Example 2.

Figure 5: DNA and amino acid sequence of consensus phytase-10 (SEQ ID NO: 25, and SEQ ID NO: 26, respectively). The amino acid sequence is written above the corresponding DNA sequence using the one-letter code. The sequence of the oligonucleotides that were used to assemble the gene are in

bold letters. The names of the respective oligonucleotides and the amino acids that differ relative to consensus phytase-1 are underlined. The fcp10 gene was assembled from the following oligonucleotides: CP-1, CP-2, CP-3.10, CP-4.10, CP-5.10, CP-6, CP-7.10, CP-8.10, CP-9.10, CP-10.10, CP-11.10, CP-12.10, CP-13.10, CP-14.10, CP-15.10, CP-16.10, CP-17.10, CP18.10, CP-19.10, CP-20.10, CP-21.10, and CP-22.10. The newly synthesized oligonucleotides are additionally marked by the number 10. The phytase contains the following 32 exchanges relative to consensus phytase-1: Y54F, E58A, D69K, D70G, A94K, N134Q, I158V, S187A, Q188N, D197N, S204A, T214L, D220E, L234V, A238P, D246H, T251N, Y259N, E267D, E277Q, A283D, R291I, A320V, R329H, S364T, I366V, A379K, S396A, G404A, Q415E, A437G, A463E. The underlined mutations revealed a stabilizing effect on consensus phytase-1.

Figure 6: Alignment for the design of consensus phytase-11 (SEQ ID NO: 27). In contrast to the design of consensus phytase-10, for the design of the amino acid sequence of consensus phytase-11, all Basidiomycete phytases were used as independent sequences using an assigned vote weight of 0.2 for each Basidiomycete sequence. Additionally, the amino acid sequence of A. niger T213 was again used in this alignment.

Figure 7: DNA and amino acid sequence of consensus phytase-1-thermo[8]-Q50T-K91A (SEQ ID NO: 28, and SEQ ID NO: 29, respectively). The amino acid sequence is written above the corresponding DNA sequence using the one-letter code. The replaced amino acid residues (relative to consensus phytase-1) are underlined. The stop codon of the gene is marked by a star (*).

Figure 8: DNA and amino acid sequence of consensus phytase-10-thermo[3]-Q50T-K91A (SEQ ID NO: 30, and SEQ ID NO: 31, respectively). The amino acid sequence is written above the corresponding DNA sequence using the one-letter code. The replaced amino acid residues (relative to consensus phytase-10) are underlined. The stop codon of the gene is marked by a star (*).

Figure 9: DNA and amino acid sequence of A. fumigatus ATCC 13073 phytase alpha-mutant Q51T (SEQ ID NO: 32, and SEQ ID NO: 33, respectively). The amino acid sequence is written above the corresponding DNA sequence using the one-letter code. The replaced amino acid residues (relative to A. fumigatus ATCC 15 13073 phytase) are underlined. The stop codon of the gene is marked by a star (*).

Figure 10: DNA and amino acid sequence of consensus phytase-7 (SEQ ID NO: 34, and SEQ ID NO: 35, respectively). The amino acids are written above the corresponding DNA sequence using the one-letter code. The sequence of the oligonucleotides used to assemble the gene are in bold letters. Oligonucleotides and amino acids that were exchanged (relative to consensus phytase-1) are underlined and the corresponding triplets are written in small case letters. The fcp7 gene was assembled from the following oligonucleotides: CP-1, CP-2, CP-3, CP-4.7, CP-5.7, CP-6, CP-7, CP-8.7, CP-9, CP-10.7, CP-11.7, CP-12.7, CP-13.7, CP-14.7, CP-15.7, CP-16, CP-17.7, CP-18.7, CP-19.7, CP-20, CP-21, and CP-22. The newly synthesized oligonucleotides are additionally marked by the number 7. Consensus phytase-7 contains the following 24 exchanges in comparison to the

original consensus phytase-1: S89D, S92G, A94K, D164S, P201S, G203A, G205S, H212P, G224A, D226T, E255T, D256E, V258T, P265S, Q292H, G300K, Y305H, A314T, S364G, M365I, A397S, S398A, G404A, and A405S.

5

Figure 11: Differential scanning calorimetry (DSC) of consensus phytase-1 and consensus phytase-10. The protein samples were concentrated to about 50-60 mg/ml and extensively dialyzed against 10 mM sodium acetate, pH 5.0. A constant heating rate of 10°C/min was applied up to 95°C. DSC of consensus phytase-10 (upper graph) yielded a melting temperature of 85.4°C, which is 7.3°C higher than the melting point of consensus phytase-1 (78.1°C, lower graph).

Figure 12: Differential scanning calorimetry (DSC) of consensus phytase-10-thermo[3]-Q50T and consensus phytase-10-thermo[3]-Q50T-K91A. The protein samples were concentrated to ca. 50-60 mg/ml and extensively dialyzed against 10 mM sodium acetate, pH 5.0. A constant heating rate of 10°C/min was applied up to 95°C. DSC of consensus phytase-10-thermo[3]-Q50T (upper graph) yielded a melting temperature of 88.6°C, while the

determined to be 89.3°C.

Figure 13: Comparison of the temperature optimum between consensus phytase-1, consensus phytase-10 and consensus phytase-10-thermo[3]-Q50T. For the determination of the temperature optimum, the phytase standard assay of Example 9 was performed at a series of temperatures between 37 and 86°C. The diluted supernatant of transformed S. cerevisiae strains was used for the determination. The other components of the supernatant had

melting temperature of consensus phytase-10-thermo-Q50T-K91A was

no influence on the determination of the temperature optimum: \land , consensus phytase-1; \diamondsuit , consensus phytase-10; \blacksquare , consensus phytase 10-thermo[3]-Q50T.

5 Figure 14: pH-dependent activity profile and substrate specificity of consensus phytase-10 and its variants thermo[3]-Q50T and thermo[3]-Q50T-K91A. The phytase activity determined using the standard assay in appropriate buffers (see Example 9) at different pH-values. Graph a) shows the pH-10 dependent activity profile of consensus phytase-10 (\Box) consensus phytase-10-thermo[3]-Q50T (•), and consensus phytase-10-thermo[3]-Q50T-K91A (A). Graph b) shows the corresponding substrate specificity tested by replacement of phytate in the standard assay by the indicated compounds; open bars, consensus 15 phytase-10; grey bars, consensus phytase-10-thermo[3]-Q50T; dark bars, consensus phytase-10-thermo[3]-Q50T-K91A). The numbers correspond to the following substrates: 1, phytate; 2, pnitrophenyl phosphate; 3, phenyl phosphate; 4, fructose-1,6bisphosphate; 5, fructose-6-phosphate; 6, glucose-6-phosphate; 20 7, ribose-5-phosphate; 8, DL-glycerol-3-phosphate; 9, glycerol-2-phosphate; 10, 3-phosphoglycerate; 11, phosphoenolpyruvate; 12, AMP; 13, ADP; 14, ATP.

Figure 15: pH-dependent activity profile and substrate specificity of consensus phytase-1-thermo[8]-Q50T and of consensus phytase-1-thermo[8]-Q50T-K91A. The phytase activity was determined using the standard assay in appropriate buffers (see Example 9) at different pH-values. Graph a) shows the pH-dependent activity profile of the Q50T- (1) and the Q50T-K91A-

variant (.). Graph b) shows the corresponding substrate specificities tested by replacement of phytate in the standard assay by the indicated compounds (open bars, consensus phytase-1-thermo[8]-Q50T; filled bars, consensus phytase-1-thermo[8]-Q50T-K91A). The substrates are listed in the legend of Figure 14.

Figure 16: Differential scanning calorimetry (DSC) of consensus phytase-1-thermo[8]-Q50T and consensus phytase-110 thermo[8]-Q50T-K91A. The protein samples were concentrated to ca. 50-60 mg/ml and extensively dialyzed against 10 mM sodium acetate, pH 5.0. A constant heating rate of 10°C/min was applied up to 95°C. DSC of consensus phytase-1-thermo[8]-Q50T (upper graph) showed a melting temperature of 84.7°C, while the melting point of consensus phytase-1-thermo[8]-Q50T-K91A was found at 85.7°C.

Figure 17: Comparison of the temperature optimum between consensus phytase-1, consensus phytase-1-thermo[3] and consensus phytase-1-thermo[8]. For the determination of the temperature optimum, the phytase standard assay was performed at a series of temperatures between 37 and 86°C. Protein purified from the supernatant of transformed S. cerevisiae strains was used for the determination. O, consensus phytase-1;

[3] phytase-1-thermo[3]: A consensus phytase-1;
[4] consensus

25 phytase-1-thermo[3]; ▲, consensus phytase 1-thermo[8].

Figure 18: Comparison of the pH-dependent activity profile and substrate specificity between consensus phytase-1, consensus phytase-7, and the phytase from A. niger NRRL 3135. The phytase activity was determined using the standard assay in appropriate buffers (see Example 9) at different pH-values. Graph a) shows

the pH-dependent activity profile of consensus phytase-1 (■), the phytase from A. niger NRRL 3135 (0), and of consensus phytase-7 (▲). Graph b) shows the corresponding substrate specificities tested by replacement of phytate in the standard assay by the indicated compounds (black bars, A. niger NRRL 3135 phytase; open bars, consensus phytase-1; dashed bars, consensus phytase-7). The substrates are listed in the legend of Figure 14.

Figure 19: Differential scanning calorimetry (DSC) of the phytase from A. fumigatus ATCC 13073 and of its stabilized alpha-mutant, which contains the following amino acid exchanges: F55Y, V100I, F114Y, A243L, S265P, and N294D.

The protein samples were concentrated to ca. 50-60 mg/ml and extensively dialyzed against 10 mM sodium acetate, pH 5.0. A constant heating rate of 10°C/min was applied up to 95°C. DSC of A. fumigatus 13073 phytase (lower graph) revealed a melting temperature of 62.5°C, while the melting point of the alphamutant was found at 67.0°C.

20

Figure 20: Comparison of the temperature optima of A. fumigatus 13073 wild-type phytase, its alpha-mutant, and a further stabilized alpha-mutant (E59A-S154N-R329H-S364T-G404A). For the determination of the temperature optimum, the phytase standard assay was performed at a series of temperatures between 37 and 75°C. The diluted supernatant of transformed S. cerevisiae strains was used for the determination. The other components of the supernatant had no influence on the determination of the temperature optimum. O, A. fumigatus ATCC

30 13073 phytase; ▲, A. fumigatus ATCC 13073 alpha-mutant; □, A.

fumigatus ATCC 13073 alpha-mutant-(E59A-S154N-R329H-S364T-G404A)-Q27T; ■, A. fumigatus ATCC 13073 alpha-mutant-(E59A-S154N-R329H-S364T-G404A)-Q51T-K92A. Q51T and K92A correspond to consensus phytase-1 substitutions Q50T and K91A, respectively.

5

Figure 21: Amino acid sequence of consensus phytase-12 (consphy12; SEQ ID NO: 36) which contains a number of active site residues transferred from the "basidio" consensus sequence to consensus phytase-10-thermo[3]-Q50T-K91A (underlined).

10

- Figure 22: DNA and amino acid sequence of consensus phytase-3-thermo[11]-Q50T. The amino acids are written below the corresponding DNA sequence using the one-letter code.
- Figure 23: DNA and amino acid sequence of consensus phytase-3-thermo[11]-Q50T-K91A. The amino acids are written below the corresponding DNA sequence using the one-letter code.
- Figure 24: DNA and amino acid sequence of consensus
 phytase-10-thermo[5]-Q50T. The amino acids are written below the corresponding DNA sequence using the one-letter code.
- Figure 25: DNA and amino acid sequence of consensus phytase-10-thermo[5]-Q50T-K91A. The amino acids are written below the corresponding DNA sequence using the one-letter code.

The phytase-producing microorganism strains mentioned herein, viz. Paxillus involutus CBS 100231; Peniophora lycii CBS 686.96; Agrocybe pediades CBS 900.96; and Trametes pubescens CBS 100232; were isolated from natural samples originating from, respectively, Denmark; Denmark; Denmark; and Sweden (the Uppsala

collection. The samples were collected in November 1992; October 1993; June 1995; and in November 1995, respectively.

Example 1

5 Consensus phytase-1

The amino acid sequence of consensus phytase-1 (fungal consensus phytase, fcp) was designed and calculated as described in Examples 1 and 2 of EP 897985. Table 1 below shows the origin and vote weight of the phytase amino acid sequences used for the design of consensus phytase-1. The consensus phytase-1 sequence was furthermore converted into a DNA sequence as described in Example 3 of EP 897985, and the consensus phytase-1 gene was constructed and cloned as described in Example 4 of EP 897985.

15 Table 1

Origin and vote weight of the phytase amino acid sequences

- phyA from Aspergillus terreus 9A-1, aa 27, vote weight 0.5 (Mitchell et al., 1997)
- phyA from Aspergillus terreus cbs116.46, aa 27, vote weight 20 0.5 (EP 897985)
- phyA from Aspergillus niger var. awamori, aa 27, vote weight
 0.33 [Piddington, C. S., Houston, C. S., Paloheimo, M.,
 Cantrell, M., Miettinen-Oinonen, A., Nevalainen, H., & Rambosek,
 J. (1993) The cloning and sequencing of the genes encoding
 phytase (phy) and pH 2.5-optimum acid phosphatase (aph) from
 Aspergillus niger var. awamori. Gene 133, 55-62].
 - phyA from Aspergillus niger T213 (EP 897985), aa 27, vote weight 0.33
- 30 phyA from Aspergillus niger strain NRRL3135, aa 27, vote weight 0.33 (van Hartingsveldt et al., 1993)

20

- phyA from Aspergillus fumigatus ATCC 13073, aa 26, vote weight 0.2 (Pasamontes et al., 1997)
- phyA from Aspergillus fumigatus ATCC 32722, aa 26, vote weight 0.2 (EP 897985)
- 5 phyA from Aspergillus fumigatus ATCC 58128, aa 26, vote weight 0.2 (EP 897985)
 - phyA from Aspergillus fumigatus ATCC 26906, aa 26, vote weight 0.2 (EP 897985)
- phyA from Aspergillus fumigatus ATCC 32239, aa 30, vote weight 10 0.2 (EP 897985)
 - phyA from Emericella nidulans , aa 25, vote weight 1.0 (Pasamontes et al., 1997a)
 - phyA from Talaromyces thermophilus ATCC 20186, aa 24, vote weight 1.0 (Pasamontes et al., 1997a)
- 15 phyA from Myceliophthora thermophila, aa 19, vote weight 1.0 (Mitchell et al., 1997)

Example 2

Design of an improved consensus phytase (consensus phytase-10) amino acid sequence

The alignments used for the design of consensus phytase-10 were calculated using the program PILEUP from the GCG Sequence Analysis Package Release 9.0 (Devereux et al., 1984) with the standard parameters (gap creation penalty 12, gap extension penalty 4). The location of the gaps was refined using a text editor.

The following sequences were used for the alignment of the Basiodiomycete phytases starting with the amino acid (aa)

30 mentioned in Table 2:

Table 2

Origin and vote weight of five Basidiomycete phytases used for the calculation of the corresponding consensus amino acid sequence (basidio)

5

- phyA1 from Paxillus involutus CBS No. 100231, aa 21, vote weight 0.5 (WO 98/28409)
- phyA2 from Paxillus involutus CBS No. 100231, aa 21, vote weight 0.5 (WO 98/28409)
- 10 phyA from Trametes pubescens CBS No. 100232, aa 24, vote weight 1.0 (WO 98/28409)
 - phyA from Agrocybe pediades CBS No. 900.96, aa 19, vote weight 1.0 (WO 98/28409)
- phyA from Peniophora lycii CBS No. 686.96, aa 21, vote weight
 15 1.0 (WO 98/28409)

The alignment is shown in Figure 3.

In Table 3 the genes that were used for the final 20 alignment are listed. The first amino acid (aa) of the sequence that is used in the alignment is mentioned behind the organism's designation.

Table 3

- 25 Origin and vote weight of the phytase sequences used for the design of consensus phytase-10
 - phyA from Aspergillus terreus 9A-1, aa 27, vote weight 0.5 (Mitchell et al., 1997)
- o.5 (EP 897985)

25

- phyA from Aspergillus niger var. awamori, aa 27, vote weight 0.5 (Piddington et al., 1993)
- phyA from Aspergillus niger strain NRRL3135, aa 27, vote weight 0.5 (van Hartingsveldt et al., 1993)
- 5 phyA from Aspergillus fumigatus ATCC 13073, aa 26, vote weight 0.2 (Pasamontes et al., 1997)
 - phyA from Aspergillus fumigatus ATCC 32722, aa 26, vote weight 0.2 (EP 897985)
- phyA from Aspergillus fumigatus ATCC 58128, aa 26, vote weight 10 0.2 (EP 897985)
 - phyA from Aspergillus fumigatus ATCC 26906, aa 26, vote weight 0.2 (EP 897985)
 - phyA from Aspergillus fumigatus ATCC 32239, aa 30, vote weight 0.2 (EP 897985)
- 15 phyA from Emericella nidulans , aa 25, vote weight 1.0 (Pasamontes et al., 1997a)
 - phyA from Talaromyces thermophilus ATCC 20186, aa 24, vote weight 1.0 (Pasamontes et al., 1997a)
- phyA from Myceliophthora thermophila, aa 19, vote weight 1.0 20 (Mitchell et al., 1997)
 - phyA from Thermomyces lanuginosus, aa 36, vote weight 1.0 (Berka et al., 1998)
 - Consensus sequence of five Basidiomycete phytases, vote weight 1.0 (Basidio, Figure 3)

The corresponding alignment is shown in Figure 4.

Calculation of the amino acid sequence of consensus phytase-10

To improve the alignment, we added the original consensus sequence of five phytases from four different Basidiomycetes

(called Basidio; still containing the undefined sequence positions; see Figure 3), nearly all phytase sequences used for the calculation of the original consensus phytase sequences and one new phytase sequence from the Ascomycete Thermomyces lanuginosus to a larger alignment.

We set plurality on 2.0 and threshold on 3. The used vote weights are listed in Table 3. The alignment and the corresponding consensus sequence are presented in Figure 4. The new consensus phytase sequence has 32 different amino acids in comparison to the original consensus phytase-1. Positions for which the program PRETTY was not able to calculate a consensus amino acid residue were filled according to rules mentioned in Example 1. None of the residues suggested by the program was replaced.

15 Furthermore, in another calculation, we included all Basidiomycete phytases as single amino acid sequences but assigning a vote weight of 0.2 in the calculation. The corresponding alignment is shown in Figure 6. The calculated consensus amino acid sequence (consensus phytase-11) has the 20 following differences to the sequence of consensus phytase-10. Letter X means that the program was not able to calculate a consensus amino acid; the amino acid in parenthesis corresponds to the amino acid finally included into consensus phytase-10.

D35X (first letter for consensus phytase-10, last letter for consensus phytase-11), X(K)69K, X(E)100E, A101R, Q134N, X(K)153N, X(H)190H, X(A)204S, X(E)220D, E222T, V227A, X(R)271R, H287A, X(D)288D, X(K)379K, X(I)389I, E390X, X(E)415E, X(A)416A, X(R)446L, E463A. The numbering is as in Fig. 5.

We also checked single amino acid replacements suggested 30 by the improved consensus sequences 10 and 11 on their influence

on the stability of the original consensus phytase-1. The approach is described in example 3.

Conversion of the consensus phytase-10 amino acid sequence into a DNA sequence

The first 26 amino acid residues of A. terreus cbs116.46 phytase were used as signal peptide and fused to the N-terminus of consensus phytase-10. The used procedure is further described in Example 1.

The resulting sequence of the fcp10 gene is shown in Figure 5.

Construction and cloning of the consensus phytase-10 gene (fcp10)

The calculated DNA sequence of fcp10 was divided into oligonucleotides of 85 bp, alternately using the sequence of the sense and the anti-sense strand. Every oligonucleotide overlaps 20 bp with the previous and the following oligonucleotide of the opposite strand. The location of all primers, purchased from 20 Microsynth, Balgach (Switzerland) and obtained in a PAGE-purified form, is indicated in Figure 5.

PCR-Reactions

In three PCR reactions, the synthesized oligonucleotides were composed to the entire gene. For the PCR, the High Fidelity Kit from Boehringer Mannheim (Boehringer Mannheim, Mannheim, Germany) and the thermo cycler "The ProtokolTM" from AMS Biotechnology (Europe) Ltd. (Lugano, Switzerland) were used. The following oligonucleotides were used in a concentration of 0.2 pMol/ml.

Mix 1.10: CP-1, CP-2, CP-3.10, CP-4.10, CP-5.10, CP-6, CP-7.10, CP-8.10, CP-9.10, CP-10.10

Mix 2.10: CP-9.10, CP-11.10, CP-12.10, CP-13.10, CP
14.10, CP-15.10, CP-16.10, CP-17.10, CP18.10,

CP-19.10, CP-20.10, CP-21.10, CP-22.10

The newly synthesized oligonucleotides are marked by the number 10. Consensus phytase-10 contains the following 32 exchanges, which are underlined in Figure 5, in comparison to the original consensus phytase-1: Y54F, E58A, D69K, D70G, A94K, N134Q, I158V, S187A, Q188N, D197N, S204A, T214L, D220E, L234V, A238P, D246H, T251N, Y259N, E267D, E277Q, A283D, R291I, A320V, R329H, S364T, I366V, A379K, S396A, G404A, Q415E, A437G, A463E.

Four short PCR primers were used for the assembling of the 15 oligonucleotides:

CP-a: Eco RI

5'-TATATGAATTCATGGGCGTGTTCGTC-3' (SEQ ID NO: 37)

20 CP-b:

5'-TGAAAAGTTCATTGAAGGTTTC-3' (SEQ ID NO: 38)

CP-c.10:

5'-TCTTCGAAAGCAGTACACAAAC-3' (SEQ ID NO: 39)

25

CP-e: Eco RI

5'-TATATGAATTCTTAAGCGAAAC-3' (SEQ ID NO: 40)

 μ l Mix1.10 (2.0 PCR reaction a: 10 pmol of each oligonucleotide) 2 μ l nucleotides (10 mM of each nucleotide) 2 μ l primer CP-a (10 pmol/ml) 5 2 μ l primer CP-c.10 (10 pmol/ml) 10,0 μ l PCR buffer 0.75 μ l polymerase mixture (2.6 U) $73.25~\mu l$ H_2O μ 1 2.10 (2.0 10 PCR reaction b: 10 Mixpmol of each oligonucleotide) 2 μ l nucleotides (10 mM each nucleotide) 2 μ l primer CP-b (10 pmol/ml) 2 μ l primer CP-e (10 pmol/ml) 10,0 μ l PCR buffer 15 0.75 μ l polymerase mixture (2.6 U)

Reaction conditions for PCR reactions a and b:

73.25 μ l H₂O

step 1 2 min - 45°C step 2 30 sec - 72°C step 3 30 sec - 94°C step 4 30 sec - 52°C step 5 1 min - 72°C

Steps 3 to 5 were repeated 40-times.

The PCR products (670 and 905 bp) were purified by agarose gel electrophoresis (0.9% agarose), followed by gel extraction 30 (QIAEX II Gel Extraction Kit, Qiagen, Hilden, Germany). The purified DNA fragments were used for the PCR reaction c.

15

```
PCR reaction c: 6 \mul PCR product of reaction a \approx50 ng)
6 \mul PCR product of reaction b \approx50 ng)
2 \mul primer CP-a (10 pmol/ml)
2 \mul primer CP-e (10 pmol/ml)
10,0 \mul PCR buffer
0.75 \mul polymerase mixture (2.6 U)
73.25 \mul H<sub>2</sub>O
```

10 Reaction conditions for PCR reaction c:

 step 1
 2 min - 94°C

 step 2
 30 sec - 94°C

 step 3
 30 sec - 55°C

 step 4
 1 min - 72°C

Steps 2 to 4 were repeated 31-times.

The resulting PCR product (1.4 kb) was purified as mentioned above, digested with EcoRI, and ligated in an EcoRI-20 digested and dephosphorylated pBsk(-)-vector (Stratagene, La Jolla, CA, USA). 1 μ l of the ligation mixture was used to transform E. coli XL-1 competent cells (Stratagene, La Jolla, CA, USA). All standard procedures were carried out as described by Sambrook et al. (1987). The DNA sequence of the constructed gene (fcp10) was checked by sequencing as known in the art.

Example 3

Increasing the thermostability of consensus phytase-1 by introduction of single mutations suggested by the amino acid sequences of consensus phytase-10 and consensus phytase-11

In order to increase the thermostability of homologous genes, it is also possible to test the stability effect of each differing amino acid residue between the protein of interest and the calculated consensus sequence and to combine all stabilizing mutations into the protein of interest. We used the consensus phytase-1 as protein of interest and tested the effect on the protein stability of 34 amino acid residues that differ relative to consensus phytase-10 and/or -11 by single site-directed mutagenesis.

To construct muteins for expression in A. niger, cerevisiae, or H. polymorpha, the corresponding expression plasmid containing the consensus phytase-1 gene was used as template for site-directed mutagenesis (see Examples 6-8). 20 Mutations were introduced using the "quick exchangeTM sitedirected mutagenesis kit" from Stratagene (La Jolla, CA, USA) following the manufacturer's protocol and usinq the corresponding primers. All mutations made and the corresponding primers are summarized in Table 4. Plasmids harboring the 25 desired mutation were identified by DNA sequence analysis as known in the art.

Table 4

mutation Primer set

Primers used for site-directed mutagenesis of consensus phytase-

Exchanged bases are highlighted in bold. The introduction of a 5 restriction site is marked above the sequence. When a restriction site is written in parenthesis, the mentioned site was destroyed by introduction of the mutation.

10	Q50T	<pre>Kpn I 5'-CACTTGTGGGGTACCTACTCTCCATACTTCTC-3' (SEQ ID NO: 41) 5'-GAGAAGTATGGAGAGTACCCCCACAAGTG-3'</pre>
15	Y54F	5'-GGTCAATACTCTCCATTCTTCTCTTTGGAAG-3'(SEQ ID NO: 42) 5'-CTTCCAAAGAGAAGAATGGAGAGTATTGACC-3'
	E58A	5'-CATACTTCTCTTTGGCAGACGAATCTGC-3' (SEQ ID NO: 43) 5'-GCAGATTCGTCTGCCAAAGAGAAGTATG-3'
20	D69K	Aat II 5'-CTCCAGACGTCCCAAAGGACTGTAGAGTTAC-3' (SEQ ID NO: 44) 5'-GTAACTCTACAGTCCTTTGGGACGTCTGGAG-3'
25	D70G	Aat II 5'-CTCCAGACGTCCCAGACGGCTGTAGAGTTAC-3' (SEQ ID NO: 45) 5'-GTAACTCTACAGCCGTCTGGGACGTCTGGAG-3'
30	K91A	5'-GATACCCAACTTCTTCT GC GTCTAAGGCTTACTCTG-3' (SEQ ID NO: 46) 5'-CAGAGTAAGCCTTAGAC GC AGAAGAAGTTGGGTATC-3'
		Gran T
2.5	A94K	Sca I 5'-CTTCTAAGTCTAAGAAGTACTCTGCTTTG-3' (SEQ ID NO:47) 5'-CAAAGCAGAGTACTTCTTAGACTTAGAAG-3'
35	A101R	5'-GCTTACTCTGCTTTGATTGAACGGATTCAAAAGAACGCTAC-3'
		(SEQ ID NO: 48) 5'-GTAGCGTTCTTTTGAATCCGTTCAATCAAAGCAGAGTAAGC-3'
40	N134Q	5'-CCATTCGGTGAACAGCAAATGGTTAACTC-3' (SEQ ID NO: 49) 5'-GAGTTAACCATTTGCTGTTCACCGAATGG-3'

```
Nru I
           5'-GATACAAGGCTCTCGCGAGAAACATTGTTC -3' (SEQ ID NO: 50)
  K153N
            5'-GGAACAATGTTTCTCGCGAGAGCCTTGTATC-3'
                               Bss HI
5
            5'-GATTGTTCCATTCGTGCGCGCTTCTGGTTC-3' (SEQ ID NO: 51)
  I158V
            5'-GAACCAGAAGCGCGCACGAATGGAACAATC-3'
                          Apa I
           5'-GGCTGACCCAGGGGCCCAACCACCAAGC-3' (SEQ ID NO: 53)
10 S187A
            5'-GCTTGGTGTGGTTGGCCCCTGGGTCAGCC-3'
                              Bcl I
           5'-CTCCAGTTATTAACGTGATCATTCCAGAAGG-3' (SEQ ID NO: 52)
  D197N
            5'-CCTTCTGGAATGATCACGTTAATAACTGGAG-3'
15
                        Nco I
           5'-CACTTTGGACCATGGTCTTTGTACTGCTTTCG-3' (SEQ ID NO: 54)
   T214L
            5'-CGAAAGCAGTACAAAGACCATGGTCCAAAGTG-3'
                                Avr II
            5'-GCTTTCGAAGACTCTACCCTAGGTGACGACGTTG-3'
  E222T
                                                     (SEQ ID NO: 55)
            5'-CAACGTCGTCACCTAGGGTAGAGTCTTCGAAAGC-3'
25
            5'-GGTGACGACGCTGAAGCTAACTTCAC-3' (SEQ ID NO: 56)
  V227A
            5'-GTGAAGTTAGCTTCAGCGTCGTCACC-3'
                         Sac II
            5'-CTAACTTCACCGCGGTGTTCGCTCCAG-3' (SEQ ID NO: 57)
30 L234V
            5'-CTGGAGCGAACACCGCGGTGAAGTTAG-3'
  A238P
            5'-GCTTTGTTCGCTCCACCTATTAGAGCTAGATTGG-3'
                                                     (SEQ ID NO: 58)
            5'-CCAATCTAGCTCTAATAGGTGGAGCGAACAAAGC-3'
35
                      Hpa I
   T251N
            5'-GCCAGGTGTTAACTTGACTGACGAAG-3' (SEQ ID NO: 59)
            5'-TTCGTCAGTCAAGTTAACACCTGGC-3'
40
                     Aat II
   Y259N
            5'-GACGAAGACGTCGTTAACTTGATGGAC-3' (SEQ ID NO: 60)
            5'-GTCCATCAAGTTAACGACGTCTTCGTC-3'
45
                       Asp I
   E267D
            5'-GTCCATTCGACACTGTCGCTAGAACTTC-3' (SEQ ID NO: 61)
            5'-GAAGTTCTAGCGACAGTGTCGAATGGAC-3'
```

	E277Q	5'-CTGACGCTACTCAGCTGTCTCCATTC-3' (SEQ ID NO: 62) 5'-GAATGGAGACAGCTGAGTAGCGTCAG-3'
5	A283D	5'-GTCTCCATTCTGTGATTTGTTCACTCAC-3' (SEQ ID NO: 63) 5'-GTGAGTGAACAAATCACAGAATGGAGAC-3'
		Ksp I
10	H287A	5'-GCTTTGTTCACCGCGGACGAATGGAG-3' (SEQ ID NO: 64) 5'-CTCCATTCGTCCGCGGTGAACAAAGC-3'
		Bam HI
	R291I	5'-CACGACGAATGGATCCAATACGACTAC-3' (SEQ ID NO: 65) 5'-GTAGTCGTATTGGATCCATTCGTCGTG-3'
15		Bsi WI
	Q292A	5'-GACGAATGGAGAGCGTACCTACTTG-3' (SEQ ID NO: 66) 5'-CAAGTAGTCGTACCCTCCCATTCGTC-3'
20		Hpa I
20	A320V	5'-GGTGTTGGTTTC <i>GTTAAC</i> GAATTGATTGC-3' (SEQ ID NO: 67) 5'-GCAATCAATTC <i>GTTAAC</i> GAAACCAACACC-3'
		(Bql II)
25	R329H	5'-GCTAGATTGACTCACTCTCCAGTTCAAG-3' (SEQ ID NO: 68) 5'-CTTGAACTGGAGAGTGAGTCAATCTAGC-3'
		Eco RV
30	S364T	5'-CTCACGACAACACTAT <i>GATATC</i> TATTTTCTTC-3' (SEQ ID NO: 69) 5'-GAAGAAAATA <i>GATATC</i> ATAG T GTTGTCGTGAG-3'
		Ngo I
	I366V	5'-CGACAACT <i>CCATGC</i> TTTCTATTTTCTTCGC-3' (SEQ ID NO: 70)
		5'-GCGAAGAAATAGAAA <i>CCATGG</i> AGTTGTCG-3'
35		
	A379K	Kpn I 5'-GTACAACGGTACCAAGCCATTGTCTAC-3' (SEQ ID NO: 71)
	A3/9K	5'-GTAGACAATGGCTTGTACCGTTGTAC-3'
40	S396A	5'-CTGACGGTTACGCTGCTTCTTGGAC-3' (SEQ ID NO: 72)
		5'-GTCCAAGAAGCAGCGTAACCGTCAG-3'
	G404A	5'-CTGTTCCATTCGCTGCTAGAGCTTAC-3' (SEQ ID NO: 73)
		5'-GTAAGCTCTAGCA G CGAATGGAACAG-3'
45	O41 E13	5'-GATGCAATGT G AAGCTGAAAAGGAACC-3' (SEO ID NO: 74)
	Q415E	5'-GATGCAATGTGAAAAGGAACC-3' (SEQ ID NO: /4) 5'-GGTTCCTTTTCAGCTTCACATTGCATC-3'

Sal I

A437G 5'-CACGGTTGTGGTGTCGACAAGTTGGG-3' (SEQ ID NO: 75)

5'-CCCAACTTGTCGACACCACAACCGTG-3'

5

Mun I

A463E 5'-GATCTGGTGGCAATTCGGAGGAATGTTTCG-3' (SEQ ID NO: 76)

5'-CGAAACATTCCTCCCAATTGCCACCAGATC-3'

10 and, accordingly, for other mutations.

The temperature optimum of the purified phytases, expressed in Saccharomyces cerevisiae (Example 7), was determined as outlined in Example 9. Table 5 shows the effect of each mutation introduced on the stability of consensus phytase-1.

Table 5

Stability effect of the individual amino acid replacements in consensus phytase-1

+ or - means a positive, respectively, negative effect on the protein stability up to 1°C, ++ and -- means a positive, respectively, negative effect on the protein stability between 1 and 3°C; the numbers 10 or 11 in parentheses indicate the consensus phytase sequence that suggested the amino acid replacement.

42
stabilizing neutral destabilizing

mutation	effect	mutation	ef-	mutation	effect
			fect		
E58A (10)	+	D69A	<u>±</u>	Y54F (10)	_
D69K (11)	+	D70G (10)	±	V73I	-
D197N (10)	+	N134Q (10)	<u>+</u>	A94K (10)	-
T214L (10)	+ +	G186H	±	A101R (11)	-
E222T (11)	+ +	S187A (10)	<u>±</u>	K153N (11)	-
E267D (10)	+	T214V	<u>±</u>	I158V (10)	
R291I	+	T251N (10)	±	G203A	
R329H (10)	+	Y259N (10)	土	G205S	-
S364T (10)	+ +	A283D (10)	<u>±</u>	A217V	-
A379K (11)	+	A320V (10)	土	V227A (11)	
G404A (10)	+ +	K445T	土	L234V (10)	-
		A463E (10)	±	A238P (10)	
				E277Q (10)	_
				H287A (11)	
				Q292A	_
***************************************				I366V (10)	-
**************************************		***************************************		S396A (10)	
**************************************		300		Q415E (11)	-
- Annies Company				A437G (10)	
				E451R	

We combined eight positive mutations (E58A, D197N, E267D, R291I, R329H, S364T, A379K, G404A) in consensus phytase-1 thermo[8], using the primers and the technique mentioned above in this example. Furthermore, the mutations Q50T and/or K91A were introduced which mainly influence the catalytic characteristics of phytase (see patent applications EP 897010 and EP 897985, as well as Example 9). The DNA and amino acid sequence of the resulting phytase (consensus phytase-1-thermo[8]-Q50T-K91A) are shown in Figure 7. In this way, the temperature optimum and the melting point of the consensus phytase were increased by 7°C (Figures 15, 16, 17).

In a further consensus protein, we combined eleven positive mutations (E58A, D69K, D197N, T214L, E222T, E267D, R291I, R329H, S364T, A379K, G404A) in consensus phytase-1 thermo[11]. Furthermore, the mutations Q50T and/or K91A were

introduced. In this way, the melting temperature was increased by another 3-4°C when compared to consensus phytase-1 thermo[8].

Using the results of Table 5, we further improved the thermostability of consensus phytase-10 by the back mutations 5 K94A, V158I, and A396S, the reverse of which (A94K, I158V, and S396A) revealed a strong negative influence on the stability of consensus phytase-1. The resulting protein was called consensus phytase-10-thermo[3]. SEQ ID NO: 26 plus the three mutations K94A, V158I, and A396S. Furthermore, we introduced the mutations mainly influence the catalytic 10 Q50T and K91A that characteristics of consensus phytase (see patent applications EP 897010 and EP 897985, as well as Example 9 and Figures 14 and 15). The resulting DNA and amino acid sequence are shown in Figure 8. The optimized phytase showed a 4°C higher temperature 15 optimum and melting point than consensus phytase-10 (Figures 12 and 13). Furthermore, the phytase has also a strongly increased specific activity with phytate as substrate of 250 U/mg at pH 5.5 (Figure 14).

In a still further consensus protein, two additional mutations were introduced into consensus phytase-10 thermo[3] (E222T, G437A) which yielded consensus phytase-10 thermo[5]. Furthermore, the mutations Q50T and/or K91A were introduced. In this way, the melting temperature was increased by another 1-2°C when compared to consensus phytase-10 thermo[3].

Example 4

Stabilization of the phytase of A. fumigatus ATCC 13073 by replacement of amino acid residues with the corresponding consensus phytase-1 and/or consensus phytase-10 residues

5

At six amino acid sequence positions where A. fumigatus 13073 phytase is the only or nearly the only phytase in the alignment of Figure 1 that does not contain the corresponding consensus phytase amino acid residue, the non-consensus amino acid residue was replaced by the consensus one. The following amino acids were substituted in A. fumigatus 13073 phytase, containing additionally the Q51(24)T substitution (influencing the catalytic properties and corresponding to the Q50T substitution in the consensus phytases) and the signal sequence of A. terreus cbs116.46 phytase (see European Patent Application No. 0897010, and Figure 9): F55(28)Y, V100(73)I, F114(87)Y, A243(220)L, S265(242)P, N294(282)D. The numbers in parentheses refer to the numbering in Figure 1.

In a second round, four of the seven stabilizing amino acid exchanges (E58A, R329H, S364T, G404A) identified in consensus phytase-10 and tested as single mutations in consensus phytase-1 (Table 5) were additionally introduced into the A. fumigatus alpha-mutant. Furthermore, the amino acid replacement S154N, shown to reduce the protease susceptibility of the phytase, was introduced.

The mutations were introduced as described in Example 3 (see Table 6) and expressed as described in Examples 6 to 8. The resulting A. fumigatus 13073 phytase variants were called alphamutant (i.e. the A. fumigatus ATCC 13073 phytase with the substitutions Q24T, F28Y, V73I, F87Y, A220L, S242P, N282D) and "optimized" alpha-mutant (i.e. the A. fumigatus alpha-mutant

having the additional substitutions E59A-S154N-R329H-S364T-G404A). K92A is an additional preferred mutation.

The temperature optimum (60°C, Figure 20) and the melting temperature (67.0°C, Figure 19) of the A. fumigatus 13073 alpha5 mutant phytase were increased by 5-7°C in comparison to the values of the wild-type phytase (temperature optimum: 55°C, Tm: 60°C). The five additional amino acid replacements further increased the temperature optimum by 3°C (Figure 20).

10 Table 6

Mutation

Primer

Mutagenesis primers for the stabilization of A. fumigatus ATCC 13073 phytase

	Macacion	TITMEL								
15	F55Y	5'-CACGTACTCGCCA TAC TTTTCGCTCGAG-3' (SEQ ID NO: 77) 5'-CTCGAGCGAAAAGT ATG GCGAGTACGTG-3'								
		(Xho I)								
20	E58A	5'-CCATACTTTTCGCTCGCGGACGAGCTGTCCGTG-3' (SEO ID NO: 78)								
		5'-CACGGACAGCTCGTCCGCGAGCGAAAAGTAGG-3'								
	V100I	5'-GTATAAGAAGCTT ATT ACGGCGATCCAGGCC-3' (SEO ID NO: 79)								
25		5'-GGCCTGGATCGCCGTAATAAGCTTCTTATAC-3'								
	F114Y	5'-CTTCAAGGGCAAG TAC GCCTTTTTGAAGACG-3' (SEO ID NO: 80)								
2.0		5'-CGTCTTCAAAAAGGC GTA CTTGCCCTTGAAG-3'								
30	A243L	5'-CATCCGAGCTCGCCTCGAGAAGCATCTTC-3'(SEQ ID NO: 81) 5'-GAAGATGCTTCTCGAGGCGAGCTCGGATG-3'								
35	S265P	5'-CTAATGGA TGTGTCCGTTTGATACGGTAG-3' (SEQ ID NO: 82) 5'-CTACCGTATCAAACGGACACATGTCCATTAG-3'								
	N294D	5'-GTGGAAGAAGTA CGA CTACCTTCAGTC-3' (SEQ ID NO: 83) 5'-GACTGAAGGTAG TCG TACTTCTTCCAC-3'								

46

(Mlu I)

R329H 5'-GCCCGGTTGACGCATTCGCCAGTGCAGG-3' (SEQ ID NO: 84)

5'-CCTGCACTGGCGAATGCGTCAACCGGGC-3'

5 Nco I

5'-CACACGACAACACCATGGTTTCCATCTTC-3' (SEO ID NO: 85)

5'-GAAGATGGAAA*CCATGG*TGTTGTCGTGTG-3'

(Bss HI)

10 G404A 5'-GTGGTGCCTTTCGCCGCGAGCCTACTTC-3' (SEQ ID NO: 86)

5'-GAAGTAGGCTCGCGCGCGCGAAAGGCACCAC-3'

Example 5

Introduction of the active site amino acid residues of A. niger NRRL 3135 phytase into consensus phytase-1

We used the crystal structure of Aspergillus niger NRRL 3135 phytase to define all active site amino acid residues (see Example 1, and EP 897010). Using the alignment of Figure 1, we replaced the following active site residues and additionally the non-identical adjacent ones of consensus phytase-1 by those of A. niger phytase:

S89D, S92G, A94K, D164S, P201S, G203A, G205S, H212P, G224A, D226T, E255T, D256E, V258T, P265S, Q292H, G300K, Y305H, A314T, S364G, M365I, A397S, S398A, G404A, and A405S.

- 25 The new consensus phytase-7 protein sequence was backtranslated into a DNA sequence (Figure 10) as described in Example 1. The corresponding gene (fcp7) was generated as described in Example 1 using the following oligonucleotide mixes:
- 30 Mix 1.7: CP-1, CP-2, CP-3, CP-4.7, CP-5.7, CP-6, CP-7, CP-8.7, CP-9, CP-10.7
- Mix 2.7: CP-9, CP-10.7, CP-11.7, CP-12.7, CP-13.7, CP-14.7, CP-15.7, CP-16, CP-17.7, CP-18.7, CP-19.7, CP-20, CP-21, CP-22.

The DNA sequences of the oligonucleotides are indicated in Figure 10. The newly synthesized oligonucleotides are additionally marked by the number 7. After assembling of the oligonucleotides using the same PCR primers as mentioned in Example 1, the gene was cloned into an expression vector as described in Examples 6-8.

The pH-profile of the enzyme determined after expression in H. polymorpha and purification was very similar to that of A. 10 niger phytase (see Figure 18).

Example 6

Expression of the consensus phytase genes in Hansenula polymorpha

The phytase expression vectors used to transform H. polymorpha RB11 [Gellissen, G., Hollenberg, C. P., Janowicz, Z. A. (1994) Gene expression in methylotrophic yeasts, in Smith, A. (ed.) Gene expression in recombinant microorganisms. Dekker, New York, pp. 395-439] were constructed by inserting the Eco RI fragment of pBsk-fcp or variants thereof into the multiple cloning site of the H. polymorpha expression vector pFPMT121, which is based on an ura3 selection marker from S. cerevisiae, a formate dehydrogenase (FMD) promoter element and a methanol oxidase (MO) terminator element from H. polymorpha. The 5' end of the fcp gene is fused to the FMD promoter, the 3' end to the MOX terminator (Gellissen et al., Appl. Microbiol. Biotechnol. 46, 46-54, 1996; EP 299108). The resulting expression vectors are designated pFPMTfcp, pFPMTfcp10, and pFPMTfcp7.

The constructed plasmids were propagated in E. coli.
30 Plasmid DNA was purified using standard state of the art procedures. The expression plasmids were transformed into the H.

polymorpha strain RB11 deficient in orotidine-5'-phosphate decarboxylase (ura3) using the procedure for preparation of competent cells and for transformation of yeast as described in Gellissen et al. (1996). Each transformation mixture was plated 5 on YNB medium (0.14% w/v Difco YNB and 0.5% ammonium sulfate) containing 2% glucose and 1.8% agar, and incubated at 37 °C. After 4 to 5 days individual transformant colonies were picked and grown in the liquid medium described above for 2 days at 37 °C. Subsequently, an aliquot of this culture was used to 10 inoculate fresh vials with YNB-medium containing 2% glucose. After seven further passages in selective medium, the expression vector had integrated into the yeast genome in multimeric form. Subsequently, mitotically stable transformants were obtained by two additional cultivation steps in 3 ml non-selective liquid 15 medium (YPD, 2% glucose, 10 g/l yeast extract, and 20 g/l peptone). In order to obtain genetically homogeneous recombinant strains, an aliquot from the last stabilization culture was plated on a selective plate. Single colonies were isolated for analysis of phytase expression in YNB containing 2% glycerol 20 instead of glucose to derepress the FMD promoter. Purification of the consensus phytases was done as described in Example 7.

Example 7

Expression of the consensus phytase genes in Saccharomyces cerevisiae and purification of the phytases from the culture supernatant

The consensus phytase genes were isolated from the corresponding Bluescript-plasmid (pBsk-fcp, pBSK-fcp10, pBsk-30 fcp7) and ligated into the Eco RI sites of the expression cassette of the Saccharomyces cerevisiae expression vector pYES2

(Invitrogen, San Diego, CA, USA) or subcloned between the shortened GAPFL (glyceraldhyde-3-phosphate dehydrogenase) promoter and the pho5 terminator as described by Janes et al., Curr. Genet. 18, 97-103. The correct orientation of the gene was 5 checked by PCR. Transformation of S. cerevisiae strains, e.g. INVSc1 (Invitrogen, San Diego, CA, USA), was done according to Hinnen et al., Proc. Natl. Acad. Sci. USA 75, 1929-1933 (1978). Single colonies harboring the phytase gene under the control of the GAPFL promoter were picked and cultivated in 5 ml selection 10 medium [SD-uracil; Sherman, J. P., Finck, G. R. & Hicks, J. B. (1986) Laboratory course manual for methods in yeast genetics. Cold Spring Harbor University] at 30°C under vigorous shaking (250 rpm) for one day. The preculture was then added to 500 ml YPD medium (Sherman et al., 1986) and grown under the same 15 conditions. Induction of the gall promoter was done according to the manufacturer's instructions. After four days of incubation, the cell broth was centrifuged (7000 rpm, GS3 rotor, 15 min, 5°C) to remove the cells, and the supernatant was concentrated by way of ultrafiltration in Amicon 8400 cells (PM30 membranes; 20 Grace AG, Wallizeller, Switzerland) and ultrafree-15 centrifugal filter devices (Biomax-30K, Millipore, Bedford, MA, USA). The concentrate (10 ml) was desalted on a 40 ml Sephadex G25 Superfine column (Pharmacia Biotech, Freiburg, Germany), with 10 mM sodium acetate, pH 5.0, serving as elution buffer. The 25 desalted sample was brought to 2 M (NH4)2SO4 and directly loaded onto a 1 ml Butyl Sepharose 4 Fast Flow hydrophobic interaction chromatography column (Pharmacia Biotech, Feiburg, Germany) which was eluted with a linear gradient from 2 M to 0 M (NH₄)₂SO₄ in 10 mM sodium acetate, pH 5.0. Phytase was eluted in the 30 breakthrough, concentrated and loaded on a 120 ml Sephacryl S-300 gel permeation chromatography column (Pharmacia Biotech,

Freiburg, Germany). Consensus phytases -1, -7 and -10 eluted as a homogeneous symmetrical peak and were shown by SDS-PAGE to be approx. 95% pure.

5 Example 8

Expression of the consensus phytase genes in Aspergillus niger

The Bluescript-plasmids pBsk-fcp, pBsk-fcp10, and pBsk-fcp7 were used as template for the introduction of a Bsp HI-site upstream of the start codon of the genes and an Eco RV-site downstream of the stop codon. The ExpandTM High Fidelity PCR Kit (Boehringer Mannheim, Mannheim, Germany) was used with the following primers:

15 Primer Asp-1:

Bsp HI

5'-TATATCATGAGCGTGTTCGTCGTGCTACTGTTC-3' (SEO ID NO: 87)

Primer Asp-2 used for cloning of fcp and fcp7:

20

Eco RV

3'-ACCCGACTTACAAAGCGAATTCTATAGATATAT-5' (SEQ ID NO: 88)

Primer Asp-3 used for cloning of fcp10:

25

Eco RV

3'-ACCCTTCTTACAAAGCGAATTCTATAGATATAT-5' (SEQ ID NO: 89)

The reaction was performed as described by the supplier.

The PCR-amplified fcp-genes had a new Bsp HI site at the start codon, introduced by primer Asp-1, which resulted in a

replacement of the second amino acid residue glycine by serine. Subsequently, the DNA-fragment was digested with Bsp HI and Eco RV and ligated into the Nco I site downstream of glucoamylase promoter of Aspergillus niger (glaA) and the Eco RV 5 site upstream of the Aspergillus nidulans tryptophan C terminator (trpC) (Mullaney et al., 1985). After this cloning step, the genes were sequenced to detect possible errors introduced by PCR. The resulting expression plasmids, which basically correspond to the pGLAC vector as described in Example the 684313, contained orotidine-5'-phosphate 10 9 of EΡ decarboxylase gene (pyr4) of Neurospora crassa as a selection marker. Transformation of Aspergillus niger and expression of the consensus phytase genes was done as described in EP 684313. The consensus phytases were purified as described in Example 7.

Example 9

Determination of phytase activity and of the pH and temperature optima

This example relates i.a. to the determination of phytase 20 activity and of the temperature optimum. Various phytases have been tested.

The phytase of Aspergillus niger NRRL 3135 was prepared as described in EP 420358 and by van Hartingsveldt et al. (Gene 127, 87-94, 1993).

- 25 The phytases οf Aspergillus fumigatus ATCC Aspergillus terreus 9A-1, Aspergillus terreus cbs116.46, Emericella nidulans, Myceliophthora thermophila, and described Talaromyces thermophilus were prepared as in EP-0897985 and in the references therein.
- The remaining phytases tested were prepared as described herein.

Consensus phytase-1-thermo(8) designates a variant of consensus phytase-1, which further comprises the eight mutations which are underlined in the legend to Figure 5. Consensus phytase-1 is shown in Fig. 1 (SEQ ID NO: 14) without signal peptide, and in Fig. 2 (SEQ ID NO: 16) with the signal peptide.

Phytase activity was determined basically as described by Mitchell et al. (1997). The activity was measured in an assay mixture containing 0.5% phytic acid (≈5 mM) in 200 mM sodium acetate, pH 5.0. After 15 min of incubation at 37°C, the reac-10 tion was stopped by addition of an equal volume of 15% trichloroacetic acid. The liberated inorganic phosphate was quantified by mixing 100 μ l of the assay mixture with 900 μ l H₂O and 1 ml of 0.6 M H₂SO₄, 2% ascorbic acid and 0.5% ammonium molybdate. Standard solutions of potassium phosphate were used as refer-15 ence. One unit of enzyme activity was defined as the amount of enzyme that releases 1 µmol phosphate per minute at 37°C. The protein concentration was determined using the enzyme extinction coefficient at 280 nm calculated according to Pace et al. [Pace N. C., Vajdos, F., Fee, L., Grimsley, G. & Gray, T. (1995) How 20 to measure and predict the molar absorption coefficient of a protein. Prot. Sci. 4, 2411-2423]: 1 absorption unit (1 OD) at 280 nm corresponds to 1.101 mg/ml of consensus phytase-1, 1.068 mg/ml of consensus phytase-7, and 1.039 mg/ml of consensus phytase-10.

In case of pH-optimum curves, the purified enzymes were diluted in 10 mM sodium acetate, pH 5.0. Incubations were started by mixing aliquots of the diluted protein with an equal volume of 1% phytic acid (≈10 mM) in a series of different buffers: 0.4 M glycine/HCl, pH 2.5; 0.4 M acetate/NaOH, pH 3.0, 3.5, 4.0, 4.5, 5.0, 5.5; 0.4 M imidazole/HCl, pH 6.0, 6.5; 0.4 M Tris/HCl pH 7.0, 7.5, 8.0, 8.5, 9.0. Control experiments showed

that pH was only slightly affected by the mixing step. Incubations were performed for 15 min at 37°C as described above.

For determination of the substrate specificities of the 5 phytases, phytic acid in the assay mixture was replaced by 5 mM concentrations of the respective phosphate compounds. Besides, the activity tests were performed as described above.

For determination of the temperature optimum, enzyme (100 μ l) and substrate solution (100 μ l) were pre-incubated for 5 min at the given temperature. The reaction was started by addition of the substrate solution to the enzyme. After 15 min of incubation, the reaction was stopped with trichloroacetic acid, and the amount of phosphate released was determined.

The pH-optimum of consensus phytase-1 was around pH 6.0-15 6.5 (70 U/mg). Introduction of the Q50T mutation shifted the pH-optimum to pH 6.0 (130 U/mg). Introduction of the K91A mutation further shifted the pH optimum into the more acidic pH-range. Comparable effects of the Q50T and K91A mutations were also observed for consensus phytase-10 and for further stabilized consensus phytase variants (Figures 14 and 15).

Consensus phytase-7, which was constructed to transfer the catalytic characteristics of A. niger NRRL 3135 phytase to consensus phytase-1, had a pH-profile very similar to that of A. niger NRRL 3135 phytase (see Figure 18). The substrate specificity also resembled more that of A. niger NRRL 3135 phytase than that of consensus phytase-1.

The temperature optimum of consensus phytase-1 (71°C) was 16-26°C higher than the temperature optima of the wild-type phytases (45-55°C, Table 7) that were used to calculate the consensus sequence. The improved consensus phytase-10 showed a further increase of its temperature optimum to 80°C (Figure 13).

The temperature optimum of consensus phytase-1-thermo[8] was found to be in the same range (78°C) when using the supernatant of an overproducing S. cerevisiae strain. The highest temperature optimum reached of 82°C was determined for consensus phytase-10-thermo[3]-Q50T-K91A.Table 7

Temperature optima and Tm-values of consensus phytase and of the phytases from A. fumigatus, A. niger, E. nidulans, and M. thermophila.

10

The determination of the temperature optimum was performed as described in Example 9. The Tm-values were determined by differential scanning calorimetry as described in Example 10.

Phytase	Optimum temperature	Tm (°C)			
	(°C)				
Aspergillus niger NRRL 3135	55	63.3			
Aspergillus fumigatus ATCC 13073	55	62.5			
Aspergillus terreus 9A-1	49	57.5			
Aspergillus terreus cbs116.46	45	58.5			
Emericella nidulans	45	55.7			
Myceliophthora thermophila	55	_			
Talaromyces thermophilus	45	-			
Consensus phytase-	-	90.4			
10-thermo[5]-Q50T-					
K91A					
Consensus-phytase- 10-thermo[3]-Q50T- K91A	82	89.3			

Consensus-phytase- 10-thermo[3]-Q50T	82	88.6
Consensus-phytase-10	80	85.4
Consensus phytase-1- thermo[11]-Q50T-K91A	_	88.0
Consensus phytase-1- thermo[11]-Q50T	-	88.5
Consensus-phytase-1- thermo[8]-Q50T-K91A	_	85.7
Consensus-phytase-1- thermo[8]-Q50T	78	84.7
Consensus-phytase-1- thermo[8]	81	_
Consensus-phytase-1- thermo[3]	75	-
Consensus-phytase-1- Q50T	-	78.9
Consensus-phytase-1	71	78.1
Aspergillus fumigatus α-mutant Q51T	60	67.0
Aspergillus fumigatus α-mutant, plus mutations E59A, S154N, R329H, S364T, G404A	63	-
Aspergillus fumigatus ''optimized'' alpha- mutant, plus mutation K92A	63	_

Example 10

Determination of the melting temperature by differential scanning calorimetry (DSC)

In order to determine the unfolding temperature of the phytases, differential scanning calorimetry was applied as described by Brugger et al., 1997 [Brugger, R., Mascarello, F., Augem, S., van Loon, A. P. G. M. & Wyss, M. (1997). Thermal denaturation of phytases and pH 2.5 acid phosphatase studied by differential scanning calorimetry. In The Biochemistry of phytate and phytase (eds. Rasmussen, S.K.; Raboy, V.; Dalbøge, H. and Loewus, F.; Kluwer Academic Publishers, Dordrecht, the Netherlands]. Solutions of 50-60 mg/ml of homogeneous phytase were used for the tests. A constant heating rate of 10°C/min was applied up to 90-95°C.

The determined melting points confirm the results obtained for the temperature optima (Table 7). The most stable consensus phytase designed so far is consensus phytase-10-thermo[3]-Q50T-K91A showing a melting temperature under the chosen conditions of 89.3°C. This is 26.0 to 33.6°C higher than the melting temperature of the wild-type phytases used.

Example 11

Transfer of basidiomycete phytase active site into consensus phytase-10-thermo[3]-Q50T-K91A

As described previously (Example 5), mutations derived from the basidiomycete phytase active sites were introduced into consensus phytase-10. The following five constructs a) to e) were prepared:

a) The construct called consensus phytase-12, and it comprises a selected number of active site residues of the

basidio consensus sequence. Its amino acid sequence is shown in Fig. 21 (the first 26 amino acids form the signal peptide; positions differing from consensus phytase-10-thermo[3]-Q50T-K91A are underlined);

- b) a cluster of mutations (Cluster II) was transferred to the consensus phytase-1 and -10 sequences, viz.: S80Q, Y86F, S90G, K91A, S92A, K93T, A94R, Y95I;
- c) in a similar way, another cluster of mutations (Cluster III) was transferred, viz.: T129V, E133A, Q134N, M136S, V137S, 10 N138Q, S139A;
 - d) in a similar way, a further cluster of mutations (Cluster IV) was transferred, viz.: A168D, E171T, K172N, F173W;
 - e) and finally, a further cluster of mutations (Cluster V) was transferred, viz.: Q297G, S298D, G300D, Y305T.
- These constructs were expressed as described in Examples 6 to 8.

Example 12

Phytase alignment using GAP

- The phytases described herein i.e. the amino acid sequences as well as the corresponding DNA sequences were aligned against each other. Also some other phytases were correspondingly aligned, viz. the following:
 - the consensus phytase-1 described in EP 897985;
- the phytase derived from Aspergillus niger (ficuum) NRRL 3135 (A. niger NRRL3135) described in EP 420358;
 - the phytases derived from Aspergillus fumigatus ATCC 13073 (A. fumigatus 13073); Aspergillus fumigatus ATCC 32239 (A. fumigatus 32239); Aspergillus terreus cbs116.46 (A.terreus cbs);
- 30 Emericella nidulans (E. nidulans); and Talaromyces thermophilus (T. thermophilus) all described in EP 897010;

- the phytases derived from Myceliophthora thermophila (M. thermophila); and Aspergillus terreus 9-A1 (A. terreus 9-A1) both described in EP 684313;
- the phytase derived from Thermomyces lanuginosus (T.
- 5 lanuginosus) described in WO 9735017 (PCT/US97/04559);
 - the phytases derived from Agrocybe pediades (A. pediades), Paxillus involutus 1 and 2 (P. involutus phyA1 and phyA2); and Trametes pubescens (T. pubescens) all described in WO 98/28409; and
- 10 the phytase derived from Peniophora lycii (P. lycii) described in WO 98/28408.

For the alignments, the program GAP was used with the settings as described above.

For polypeptide comparisons, the signal peptides were 15 included with the exception of comparisons with consensus phytase-11.

The results of the amino acid sequence comparisons are shown in Table 8 below. The first number in each cell is the amino acid similarity, the second number is the amino acid 20 identity.

For DNA sequence comparisons, the signal sequence was always included. The results are shown in Table 9 below.

This invention comprises e.g. the following embodiments (A) to (J) that are described below.

In these embodiments, when determining % identity or % similarity at the amino acid level for another phytase, its amino acid sequence is aligned with the reference sequence (e.g. in embodiment (A) the consensus phytase-10 amino acid sequence), using an alignment program such as GAP referred to above.

30 Percentage identity, as well as percentage similarity, is

calculated by the program. The amino acid sequence of the other phytase may or may not include the signal peptide.

When determining % identity on the DNA level for another phytase-encoding DNA, this DNA sequence is aligned with the reference sequence [e.g. in embodiment (A) nucleotides 12-1412 of SEQ ID NO: 25 (the DNA sequence of consensus phytase-10 (Fcp10) as shown in Fig. 5], using an alignment program such as GAP referred to above. Percentage identity is calculated by the program. The DNA sequence encoding the other phytase can be a genomic DNA sequence including introns, or it can be a cDNA sequence. It may or may not include the signal peptide-encoding part.

When determining hybridization, the probe to be used is the specified DNA sequence [e.g. in embodiment (A) nucleotides 15 12-1412 of SEQ ID NO: 25 (the DNA sequence of consensus phytase-10 (Fcp10) as shown in Fig. 5)]. The DNA sequence encoding the other phytase can be a genomic DNA sample which contains a phytase-encoding DNA-sequence; a purified genomic DNA sequence (purified with respect to the phytase-encoding DNA sequence); or it can be a phytase-encoding cDNA sequence, preferably purified or amplified, e.g. PCR-amplified. The phytase-encoding DNA, whatever type, may or may not include the signal peptide-encoding part. Suitable hybridization conditions are referred to above.

of the herein exemplified DNA sequences, as long as they are capable of encoding an active enzyme (e.g. phytase).

The term "amino acid sequence" includes such fragments or parts of the herein exemplified amino acid sequences, as long as they are enzymatically active (e.g. displaying phytase activity).

(A) Phytases and corresponding DNA sequences related to consensus phytase-10 (CP10, Fcp 10)

A phytase that comprises an amino acid sequence which is at least 93.80%; or at least 94, 94.5, 95, 95.5, 96, 96.5, 97, 5 97.5, 98, 98.5, 99, 99.5% identical to the sequence of amino acids 1-467 of consensus phytase-10 (Fcp10) as shown in Fig. 5.

A phytase that comprises an amino acid sequence which is at least 95.09%; or at least 95.5, 96, 96.5, 97, 97.5, 98, 98.5, 99, 99.5% similar to the sequence of amino acids 1-467 of consensus phytase-10.

A phytase which is encoded by a DNA sequence which is at least 95.88%; or at least 96, 96.5, 97, 97.5, 98, 98.5, 99, 99.5% identical to nucleotides 12-1412 of the DNA sequence of consensus phytase-10 (Fcp10) as shown in Fig. 5.

15 A DNA sequence which encodes a phytase and which (i) is at least 95.88%; or at least 96, 96.5, 97, 97.5, 98, 98.5, 99, 99.5% identical; or (ii) hybridizes under low, or medium, medium/high, high, or very high stringency conditions to nucleotides 12-1412 of the DNA sequence of consensus phytase-10 (Fcp10) as shown in Fig. 5. A suitable negative control is DNA encoding consensus phytase-1. A suitable positive control is DNA encoding any of CP10, CP10-thermo[3]-Q50T, K91A, CP1-thermo[8], CP1-thermo[8]Q50T,K91A.

A DNA sequence which encodes a phytase comprising an amino acid sequence which is at least 93.80%; or at least 94, 94.5, 95, 95.5, 96, 96.5, 97, 97.5, 98, 98.5, 99, 99.5% identical to the sequence of amino acids 1-467 of consensus phytase-10 (Fcp10) as shown in Fig. 5.

(B) Phytases and corresponding DNA sequences related to consensus phytase-10-thermo[3]-Q50T-K91A

A phytase which comprises an amino acid sequence which is at least 93.37%; or at least 93.5, 94, 94.5, 95, 95.5, 96, 96.5, 97, 97.5, 98, 98.5, 99, 99.5% identical to the sequence of amino acids 1-467 of consensus phytase-10-thermo[3]-Q50T-K91A as shown in Fig. 8.

A phytase which comprises an amino acid sequence which is at least 94.66%; or at least 95.0, 95.5, 96, 96.5, 97, 97.5, 98, 98.5, 99, 99.5% similar to the sequence of amino acids 1-467 of consensus phytase-10-thermo[3]-Q50T-K91A as shown in Fig. 8.

A phytase which is encoded by a DNA sequence which is at least 95.88%; or at least 96, 96.5, 97, 97.5, 98, 98.5, 99, 99.5% identical to nucleotides 12-1412 of the DNA sequence of consensus phytase-10-thermo[3]-Q50T-K91A as shown in Fig. 8.

A DNA sequence which encodes a phytase and which (i) is at least 95.88%; or at least 96, 96.5, 97, 97.5, 98, 98.5, 99, 99.5% identical; or (ii) hybridizes under low, or medium, medium/high, high, or very high stringency conditions to nucleotides 12-1412 of the DNA sequence of consensus phytase-10-thermo[3]-Q50T-K91A as shown in Fig. 8. A suitable negative control is DNA encoding consensus phytase-1. A suitable positive control is DNA encoding any of CP10, CP10-thermo[3]-Q50T-K91A, CP1-thermo[8], or CP1-thermo[8]-Q50T-K91A.

A DNA sequence which encodes a phytase comprising an amino acid sequence which is at least 93.37%; or at least 93.5, 94, 94.5, 95, 95.5, 96, 96.5, 97, 97.5, 98, 98.5, 99, 99.5% identical to the sequence of amino acids 1-467 of consensus phytase-10-thermo[3]-Q50T-K91A as shown in Fig. 8.

(C) Phytases and corresponding DNA sequences related to consensus phytase-1-thermo[8]

A phytase which comprises an amino acid sequence which is at least 98.30%; or at least 98.5, 99, 99.5% identical to the sequence of amino acids 1-467 of consensus phytase-1-thermo[8] (as shown in Fig. 7; backmutations T50Q and A91K to be added).

A phytase which comprises an amino acid sequence which is at least 98.51%; or at least 99, 99.5% similar to the sequence of amino acids 1-467 of consensus phytase-1-thermo[8] (as shown in Fig. 7; backmutations T50Q and A91K to be added).

A phytase which is encoded by a DNA sequence which is at least 98.73%; or at least 99, 99.5% identical to nucleotides 1-1407 of the DNA sequence of consensus phytase-1-thermo[8] (as shown in Fig. 7; backmutations T50Q and A91K to be added).

A DNA sequence which encodes a phytase and which (i) is at 15 least 99, 99.5% identical; least 98.73%; or at hybridizes under low, or medium, medium/high, high, or very high stringency conditions to nucleotides 1-1407 of the DNA sequence phytase-1-thermo[8] (as shown in Fiq. of consensus 20 backmutations T50Q and A91K to be added). A suitable negative control is DNA encoding consensus phytase-1. A suitable positive control is DNA encoding any of CP1-thermo[8], CP1-thermo[8]-050T-K91A.

A DNA sequence which encodes a phytase comprising an amino acid sequence which is at least 98.30%; or at least 98.5, 99, 99.5% identical to the sequence of amino acids 1-467 of consensus phytase-1-thermo[8] (as shown in Fig. 7; backmutations T50Q and A91K to be added).

Phytases and corresponding DNA sequences related to consensus phytase-1-thermo[8]-Q50T-K91A

A phytase which comprises an amino acid sequence which is at least 97.87%; or at least 98, 98.5, 99, 99.5% identical to 5 the sequence of amino acids 1-467 of consensus phytase-1thermo[8]-Q50T-K91A as shown in Fig. 7.

A phytase which comprises an amino acid sequence which is at least 98.08%; or at least 98.5, 99, 99.5% similar to the sequence of amino acids 1-467 of consensus phytase-1-thermo[8]-10 O50T-K91A as shown in Fig. 7.

A phytase which is encoded by a DNA sequence which is at 98.5, 99, 99.5% identical least 98.37%; or at least to nucleotides 1-1407 of the DNA sequence of consensus phytase-1thermo[8]-Q50T-K91A as shown in Fig. 7.

A DNA sequence which encodes a phytase and which (i) is at least 98.37%; or at least 98.5, 99, 99.5% identical; or (ii) hybridizes under low, or medium, medium/high, high, or very high stringency conditions to nucleotides 1-1407 of the DNA sequence of consensus phytase-1-thermo[8]-Q50T-K91A as shown in Fig. 7. A 20 suitable negative control is DNA encoding consensus phytase-1. A suitable positive control is DNA encoding any of CP1-thermo[8], CP1-thermo[8]-Q50T-K91A.

A DNA sequence which encodes a phytase comprising an amino acid sequence which is at least 97.87%; or at least 98, 98.5, 25 99, 99.5% identical to the sequence of amino acids 1-467 of consensus phytase 1-thermo[8]-Q50T-K91A as shown in Fig. 7.

Phytases and corresponding (E)DNA sequences related to consensus phytase-11

A phytase that comprises an amino acid sequence which is 30 at least 90.71%; or at least 91, 91.5, 92, 92.5, 93, 93.5, 94,

94.5, 95, 95.5, 96, 96.5, 97, 97.5, 98, 98.5, 99, 99.5% identical to the sequence of amino acids 1-482 of consensus phytase-11 as shown in Fig. 6.

A phytase that comprises an amino acid sequence which is stat least 92.07%; or at least 92.5, 93, 93.5, 94, 94.5, 95, 95.5, 96, 96.5, 97, 97.5, 98, 98.5, 99, 99.5% similar to the sequence of amino acids 1-482 of consensus phytase-11 as shown in Fig. 6.

A DNA sequence that encodes a phytase comprising an amino acid sequence which is at least 90.71%; or at least 91. 91.5, 10 92, 92.5, 93, 93.5, 94, 94.5, 95, 95.5, 96, 96.5, 97, 97.5, 98, 98.5, 99, 99.5% identical to the sequence of amino acids 1-482 of consensus phytase-11 as shown in Fig. 6.

(F) Phytases and corresponding DNA sequences related to A. fumigatus alpha-mutant

A phytase that comprises an amino acid sequence which is at least 97.17%; or at least 97.5, 98, 98.5, 99, 99.5% identical to the sequence of amino acids 1-467 of A. fumigatus alphamutant (phytase) as shown in Fig. 9.

A phytase that comprises an amino acid sequence that is at least 97.82%; or at least 98, 98.5, 99, 99.5% similar to the sequence of amino acids 1-467 of A. fumigatus alpha-mutant (phytase) as shown in Fig. 9.

A phytase which is encoded by a DNA sequence which is at least 96.13%; or at least 96.5, 97, 97.5, 98, 98.5, 99, 99.5% identical to nucleotides 1-1401 of the DNA sequence of A. fumigatus ATCC 13073 alpha-mutant (phytase) as shown in Fig. 9.

A DNA sequence which encodes a phytase comprising an amino acid sequence which is at least 97.17%; or at least 97.5, 98, 30 98.5, 99, 99.5% identical to the sequence of amino acids 1-467

of A. fumigatus ATCC 13073 alpha-mutant (phytase) as shown in Fig. 9.

A DNA sequence which encodes a phytase and which (i) is at least 96.13%; or 96.5, 97, 97.5, 98, 98.5, 99, 99.5% identical; 5 or (ii) hybridizes under low, or medium, medium/high, high, or very high stringency conditions to nucleotides 1-1401 of the DNA sequence of A. fumigatus ATCC 13073 alpha-mutant (phytase) shown in Fig. 9. A suitable negative control is DNA encoding A. fumigatus 13073 phytase. A suitable positive control is DNA encoding any one of the A. fumigatus ATCC 13073 alpha mutant phytase or the optimised alpha-mutant.

(G) Phytases and corresponding DNA sequences related to the optimized A. fumigatus alpha-mutant

A phytase that comprises an amino acid sequence that is at least 96.08%; or at least 96.5, 97, 97.5, 98, 98.5, 99, 99.5% identical to the sequence of the phytase of the optimized A. fumigatus alpha-mutant.

A phytase that comprises an amino acid sequence that is at least 96.74%; or at least 97, 97.5, 98, 98.5, 99, 99.5% similar to the sequence of the phytase of the optimized A. fumigatus alpha-mutant.

A phytase which is encoded by a DNA sequence which is at least 95.63%; or at least 96, 96.5, 97, 97.5, 98, 98.5, 99, 25 99.5% identical to nucleotides 1-1401 of the DNA sequence encoding the optimized A. fumigatus alpha-mutant phytase.

A DNA sequence that encodes a phytase comprising an amino acid sequence that is at least 96.08%; or at least 96.5, 97, 97.5, 98, 98.5, 99, 99.5% identical to the optimized A. fumigatus alpha-mutant phytase.

A DNA sequence which encodes a phytase and which (i) is at least 95.63%; or at least 96, 96.5, 97, 97.5, 98, 98.5, 99, 99.5% identical; or (ii) hybridizes under low, or medium, medium/high, high, very high stringency conditions to nucleotides 1-1401 of the DNA sequence encoding the optimized A. fumigatus alpha-mutant phytase.

A suitable negative control is DNA encoding A. fumigatus ATCC 13073 phytase. A suitable positive control is DNA encoding any one of the A. fumigatus ATCC 13073 alpha mutant phytase of the optimised alpha-mutant.

(H) Phytases and corresponding DNA sequences related to consensus phytase-7

A phytase that comprises an amino acid sequence which is at least 94.87%; or at least 95, 95.5, 96, 96.5, 97, 97.5, 98, 98.5, 99, 99.5% identical to the sequence of amino acids 1-467 of consensus phytase-7 as shown in Fig. 10.

A phytase that comprises an amino acid sequence which is at least 95.30%; or at least 95.5, 96, 96.5, 97, 97.5, 98, 98.5, 20 99, 99.5% similar to the sequence of amino acids 1-467 of consensus phytase-7 as shown in Fig. 10.

A phytase which is encoded by a DNA sequence which is at least 96.38%; or 96.5, 97, 97.5, 98, 98.5, 99, 99.5% identical to nucleotides 12-1412 of the DNA sequence of consensus phytase-25 7 shown in Fig. 10.

A DNA sequence which encodes a phytase and which (i) is at least 96.38%; or at least 96.5, 97, 97.5, 98, 98.5, 99, 99.5% identical; or (ii) hybridizes under low, or medium, medium/high, high, or very high stringency conditions to nucleotides 12-1412 of the DNA sequence of consensus phytase-7 as shown in Fig. 10.

A DNA sequence which encodes a phytase comprising an amino acid sequence which is at least 94.87%; or at least 95, 95.5, 96, 96.5, 97, 97.5, 98, 98.5, 99, 99.5% identical to the sequence of amino acids 1-467 of consensus phytase-7 as shown in 5 Fig. 10.

(I) Phytases related to basidio consensus phytase

A phytase which comprises an amino acid sequence which is at least 76.23%; or at least 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 94.5, 95, 95.5, 96, 96.5, 97, 97.5, 98, 98.5, 99, 99.5% identical to the combined sequence of (i) amino acids 1-441 of basidio consensus phytase shown in Fig. 3, and (ii) amino acids 1-26 shown in Fig. 5 (the sequence of (ii) to be added at the N-terminus of the sequence of (i)).

A phytase that comprises an amino acid sequence which is at least 79.50%; or at least 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 95.5, 96, 96.5, 97, 97.5, 98, 98.5, 99, 99.5% similar to the sequence of amino acids 1-441 of basidio consensus phytase as shown in Fig. 3.

(J) Phytases related to consensus phytase-12

A phytase which comprises an amino acid sequence which is at least 70, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 95.5, 96, 96.5, 97, 97.5, 98, 98.5, 99, 99.5% identical to the sequence of amino acids 1-467 of consensus phytase-12 as shown in Fig. 21.

A phytase which comprises an amino acid sequence which is at least 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 95.5, 96, 96.5, 97, 97.5, 98, 98.5, 99, 99.5% similar to the sequence of amino acids 1-467 of consensus phytase-12 as shown in Fig. 21.

Table 8
Comparison of phytase amino acid sequences

						-								
A. fumigatus alpha-mutant (opt.)	84.73/81.72	74.95/70/99	69.45/64.84	72.37/67.76	72.11/67.54	96.73/96.07	89.57/85.87	72.69/67.49	66.44/58.68	69.61/61.72	62.47/55.91	62.13/53.07	59.95/52.20	61.04/52.47
A. fumigatus alpha-mutant	85.59/82.58	74.07/70.11	69.67/64.84	72.59/67.76	72.39/67.83	97.82/97.16	90.22/86.52	72.01/66.82	66.21/58.45	68.91/61.02	64.08/57.11	61.64/52.38	59.59/51.81	61.26/52.62
Basidio	69.42/62.16	67.19/59.32	65.39/58.02	66.92/59.65	67.20/58.13	63.54/57.91	63.61/54.97	61.54/54.36	65.56/57.91	67.20/57.41	77.75/73.07	78.92/74.71	79.49/76.22	78.09/74.59
CP7	95.29/94.86	84.02/81.64	75.76/71.18	79.17/75.00	76.96/73.04	80.13/76.20	79.13/75.22	76.51/73.15	68.82/62.13	69.50/62.62	63.13/56.50	63.05/51.15	65.33/56.53	64.27/54.13
CP11	92.06/90.70	79.27/76.31	76.51/73.02	77.19/73.27	80.56/76.62	81.36/78.64	79.95/76.08	78.47/74.76	69.65/63.06	74.21/68.86	65.03/59.84	64.50/52.30	63.30/54.52	66.30/56.35
CP1- thermo[8]- Q50T-K91A	98.07/97.86	79.91/77.32	76.25/72.11	79.26/75.55	79.35/75.44	81.88/78.60	80.65/77.17	78.22/74.44	69.59/63.36	71.46/64.16	64.46/58.36	63.33/51.54	64.84/56.77	66.58/56.68
CP1- thermo[8]	98.50/98.29	80.35/77.75	76.47/72.33	79.48/75.76	79.78/75.87	82.31/79.04	81.09/77.61	78.67/74.89	69.27/62.84	71.92/64.61	64.46/58.09	62.98/51.41	64.84/56.51	66.85/56.87
CP10- thermo[3]- Q50T-K91A	94.65/93.36	79.05/76.03	75.82/71.90	78.82/74.89	78.26/73.91	82.50/79.87	80.87/76.96	77.38/73.39	69.48/63.33	73.06/66.44	64.91/59.37	64.86/51.94	66.67/58.33	65.30/55.53
CP10	95.08/93.79	79.48/76.46	76.04/72.11	79.04/75.11	78.70/74.35	82.93/80.31	81.30/77.39	77.83/73.84	69.16/62.81	73.52/66.70	64.92/59.10	64.51/51.81	66.67/58.07	65.54/55.70
Phytase	Consensus phytase-	A. niger NRRL3135	A. terreus 9-A1	A. terreus cbs	E. nidulans	A. fumigatus 13073	A. fumigatus 32239	T. thermophilus	M . thermophila	T. lanuginosus	P. lycii	A. pediades	P. involutus 1	P. involutus 2

85.99/83.62 85.99/83.62 85.38/82.80 85.38/82.80 83.37/80.87 81.72/78.50 66.41/60.68 98.93/98.93 62.30/55.24 85.13/82.76 82.23/79.73 81.94/78.71 85.13/82.76 84.52/81.94 84.52/81.94 78.34/75.12 64.08/57.11 65.97/60.52 98.93/98.93 66.41/60.68 68.40/60.74 68.64/60.74 68.27/59.73 70.22/62.28 70.47/62.28 69.80/62.69 65.97/60.52 81.94/78.71 94.00/93.36 65.03/57.65 63.28/56.51 94.43/93.79 88.44/86.62 81.72/78.50 91.01/89.29 94.56/94.10 90.58/88.87 68.27/59.73 69.80/62.69 82.23/79.73 92.97/91.84 83.37/80.87 95.02/94.56 93.42/92.29 88.44/86.62 94.00/93.36 68.64/60.74 84.52/81.94 99.57/99.57 85.38/82.80 96.15/95.08 96.15/95.08 96.57/95.50 63.14/55.93 92.97/91.84 93.42/92.29 68.40/60.74 85.38/82.80 96.57/95.50 84.52/81.94 94.43/93.79 99.57/99.57 62.89/55.67 94.56/94.10 70.47/62.28 85.13/82.76 85.99/83.62 96.57/95.50 90.58/88.87 96.15/95.08 65.72/57.47 99.57/99.57 85.99/83.62 95.02/94.56 70.22/62.28 65.46/57.22 96.57/95.50 96.15/95.08 91.01/89.29 85.13/82.76 99.57/99.57 A. fum alpha-mut - opt. A.fumigatus alpha-CP10t [3]Q50TK91A CP1t [8]Q50TK91A T. pubescens CP1thermo[8] Basidio CP10 CP11 mut. CP7

Table 9 Comparison of phytase encoding DNA sequences

Phytase	CP10	CP10- thermo[3]- Q50T-K91A	CP1- thermo[8]	CP1- thermo[8]- Q50T-K91A	CP7	Basidio	A, fumigatus alpha-mutant	A. rumi-gatus alpha-mutant (opt.)
Consensus phytase-	95.87	95.87	98.72	98.36	96.37	65.46	66.88	66.88
A. niger NRRL3135	65.10	64.82	66.10	65.74	67.52	50.68	65.88	66.17
A. terreus 9-A1	61.74	61.53	62.17	62.03	60.53	49.40	66.24	66.31
A. terreus cbs	62.52	62.30	63.02	62.88	61.45	49.74	68.17	68.24
E. nidulans	65.08	64.94	65.30	65.01	64.22	49.92	64.90	65.44
A. fumigatus 13073	65.66	65.38	64.19	64.08	63.65	48.27	96.12	95.62
T. thermophilus	62.52	62.50	62.53	62.66	62.00	52.19	61.77	61.92
M . thermophila	55.51	55.15	55.36	55.22	53.91	48.44	58.17	58.24
T. lanuginosus	57.56	57.20	56.76	56.47	62.00	44.66	59.71	60.07
P. lycii	45.76	46.51	45.14	55.21	55.46	58.50	48.91	49.44
A. pediades	49.89	49.89	49.89	50.11	45.54	61.66	47.49	47.56
P. involutus 1	48.32	49.03	47.81	47.96	49.59	59.80	49.96	50.19
P. involutus 2	48.24	49.00	48.08	48.63	47.94	60.16	47.56	47.63
T. pubescens	47.00	47.17	46.46	47.62	46.83	60.37	49.89	49.96
CP10		99.43	96.40	96.05	93.73	66.40	67.81	68.24

71

Cplthermo[8] 96.40 CPlt[8]Q50TK91A 96.05	0.5							
		96.37	1	99.65	95.30	65.40	66.74	67.17
	.05	96.58	99.65	1	94.94	65.47	66.74	67.17
CP7 93.73	.73	93.45	95.30	94.94	1	64.56	65.88	65.88
Basidio 66.40	.40	66.29	65.40	65.47	64.56	1	50.41	50.49
A.fumigatus alpha- 67.81 mut.	.81	67.81	66.74	66.74	65.88	50.41	1	99.50
A. fum alpha-mut - 68.24 opt.	.24	68.24	67.17	67.17	65.88	50.49	99.50	-

What is claimed is:

- A phytase that comprises an amino acid sequence which is at least 93.80% identical to the sequence of amino acids 1-467 of consensus phytase-10 (SEQ ID NO: 26).
 - 2. A phytase that is encoded by a DNA sequence that is at least 95.88% identical to nucleotides 12-1412 of the DNA sequence of consensus phytase-10 (SEQ ID NO: 25).

10

- 3. A phytase that comprises an amino acid sequence chosen from
- (i) SEQ ID NO: 26, or amino acids 1-438 thereof; or an amino acid sequence encoded by
- 15 (ii) nucleotides 12-1412, or 90-1412 of SEQ ID NO: 25.
 - A phytase that comprises
 an amino acid sequence chosen from
 - (i) consensus phytase-10-thermo[3],
- (ii) variants of (i), further including the mutations Q50T, K91A, or (Q50T+K91A), the latter variant being shown in Fig. 8,
 - (iii) amino acids 27-467 of any of the sequences of (i) and (ii),
- 25 (iv) SEQ ID NO: 31, or amino acids 1-441 thereof; or an amino acid sequence encoded by
 - (v) nucleotides 1-1401, or 79-1401 of SEQ ID NO: 30.
 - 5. A phytase that comprises
- 30 an amino acid sequence chosen from
 - (i) consensus phytase-1-thermo[8].

5

15

- (ii) variants of (i), further including the mutations Q50T, K91A, or (Q50T+K91A), the latter variant being shown in Fig. 7,
- (iii) amino acids 27-467 of any of the sequences of (i)
 and (ii), or
- (iv) SEQ ID NO: 29, or amino acids 1-441 thereof; or an amino acid sequence encoded by
 - (v) nucleotides 1-1407, or 79-1407 of SEQ ID NO: 28.
- 10 6. A phytase that comprises the amino acid sequence of consensus phytase-11 (SEQ ID NO: 27).
 - 7. A DNA sequence that comprises a DNA-sequence encoding a phytase of claim 1.
- 8. A DNA sequence that comprises a DNA-sequence encoding a phytase, wherein the phytase-encoding DNA-sequence is (i) at least 95.88% identical, or (ii) hybridizes under high stringency conditions, to nucleotides 12-1412 of the DNA sequence of consensus phytase-10 (SEQ ID NO: 25).
- 9. A DNA sequence that comprises a DNA-sequence that encodes a phytase, wherein the phytase comprises an amino acid sequence that is at least 93.80% identical to the sequence of amino acids 1-467 of consensus phytase 10 (SEQ ID NO: 26).
 - 10. A DNA sequence that comprises a DNA-sequence that encodes a phytase, and wherein the phytase-encoding DNA-sequence comprises
- nucleotides 12-1412, or 90-1412 of the DNA sequence of consensus phytase-10 (SEQ ID NO: 25);

(ii)	nucleotides	1-1401,	or	79-1401	of	the	DNA
	sequence of	consens	sus	phytase-	10-t	hermo	[3]-
	Q50T-K91A (S	EQ ID NO:	30)	; or			

- nucleotides 1-1401, or 79-1401 of the DNA sequence of consensus phytase-1-thermo[8]-Q50T-K91A (SEQ ID NO: 28).
 - 11. A vector comprising a DNA sequence according to claim 7.
- 10 12. A microbial host cell comprising a DNA sequence according to claim 7, or the vector according to claim 11.
- 13. A process for producing a phytase, the process comprising culturing the host cell according to claim 12 under conditions
 15 permitting the production of the phytase, and recovering the phytase from the culture broth.
 - 14. A food, feed or pharmaceutical composition comprising a phytase of claim 1.

ABSTRACT

This invention relates to improved phytases, preferably phytases of an increased thermostability, and a process of producing them. In particular, stabilizing amino acid mutations are introduced into a homologous protein, or the active site of a phytase is replaced in part or in toto. The corresponding DNA sequences and methods of preparing them are also disclosed, as are methods of producing the improved phytases, and the use thereof. Specific variants of Aspergillus fumigatus phytase and of consensus phytases are disclosed.

```
KhsDCNSVDh GYQCFPELSH kWGlYAPYFS LQDESPFPlD VPEDChITFV
A. terreus 9A-1
                       NhsDCTSVDr GYQCFPELSH kWGlYAPYFS LQDESPFPlD VPDDChITFV
A. terreus cbs
A. niger var. awamori NqsTCDTVDQ GYQCFSETSH LWGQYAPFFS LANESAISPD VPAGCrVTFA
A. niger T213
                       NqsSCDTVDQ GYQCFSETSH LWGQYAPFFS LANESVISPD VPAGCrVTFA
A. niger NRRL3135
                       NqsSCDTVDQ GYQCFSETSH LWGQYAPFFS LANESVISPE VPAGCrVTFA
A. fumigatus 13073
                       GSkSCDTVDl GYQCsPATSH LWGQYSPFFS LEDELSVSSK LPKDCrITLV
A. fumigatus 32722
                       GSkSCDTVDl GYQCsPATSH LWGQYSPFFS LEDELSVSSK LPKDCrITLV
                       GSkSCDTVDl GYQCsPATSH LWGQYSPFFS LEDELSVSSK LPKDCrITLV
A. fumigatus 58128
                       GSkSCDTVDl GYQCsPATSH LWGQYSPFFS LEDELSVSSK LPKDCrITLV
A. fumigatus 26906
A. fumigatus 32239
                       GSkACDTVEl GYQCsPGTSH LWGQYSPFFS LEDElSVSSD LPKDCrVTFV
E. nidulans
                       QNHSCNTADG GYQCFPNVSH VWGQYSPYFS IEQESAISeD VPHGCeVTFV
T. thermophilus
                       DSHSCNTVEG GYQCrPEISH sWGQYSPFFS LADQSEISPD VPQNCkITFV
M. thermophila
                       ESRPCDTpDl GFQCgTAISH FWGQYSPYFS VpSElDaS.. IPDDCeVTFA
Consensus
                       NSHSCDTVDG GYQCFPEISH LWGQYSPYFS LEDESAISPD VPDDC-VTFV
Consensus phytase
                       NSHSCDTVDG GYQCFPEISH LWGQYSPYFS LEDESAISPD VPDDCRVTFV
A. terreus 9A-1
                       QVLARHGARS PThSKtKAYA AtlAAlQKSA TafpGKYAFL QSYNYSLDSE
A. terreus cbs
                      QVLARHGARS PTDSKtKAYA AtlAAIQKNA TalpGKYAFL KSYNYSMGSE
A. niger var. awamori QVLSRHGARY PTESKgKkYS ALIEEIQQNV TtFDGKYAFL KTYNYSLGAD
                      QVLSRHGARY PTESKGKKYS ALIEEIQQNV TtFDGKYAFL KTYNYSLGAD
A. niger T213
A. niger NRRL3135
                      QVLSRHGARY PTDSKgKkYS ALIEEIQQNA TtFDGKYAFL KTYNYSLGAD
                      QVLSRHGARY PTSSKsKkYK kLVTAIQaNA TdFKGKFAFL KTYNYTLGAD
A. fumigatus 13073
                      QVLSRHGARY PTSSKsKkYK kLVTAIQaNA TdFKGKFAFL KTYNYTLGAD
A. fumigatus 32722
A. fumigatus 58128
                      QVLSRHGARY PTSSKsKkYK kLVTAIQaNA TdFKGKFAFL KTYNYTLGAD
A. fumigatus 26906
                      QVLSRHGARY PTSSKsKkYK kLVTAIQaNA TdFKGKFAFL KTYNYTLGAD
A. fumigatus 32239
                      QVLSRHGARY PTASKsKkYK kLVTAIQKNA TEFKGKFAFL ETYNYTLGAD
E. nidulans
                      QVLSRHGARY PTESKSKAYS GLIEAIQKNA TSFWGQYAFL ESYNYTLGAD
T. thermophilus
                      QLLSRHGARY PTSSKtElYS QLISTIQKTA TaYKGYYAFL KDYTYqLGAN
M. thermophila
                      QVLSRHGARa PT1KRaaSYv DLIDrIHhGA IsYgPgYEFL RTYDYTLGAD
Consensus
                      QVLSRHGARY PTSSK-KAYS ALIEAIQKNA T-FKGKYAFL KTYNYTLGAD
Consensus phytase
                      QVLSRHGARY PTSSKSKAYS ALIEAIQKNA TAFKGKYAFL KTYNYTLGAD
                      101
A. terreus 9A-1
                      ELTPFGrNQL rDlGaQFYeR YNALTRhInP FVRATDASRV hESAEKFVEG
A. terreus cbs
                      NLTPFGrNQL qDlGaQFYRR YDTLTRhInP FVRAADSSRV hESAEKFVEG
A. niger var. awamori DLTPFGEQEL VNSGIKFYQR YESLTRNIIP FIRSSGSSRV IASGEKFIEG
A. niger T213
                      DLTPFGEQEL VNSGIKFYQR YESLTRNIIP FIRSSGSSRV IASGEKFIEG
A. niger NRRL3135
                      DLTPFGEQEL VNSGIKFYQR YESLTRNIVP FIRSSGSSRV IASGKKFIEG
A. fumigatus 13073
                      DLTPFGEQQL VNSGIKFYQR YKALARSVVP FIRASGSDRV IASGEKFIEG
A. fumigatus 32722
                      DLTPFGEQQL VNSGIKFYQR YKALARSVVP FIRASGSDRV IASGEKFIEG
A. fumigatus 58128
                      DLTPFGEQQL VNSGIKFYQR YKALARSVVP FIRASGSDRV IASGEKFIEG
A. fumigatus 26906
                      DLTAFGEQQL VNSGIKFYQR YKALARSVVP FIRASGSDRV IASGEKFIEG
A. fumigatus 32239
                      DLTPFGEQQM VNSGIKFYQK YKALAGSVVP FIRSSGSDRV IASGEKFIEG
E. nidulans
                      DLTiFGENQM VDSGaKFYRR YKNLARKnTP FIRASGSDRV VASAEKFING
T. thermophilus
                      DLTPFGENQM IQ1GIKFYnH YKSLARNaVP FVRCSGSDRV IASGrlFIEG
M. thermophila
                      ELTRtGQQQM VNSGIKFYRR YRALARKSIP FVRTAGqDRV VhSAENFTQG
Consensus
                      DLTPFGENQM VNSGIKFYRR YKALARK-VP FVRASGSDRV IASAEKFIEG
Consensus phytase
                      DLTPFGENOM VNSGIKFYRR YKALARKIVP FIRASGSDRV IASAEKFIEG
```

	151				200
A. terreus 9A-1		NMDHODED~W	DVATDEGGAV	MAINT DITCE OF	200 AFESSTV
A. terreus cbs	FONAPACIDA	Whioropen And Indiana	DANTEGOVI	NNTLEHSICT	AFESSTV
A. niger var. awamori	FORMIGODE!	AMPROPERTY	DAMICENCO-	MNILERSICI	AFEASTV
A. niger T213	FOCURI PDD~	Adbadasavi	DVVISEASSS	NNTLDPGTCT	VFEDSEL
A. niger NRRL3135	LÖSTYTYDAT	AqpgQSSPKI	DVVISEASSS	NNTLDPGTCT	VFEDSEL
	FQSIKLKDPI	Adbdosski	DVVISEASSS	NNTLDPGTCT	VFEDSEL
A. fumigatus 13073	FQQAKLADPG	A.TNRAAPAI	SVIIPESETF	NNTLDHGVCT	kFEASQL
A. fumigatus 32722	FQQAKLADPG	A.TNRAAPAI	SVIIPESETF	NNTLDHGVCT	kFEASQL
A. fumigatus 58128	FQQAKLADPG	A.TNRAAPAI	SVIIPESETF	NNTLDHGVCT	kFEASQL
A. fumigatus 26906	FQQAKLADPG	A.TNRAAPAI	SVIIPESETF	NNTLDHGVCT	kFEASQL
A. fumigatus 32239	FQQANVADPG	A.TNRAAPVI	SVIIPESETY	NNTLDHSVCT	NFEASEL
E. nidulans	FRKAQLIDHG	SgQATPVV	NVIIPEIDGF	NNTLDHSTCV	SFENDEr
T. thermophilus	FQSAKVlDPh	SDKHDAPPTI	NVIIeEGPSY	NNTLDtGSCP	VFEDSSg
M. thermophila	FHSAlLADRG	STVRPTlPyd	mVVIPETAGa	NNTLHNDlCT	AFEEgpySTI
Consensus	FQSAKLADPG	S-PHOASPVI	NVIIPEGSGY	NNTLDHGTCT	AFEDSEL
Consensus phytase	FQSAKLADPG	SOPHOASPVI	DVIIPEGSGY	NNTLDHGTCT	AFED SEL
	_				
	201				250
A. terreus 9A-1		VEADATAORI.	FADI.DCVALC	TDDVVnLMAM	250
A. terreus cbs	GDAAADNETA	VFADATaket.	EVDT-DGAGT'S	ADDVVnLMAM	CDEEMVOLUD
A. niger var. awamori	Δητηκανιτα	TEADCIDODI.	EMDICOMIN	ADDA AITPAW	CPFETVSITD
A. niger T213	Δητυεδικτα	TENDSTROKE	ENDI COMI M	DIEVIYLMDM	CSFDTIStST
A. niger NRRL3135	ADTVEAMETA	TENDSTROKE	ENDI COME D	DIEVTYLMDM	CSFDTISEST
A. fumigatus 13073	CDEVADNETA	1 LABOLDAD	ENDTOGATET	DEDVVsLMDM	CSFDTISEST
A. fumigatus 32722	GDE VARIETA	1FAPDIRARA	EKHLPGVILI	DEDVVsLMDM DEDVVsLMDM	CSFDTVARTS
A. fumigatus 58128	GDE VARME IA	1FAPDIRARA	EKHLPGVTLT	DEDVVSLMDM	CSFDTVARTS
A. fumigatus 26906	GDE VAMILIA	1FAPDIRARA	EKHLPGVTLT	DEDVVsLMDM	CSFDTVARTS
A. fumigatus 32239	CDEVEAMENT	IFAPUIRARA	REHLPGVILT	DEDVVsLMDM	CSFDTVARTS
E. nidulans	ODE A EVANLE IN	TRAPATRARI	EKHLPGVQLT	DDDVVsLMDM	CSFDTVARTA
T. thermophilus	ADSTEWNETH	-EADAILEKEL	ENDT-BGIKT.	NENVIYLMDM	CSFDTMARTA
M. thermophila	CDDAODENIA	QFAPALLEKI	KDHLPGVDLA	vSDVpyLMDL	CPFETLARNh
n. enermophira	GDDAQDIIIS	TFAGPITARV	NANLPGANLT.	DADTVaLMDL	CPFETVAsSS
Consensus	GDDAEANFTA	ים גם דם גם גישיף	EVDI DOMENI M	DIDINA TAMA	an
Consensus phytase	GDDAEANFTA	I PAPAIRARL	EADLPGVILI	DEDAA-TMDM	CPFETVARTS
pay case	GDD VERMI IA	DEAPAIRARU	PWDFPGAIFI	DEDAAATWDW	CPFETVARTS
	251				200
A. terreus 9A-1		.DAhTLSPFC	DLFTA+EW+~	YNYLlsldky	300
A. terreus cbs		.DAhTLSPFC	DIFTAREWEG	YNYLISLDKY	VCVCCCMDI C
A. niger var. awamori		.vDTKLSPFC	DIFTHORWIN	YDYLQSLkKY	VCHCACNIDIC
A. niger T213		. VDTKLSPFC	DLFTHARWIN	YDYLRSLkKY	VCUCACNELG
A. niger NRRL3135		VDTKLSDEC	DI FTUGEWIN	YDYLQSLkKY	YOUGA CYPLG
A. fumigatus 13073		DAGOLGDEC	OLETUS EWILL	YNYLQSLGKY	YGHGAGNPLG
A. fumigatus 32722		DAGOLGDEC	OI ETHEWAK	INITIOSTICKI	YGYGAGNPLG
A. fumigatus 58128		DASCICATO	OT EARTHURMER	YNYLQSLGKY YNYLQSLGKY	YGYGAGNPLG
A. fumigatus 26906		Dyduighed Dyduighed	OT EARLY DIMENKY	YNYLQSLGKY	YGYGAGNPLG
A. fumigatus 32239	• • • • • • • • • • • • • • • • • • • •	DASELSDEC	VIEGENER STEINIEWEK	TNITOSTGKA	YGYGAGNPLG
E. nidulans		TUTEL CDEC	VIENEDI-EMV	TOTLOSLGKY	YGYGAGNPLG
T. thermophilus	• • • • • • • • • • • • • • • • • • • •	TOTELDES.	TETEVERMIG	IDITOSTRKA	YGYGAGSPLG
	sdpatadagg	ONGANI SDEG	wrsiverwda	IDIIQEKY	YGNGGGNPLG
	zapacadayg	Augr brose C	ruroesewra	IDILQSVGKW	YGYGPGNPLG
Consensus		~DATEL.CDEA	7. विकास स्थ	VDVI ogi giri	
Consensus phytase	• • • • • • • • • • • • • • • • • • • •	DATEL SPEC	VITE TE - EM	ADAL OG. G	IGYGAGNPLG
<u> </u>			TIMENKQ	TYPHCZHRKI	IGIGAGNPLG

A. terreus 9A-1 A. terreus cbs A. niger var. awamori A. niger nar. progrowane Liarlirspv Hehrcvnntl Dappatfplm ATLYADFSHD A. niger nar. progrowane Liarlirspv Hehrcvnntl Dappatfplm ATLYADFSHD A. niger nar. progrowane Liarlirspv Hehrcvnntl Dshpatfplm STLYADFSHD A. niger nar. progrowane Liarlirspv Hehrcshntl Dshpatfplm STLYADFSHD A. fumigatus 31073 A. fumigatus 32122 A. fumigatus 32239 A. fumigatus 2006 A. fumigatus 2008 A. niger nar. awamori A. fumigatus 3000 A. fumi		301				252
A. degre var. awamori A. niger var. awamori A. fumigatus 13073 A. fumigatus 13073 A. fumigatus 13073 A. fumigatus 23722 A. fumigatus 26906 A. fumigatus 2239 E. nidulans T. thermophilus M. thermophila A. terreus chas Consensus Consensus Consensus Consensus A. niger var. awamori A. niger rapid by a by	A. terreus 9A-1		יים ג סיד. זים א מיי.	ער ער איי איי איי איי איי איי איי איי איי אי		350
A. niger var. awamori A. niger T131 A. niger NRRL3135 A. fumigatus 3073 A. fumigatus 32722 A. fumigatus 32722 A. fumigatus 26306 A. fumigatus 28128 A. fumigatus 28128 A. fumigatus 28128 A. fumigatus 28128 A. fumigatus 2829 A. fumigatus 3829 A. fu		DVOCVCWaNE	T.TADI.TDCD	TDTTCANNIT	DASPATIPLN	ATLYADESHD
A. niger T213 A. niger NREL3135 A. fumigatus 13073 A. fumigatus 32722 A. fumigatus 23722 A. fumigatus 25906 A. fumigatus 26906 A. terreus 26906 A. terreus 26906 A. terreus 26906 A. niger 1213 A. niger 1213 A. niger 1213 A. niger 1213 A. fumigatus 26906 A. fumi		T VQCVCWANE	TIARTINGEV	TDUICONNILL	DANPATFPLN	ATLYADESHD
A. fumigatus 13073 A. fumigatus 13073 A. fumigatus 23072 A. fumigatus 28128 A. fumigatus 28128 A. fumigatus 28128 A. fumigatus 28128 A. fumigatus 28066 A. fumigatus 2239 E. nidulans T. thermophilus M. thermophila Consensus Consensus Consensus Consensus Consensus Consensus A. niger var. awamori A. niger var. awamori A. niger nar. A. fumigatus 28128 A. fumigatus 28066 A. fumigatus 32239 E. nidulans T. thermophilus M. thermophilus M. thermophilus Consensus A. niger var. awamori A. niger var. awamori A. niger nar. A. niger	A. niger T213	DTOCUCY - NE	LIARLINGEV	UDDECOMIN	DSNPATFPLN	STLYADFSHD
A. fumigatus 3272 A. fumigatus 2372 A. fumigatus 2372 A. fumigatus 26906 Consensus Consensus Consensus Consensus Consensus Consensus A. diger var. awamori A. niger var. awamori A. niger 1213 A. niger 1213 A. niger 1213 A. fumigatus 32722 A. fumigatus 26906 C. KSEKE PLVRALINDR VVPLHGCPDD LIGRCYLDDE ALGRCYDDE ALGRCYLDDE ALGRCYLDD		DTOCUCYAND	TIARLINSPY	TITHMSSIUUT	DSNPATFPLN	STLYADFSHD
A. fumigatus 32722 A. fumigatus 26906 A. fumigatus 26906 A. fumigatus 32399 E. nidulans T. thermophilus M. thermophilus PAGGIGFNE LIARLTRSPV QDHTSTNSTL VSNPATFPLN ATMYUDFSHD M. thermophilus PAGGIGFNE LIARLTRSPV QDHTSTNSTL VSNPATFPLN ATMYUDFSHD M. thermophilus PAGGIGFNE LIARLTNSPV QDHTSTNSTL VSNPATFPLN ATMYUDFSHD M. thermophilus PAGGUGFNE LIARLTNSPV QDHTSTNSTL DSNPATFPLN ATMYUDFSHD M. thermophilus PAGGUGFNE LIARLTNSPV QDHTSTNSTL DSNPATFPLN ATMYUDFSHD CONSENSUS CONSENSUS PAGGUGFNE LIARLTNSPV QDHTSTNSTL DSNPATFPLN ATMYADFSHD PAGGUGFNE LIARLTNSPV QDHTSTNSTL DSNPATFPLN ATMYADFSHD A. terreus 9A-1 A. terreus 9A-1 A. terreus 9A-1 A. tiger var. awamori A. niger 1313 A. niger NRRL3135 A. fumigatus 3073 A. fumigatus 3073 A. fumigatus 32239 E. nidulans T. thermophilus M. thermophilus Consensus phytase A. niger var. awamori A. niger var. awamori A. niger var. awamori A. fumigatus 32239 E. nidulans Consensus Phytase A. fumigatus 32230 C. RAEKE PLVRVLVNDR VMPLHGCADD A. niger var. awamori A. niger var. awamori A. thermophilus M. thermop	_	PIQGVGIANE	LIARLIHSPV	HDDTSSNHTL	DSSPATFPLN	STLYADFSHD
A. fumigatus 58128 A. fumigatus 25239 A. fumigatus 32239 E. nidulans E. nidulans E. nidulans E. nidulans M. thermophila PAGGIGFNE LIARLTRSPV QDHTSTNSTL VSNPATFPLN ATMYUDFSHD PAGGIGFNE LIARLTRSPV QDHTSTNSTL DSNPATFPLN ATTYUDFSHD M. thermophila PAGGIGFNE LIARLTRSPV QDHTSTNSTL DSNPATFPLN ATTYUDFSHD M. thermophila PAGGIGFNE LIARLTRSPV QDHTSTNSTL DSNPATFPLN ATTYDFSHD PAGGIGFNE LIARLTRSPV QDTSTNSTNSTL DSNPATFPLN ATTYDFSHD PAGGIGFNE LIARLTRSPV QDTSTNSTL DSNPATFPLN ATTYDFSHD PAGGIGFNE LIARLTRSPV QDTSTNSTL DSNPATFPLN ATTYDFSHD PAGGIGFNE LIARLTRSPV QDTSTNSTL DSNPATFPLN ATTYDATFSHD PAGGIGF	=	PAQGIGITNE	LIARLTRSPV	QDHTSTNsTL	VSNPATFPLN	ATMYVDFSHD
A. fumigatus 26906 A. fumigatus 3239 PAGGIGFUME LIARLTRSPV QDHTSTNSTL VSNPATFFLN ATMYNDFSHD E. nidulans T. thermophilus M. thermophila PAGGUGFUME LIARLTRSPV QDHTSTNSTL DSNPATFFLN ATMYNDFSHD PAGGUGFUME LIARLTRSPV QDHTSTNSTL DSNPATFFLN ATMYNDFSHD M. thermophila PAGGUGFUME LIARLTRSPV QDHTSTNSTL DSNPATFFLN ATMYNDFSHD PAGGUGFUME LIARLTRSPV QDHT	<u> </u>	PAQGIGFUNE	LIARLTRSPV	QDHTSTNsTL	vSNPATFPLN	ATMYVDFSHD
E. nidulans T. thermophilus M. thermophilus PAGGUGFNE LIARLTNSPV QDHTSTNSTL DSNPATFELD TKLYADFSHD M. thermophila PAGGUGFNE LIARLTSPV QDYTYNNTL DSNPATFELD TKLYADFSHD M. thermophila PAGGUGFNE LIARLTSPV QDYTYNNTL DSNPATFELD TKLYADFSHD M. thermophila PAGGUGFNE LIARLTSPV QDYTSTNSTL DSNPATFELD TKLYADFSHD PAGGUGFNE LIARLTSPV QDYTSTNSTL DSNPATFELD TKLYADFSHD CONSENSUS CONSENSUS PAGGUGFNE LIARLTSPV QDYTSTNSTL DSNPATFELD ASLLYADFSHD A. terreus 9A-1 A. terreus 9A-1 A. terreus 9A-1 A. niger var. awamori NGISILFAL GLYNGTAPLS QTVUEUTITE DGYAAAWTUP FAARAYUEMM A. niger NRRL3135 A. niger NRRL3135 A. fumigatus 13073 A. fumigatus 13073 A. fumigatus 32722 A. fumigatus 32722 A. fumigatus 26906 A. fumigatus 2239 B. nidulans M. thermophila M. thermophila M. thermophila M. thermophila M. thermophila M. thermophila CONSENSUS CONSENSUS PAGGUGFNE LIARLTNSPV QDYTSTNSTL DSNPATFFLD ASLLYADFSHD AUGUSTFAL GLYNGTAPLS TSVESSAKEL DGYAAAWTUP FAARAYUEMM AUGUSTFAL GLYNGTEPLS TTVUENITOT DGFSSAWTUP FAARAYUEMM AUGUSTFAL GLYNGTEPLS TTSVESAKEL DGYSAAWTUP FAARAYUEMM AUGUSTFAL GLYNGTEPLS TTSVESAKEL DGYSAAWTUP FAARAYEEM A. fumigatus 32239 MAMIPIFFAM GLYNGTEPLS TTSVESAKEL DGYSAAWTUP FGARAYFEEM A. MIMISTFAM GLYNGTEPLS TTSVESAKEL DGYSAAWTUP FGARAYFEEM A. MIMISTFAM GLYNGTEPLS TTSVESAKEL DGYSAAWTUP FGARAYFEEM A. terreus 9A-1 CO. CONSENSUS	-	PAQGIGFENE	LIARLTRSPV	QDHTSTNsTL	vSNPATFPLN	ATMYVDFSHD
E. nidulans T. thermophilus M. thermophilus M. thermophila PAQGIGFUNE LIARINTSPV QDTTSTNHTL DSNPATFFLD TKLYADFSHD PAQGUGFUNE LIARINTSPV QDTTSTNHTL DSNPATFFLD ATLYADFSHD CONSENSUS CONSENSUS CONSENSUS PAQCUGFUNE LIARINTSPV QDTTSTNHTL DSNPATFFLD ATLYADFSHD PAQGUGFUNE LIARINTSPV QDHTSTNHTL DSNPATFFLD ATLYADFSHD A. terreus 9A-1 A. terreus cbs A. niger var. awamori A. niger NRRL3135 A. fumigatus 13073 A. fumigatus 2722 A. fumigatus 28906 M. fumigatus 2239 E. nidulans M. thermophila MSMISIFFAL GLYNGTEPLS TTSVESAKEI DGYSASWVVP FGARAYFELM MSMISIFFAL GLYNGTALS TTEIKSIEET DGYSASWVVP FGARAYFELM MSGRAYFELM MSMISIFFAL GLYNGTALS TTEIKSIEET DGYSASWVVP FGARAYFELM MSGRAYFELM M	=	PAQGIGFUNE	LIARLTRSPV	QDHTSTNsTL	vSNPATFPLN	ATMYVDFSHD
T. thermophila M. thermophila PAQGVGF-NE LIARMHSPV QDTTTNHTL DSDPATFPLA ATLYADFSHD PTQGVGFVNE LLARLAGYPV RDGTSTNRTL DGDPTFFLG TPLYADFSHD CONSENSUS CONSENSUS A. terreus 9A-1 A. terreus cbs A. niger var. awamori A. niger var. awamori A. niger NRRL3135 A. fumigatus 13073 A. fumigatus 22722 A. fumigatus 2239 E. nidulans T. thermophila NSMYSIFFAL GLYNGTEPLS T. thermophila NSMISIFFAL GLYNGTEPLS T. thermophila NSMISIFFAL GLYNGTEPLS T. thermophila NSMISIFFAL GLYNGTEPLS T. thermophila NSMISIFFAL GLYNGTEPLS TTSVESAKEI DGYSASWVP FGARAYFELM NGMISIFFAL GLYNGTEPLS TSVESAKEI DGYSASWVP FGARAYFELM NGMISIFFAL GLYNGTAPLS TSVESAKEI DGYSASWVP FGARAYFELM NGMISIFFAL GLYNGTAPLS TSVESAKEI DGYSASWVP FGARAYFELM NGMISIFFAL GLYNGTAPLS TSVESIEET DGYSASWVP FGARAYFELM NGMISIFFAL GLYNGTAPLS TSVESI	_	PAQGIGFTNE	LIARLTNSPV	QDHTSTNsTL	DSDPATFPLN	ATIYVDFSHD
M. thermophila PTQGVGFVNE LLARLAGYPV RDGTSTNRTL DGDPTTFFLG PPLYADFSHD Consensus PAQGVGF-NE LIARLTHSPV QDHTSTNHTL DSNPATFPLN ATLYADFSHD A. terreus 9A-1 A. terreus cbs A. niger var. awamori A. niger nrrliasis A. fumigatus 13073 A. fumigatus 13073 A. fumigatus 58128 A. fumigatus 58128 A. fumigatus 32239 B. nidulans MSMYSIFFAL GLYNGTEPLS A. fumigatus 32239 B. nidulans MSMYSIFFAL GLYNGTEPLS A. fumigatus 2239 B. nidulans MSMYSIFFAL GLYNGTEPLS Consensus Consensus Consensus NSMYSIFFAL GLYNGTEPLS CLYNGTEPLS CONSENSUS NSMYSIFFAL GLYNGTEPLS CLYNGTEPLS CLYNGTAPLS CLYNGTEPLS CLYNGT		PAQGIGFtNE	LIARLTQSPV	QDNTSTNHTL	DSNPATFPLD	rKLYADFSHD
Consensus phytase PAQGVGF-NE LIARLTHSPV QDHTSTNHTL DSNPATFPLN ATLYADFSHD A. terreus 9A-1 A. terreus chs A. niger var. awamori A. niger NRRL3135 A. fumigatus 13073 A. fumigatus 32722 A. fumigatus 26906 A. fumigatus 32239 E. nidulans Consensus phytase PAQGVGF-NE LIARLTHSPV QDHTSTNHTL DSNPATFPLN ATLYADFSHD A. terreus chs A. niger var. awamori A. niger NRRL3135 A. fumigatus 13073 A. fumigatus 13073 A. fumigatus 58128 A. fumigatus 26906 A. fumigatus 26906 A. fumigatus 32239 E. nidulans Consensus Consen		PAQGVGFvNE	LIARMTHSPV	QDYTTVNHTL	DSNPATFPLN	ATLYADFSHD
A. terreus cbs A. niger NRRL3135 A. fumigatus 32239 A. fumigatus 3239 B. nidulans A. thermophila M. terreus cbs A. fumigatus 3239 A. fumi	M. thermophila	PTQGVGFvNE	LLARLAgvPV	RDgTSTNRTL	DGDPrTFPLG	rPLYADFSHD
A. terreus cbs A. niger NRRL3135 A. fumigatus 32239 A. fumigatus 3239 B. nidulans A. thermophila M. terreus cbs A. fumigatus 3239 A. fumi	Consensus	DAOCUCE ME	T TADI MHODI	ODIMORNA	D. G. 170 2	
A. terreus 9A-1 A. terreus cbs A. niger var. awamori A. niger NRRL3135 A. fumigatus 32722 A. fumigatus 32239 B. MGMISIFFAL B.		PAQUOURANE	LIARLTHSPV	QDHTSTNHTL	DSNPATFPLN	ATLYADFSHD
A. terreus 9A-1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus 13073 A. fumigatus 58128 A. fumigatus 26906 A. fumigatus 32239 Consensus Consensus phytase A. terreus cbs A. terreus cbs A. fumigatus 3239 Consensus cbs A. fumigatus 26906 A. terreus cbs A. fumigatus 26906 A. fumigatus 3239 A. fumigatus 3239 A. fumigatus 3239 Consensus cbs A. fumigatus 26906 A. fumigatus 26906 A. fumigatus 3239 A. fumigatus 3239 A. fumigatus 3239 Consensus cbs A. fumigatus 3239 A. fumigatus 3239 Consensus cbs A. fumigatus 3239 Consensus cbs A. fumigatus 3239 Consensus cbs A. fumigatus 3239 A. fumigatus 3239 Consensus cbs A. fumigatus 3239 A.	consensus phycase	PAQGVGFANE	LIARLTRSPV	QDHTSTNHTL	DSNPATFPLN	ATLYADFSHD
A. terreus 9A-1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus 13073 A. fumigatus 58128 A. fumigatus 26906 A. fumigatus 32239 Consensus Consensus phytase A. terreus cbs A. terreus cbs A. fumigatus 3239 Consensus cbs A. fumigatus 26906 A. terreus cbs A. fumigatus 26906 A. fumigatus 3239 A. fumigatus 3239 A. fumigatus 3239 Consensus cbs A. fumigatus 26906 A. fumigatus 26906 A. fumigatus 3239 A. fumigatus 3239 A. fumigatus 3239 Consensus cbs A. fumigatus 3239 A. fumigatus 3239 Consensus cbs A. fumigatus 3239 Consensus cbs A. fumigatus 3239 Consensus cbs A. fumigatus 3239 A. fumigatus 3239 Consensus cbs A. fumigatus 3239 A.						
A. terreus 9A-1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus 13073 A. fumigatus 58128 A. fumigatus 26906 A. fumigatus 32239 Consensus Consensus phytase A. terreus cbs A. terreus cbs A. fumigatus 3239 Consensus cbs A. fumigatus 26906 A. terreus cbs A. fumigatus 26906 A. fumigatus 3239 A. fumigatus 3239 A. fumigatus 3239 Consensus cbs A. fumigatus 26906 A. fumigatus 26906 A. fumigatus 3239 A. fumigatus 3239 A. fumigatus 3239 Consensus cbs A. fumigatus 3239 A. fumigatus 3239 Consensus cbs A. fumigatus 3239 Consensus cbs A. fumigatus 3239 Consensus cbs A. fumigatus 3239 A. fumigatus 3239 Consensus cbs A. fumigatus 3239 A.		351				
A. terreus cbs A. niger var. awamori A. niger var. awamori A. niger nrrlind A. niger nrrlin	A. terreus 9A-1		CT.VNCTADIC	~TOTTE OTTOOM	Darra a arresto	400
A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus 13073 A. fumigatus 32722 A. fumigatus 32722 A. fumigatus 3239 A. fumigatus 32239 A. fumigatus 3239 B. nidulans A. thermophila M. thermophila M. mSMISIFFAL CONSENSUS Phytase 401 A. terreus 9A-1 A. terreus 9A-1 A. niger var. awamori A. niger var. awamori A. fumigatus 13073 A. fumigatus 2023 A. fumigatus MSMISIFFAL CONSENSUS Phytase A. fumigatus 3272 A. fumigatus 32239 B. nidulans CONSENSUS Phytase A. fumigatus 32239 B. nidulans CONSENSUS Phytase A. fumigatus 32239 CONSENSUS Phytase A. fumigatus 32239 B. nidulans CONSENSUS Phytase A. fumigatus 32239 CONSENSUS Phytase A. fumigatus 32239 B. nidulans CONSENSUS Phytase A. fumigatus 32239 CONSENSUS Phytase A. fumigatus 32239 B. nidulans CONSENSUS Phytase A. fumigatus 32239 CONSENSUS Phytase A. fumigatus 4450 CONSENSUS Phytase A. fumigat		CMINGIPWAL	CI ANGUALDI O	QISVESVSQT	DGYAAAWTVP	FAARAYVEMM
A. niger T213 A. niger NRRL3135 A. fumigatus 13073 A. fumigatus 32722 A. fumigatus 32722 A. fumigatus 58128 A. fumigatus 26906 A. fumigatus 32239 A. fumigatus 32239 A. fumigatus 32239 A. fumigatus 26906 A. fumigatus 32239 A. fumigatus 32239 A. fumigatus 32239 A. fumigatus 26906 A. fumigatus 32239 A. nigus and an		AUCTTOTIONI	CI VNCHI-DI O	qriveDitri	DGYAAAWIVP	FAARAYIEMM
A. niger NRRL3135 A. fumigatus 13073 A. fumigatus 32722 A. fumigatus 58128 A. fumigatus 58128 A. fumigatus 26906 A. fumigatus 26906 A. fumigatus 32239 A. fumigatus 3239 A. fumigatus MNSMISIFFAM GLYNGTEPLS TTSVESAKE1 DGYSASWVVP FGARAYFEUM NSMISIFFAM GLYNGTAPLS TTEIKSIEET DGYSASWVVP FGARAYFEUM NSMISIFFAM GLYNGTAPLS TTEIKSIEET DGYSASWVVP FGARAYFEUM NSMISIFFAM GLYNGTAPLS TTEIKSIEET DGYSASWVVP FGARAYFEUM NSMISIFFAM GLYNGTAPLS TTSVESIEET DGYSASWVVP FGARAYFEUM NSMISIFFAM GLYNGTAPLS TTSVESIEET DGYSASWVVP FGARAYVEUM NSMISIFFAM GLYNGTAPLS TTSVESIEET DGYSASWVVP FGARAYFEUM NSMISIFFAM GLYNGTAPLS TTSVESIEET DGYSASWVPP FGARAYFEUM NSMISIFFAM GLYNGTAPLS TTSVESIEET DGYSASWVPP FGARAYFEUM	A niger T212	MCTICITEMI T	GLINGTRPLS	TTTVENTTQT	DGFSSAWTVP	FASRLYVEMM
A. fumigatus 13073 A. fumigatus 32722 A. fumigatus 58128 A. fumigatus 26906 A. fumigatus 32239 A. fumigatus 3239 A. thermophila A. terreus pa-1 A. terreus pa-1 A. terreus cbs A. niger var. awamori A. fumigatus 3239 A. niger NRRL3135 A. fumigatus 13073 A. fumigatus 32722 A. fumigatus 32722 C. KSEKE PLVRVLVNDR VVPLHGCPVD KLGRCKLNDF A. fumigatus 32722 C. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32722 C. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 3239 C. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 3239 C. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32339 C. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 3239 C. E. KE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 3239 C. E. KE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 3239 C. E. KE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 3239 C. E. KE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 3239 C. E. KE PLVRALINDR VVPLHGCDVD KLGRCKLDF A. fumigatus 3239 C.	_	NGIISILFAL	GLINGIKPLS	TTTVENTTQT	DGFSSAWTVP	FASRLYVEMM
A. fumigatus 32722 A. fumigatus 58128 A. fumigatus 26906 A. fumigatus 2239 A. fumigatus 2239 A. fumigatus 26906 A. fumigatus 32239 B. nidulans Consensus	_	NGLISILFAL	GLYNGTKPLS	TTTVENITQT	DGFSSAWTVP	FASRLYVEMM
A. fumigatus 58128 A. fumigatus 26906 A. fumigatus 26906 A. fumigatus 26906 A. fumigatus 32239 E. nidulans M. thermophilus M. thermophila Consensus Consensus Consensus phytase 401 A. terreus 9A-1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger T213 A. niger T213 A. niger NRRL3135 C. QAEQE A. niger NRRL3135 A. niger NRRL3135 C. QAEQE A. fumigatus 13073 A. fumigatus 32722 C. KSEKE A. fumigatus 26906 A. fumigatus 32099 A. fumigatus 32099 C. KSEKE A. fumigatus 32090 A. fumigatus 32090 C. KSEKE A. fumigatus 32090 C. KSEKE A. fumigatus 32090 A. fumigatus 26906 A. fumigatus 26906 A. fumigatus 26906 A. fumigatus 32090 A. fumigatus 32090 C. KSEKE A. fumigatus 32090 A. fumigatus 32090 A. fumigatus 32090 A. fumigatus 26906 A. fumigatus 32090	-	NSMVSIFFAL	GLYNGTEPLS	rTSVESaKEl	DGYSASWVVP	FGARAYFEtM
A. fumigatus 26906 A. fumigatus 32239 C. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32239 C. KSEKE PLVRVLVNDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32239 C		NSMVSIFFAL	GLYNGTGPLS	rTSVESaKEl	DGYSASWVVP	FGARAYFEtM
A. terreus 9A-1 A. terreus cbs A. niger var. awamori A. niger NRRL3135 A. niger S121 A. niger NRRL3135 A. niger NRRL3135 A. niger S121 A. niger NRRL3135 A.	_	NSMVSIFFAL	GLYNGTEPLS	rTSVESaKEl	DGYSASWVVP	FGARAYFEtM
E. nidulans T. thermophilus M. thermophila NSMISIFFAM M. thermophila NDMMGVLgAL GayDGVPPLD KTArrDpEEl GGYAASWAVP FGARAYTELM M. thermophila NDMMGVLgAL GayDGVPPLD KTArrDpEEl GGYAASWAVP FGARAYTEM Consensus NSMISIFFAL GLYNGTAPLS TTSVESIEET DGYAASWAVP FGARAYVEMM TTSVESIEET DGYAASWAVP FGARAYVEMM FGARAYVEMM 401 450 A. terreus 9A-1 A. terreus cbs QCRAEKE A. niger var. awamori A. niger var. awamori A. niger T213 QCQAEQE A. niger NRRL3135 QCQAEQE A. niger NRRL3135 QCQAEQE A. niger NRRL3135 QCQAEQE A. fumigatus 13073 QCKSEKE A. fumigatus 32722 QCKSEKE A. fumigatus 58128 QCKSEKE A. fumigatus 26906 A. fumigatus 32239 QCKSEKE BLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32239 QCKSEKE BLVRALINDR VVPLHGCAVD KLGRCKLNDF A. fumigatus 32239 QCKSEKE BLVRALIN	-	NSMVSIFFAL	GLYNGTEPLS	rTSVESaKEl	DGYSASWVVP	FGARAYFEtM
T. thermophilus NTMTSIFAAL NDMMGVLGAL GAYDGVPPLD KTARTDEET DGYSAAWTVP FGGRAYIEMM NDMMGVLGAL GAYDGVPPLD KTARTDEET GGYAASWAVP FAARIYVEKM GAYDGVPPLD KTARTDEET GGYAASWAVP FAARIYVEKM FGORAYIEMM NDMMGVLGAL GAYDGVPPLD KTARTDEET GGYAASWAVP FAARIYVEKM GAYDGVPPLD KTARTDEET DGYAASWAVP FAARIYVEKM NSMISIFFAL GLYNGTAPLS TTSVESIEET DGYAASWAVP FGARAYVEMM FAARIYVEKM MALTARIYEM FGARAYVEMM FAARIYVEKM FGARAYVEMM FAARIYVEKMM FGARAYVEMM FGARAYVEMM FAARIYVEKMM FGARAYVEMM FGARAYVEMM FGARAYVEMM FGARAYVEMM FGARAYVEMM FAARIYVEMM FGARAYVEMM FGARAYVEMM FGARAYVEMM FGARAYVEMM FAARIYVEMM FGARAYVEMM FGARAYVEMM FAARIYVEMM FA	_	NGMIPIFFAM	GLYNGTEPLS	qTSeESTKES	NGYSASWAVP	FGARAYFEtM
M. thermophila NDMMGVLGAL GAYDGVPPLD KTATTDEEL GGYAASWAVP FAARIYVEKM Consensus Consensus NSMISIFFAL GLYNGTAPLS TTSVESIEET DGYAASWTVP FGARAYVEMM MSMISIFFAL GLYNGTAPLS TTSVESIEET DGYAASWTVP FGARAYVEMM 401 A. terreus 9A-1 A. terreus cbs QC. RAEKE PLVRVLVNDR VMPLHGCPTD KLGRCKTDAF A. niger var. awamori A. niger var. awamori QC. QAEQE PLVRVLVNDR VVPLHGCPID aLGRCTTDSF A. niger NRRL3135 QC. QAEQE PLVRVLVNDR VVPLHGCPID aLGRCTTDSF A. fumigatus 13073 QC. QAEQE PLVRVLVNDR VVPLHGCPVD KLGRCKINDF A. fumigatus 32722 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKINDF A. fumigatus 58128 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKINDF A. fumigatus 26906 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKINDF A. fumigatus 32239 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKINDF A. fumigatus 3239 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 3239 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 3239 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 3239 QC. KSEKE PLVRALINDR VVPLHGCAVD KLGRCKLNDF A. fumigatus 3230		NSMISIFFAM	GLYNGTQPLS	mDSVESIQEm	DGYAASWTVP	FGARAYFELM
Consensus Consen		NTMTSIFaAL	GLYNGTAKLS	TTEIKSIEET	DGYSAAWTVP	FGGRAYIEMM
A. terreus 9A-1 A. terreus cbs A. niger var. awamori A. niger NRRL3135 A. fumigatus 13073 A. fumigatus 32722 A. fumigatus 58128 A. fumigatus 58128 A. fumigatus 32239 C. KSEKE A. fumigatus 32239 C. KSEKE C. KSEK	M. thermophila	NDMMGVLgAL	GaYDGVPPLD	KTArrDpEEl	GGYAASWAVP	FAARiYVEKM
A. terreus 9A-1 A. terreus cbs A. niger var. awamori A. niger NRRL3135 A. fumigatus 13073 A. fumigatus 32722 A. fumigatus 58128 A. fumigatus 58128 A. fumigatus 32239 C. KSEKE A. fumigatus 32239 C. KSEKE C. KSEK	Concencie	NOMEGINA	CI INICMA DI C	mma		
401 A. terreus 9A-1 QC. RAEKE PLVRVLVNDR VMPLHGCPTD KLGRCKrDAF A. terreus cbs QC. RAEKQ PLVRVLVNDR VMPLHGCAVD NLGRCKrDDF A. niger var. awamori QC. QAEQE PLVRVLVNDR VVPLHGCPID aLGRCTrDSF A. niger NRRL3135 QC. QAEQE PLVRVLVNDR VVPLHGCPID aLGRCTrDSF A. niger NRRL3135 QC. QAEQE PLVRVLVNDR VVPLHGCPVD aLGRCTrDSF A. fumigatus 13073 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32722 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 58128 QC. KSEKE SLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 26906 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32239 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32239 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32239 QC. KSEKE PLVRALINDR VVPLHGCAVD KLGRCKLNDF A. fumigatus 32239 QC. KSEKE PLVRVLVNDR VVPLHGCAVD KLGRCKLDDF CONSENSUS QCQAEKE PLVRVLVNDR VVPLHGCAVD KLGRCKLDDF		NOMISIFFAL	GLYNGTAPLS	TTSVESIEET	DGYAASWTVP	FGARAYVEMM
A. terreus 9A-1 QC. RAEKE PLVRVLVNDR VMPLHGCPTD KLGRCKTDAF A. terreus cbs QC. RAEKQ PLVRVLVNDR VMPLHGCAVD NLGRCKTDAF A. niger var. awamori QC. QAEQE PLVRVLVNDR VVPLHGCPID aLGRCTTDSF A. niger T213 QC. QAEQE PLVRVLVNDR VVPLHGCPID aLGRCTTDSF A. niger NRRL3135 QC. QAEQE PLVRVLVNDR VVPLHGCPVD ALGRCTTDSF A. fumigatus 13073 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32722 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 58128 QC. KSEKE SLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 26906 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32239 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32239 QC. KSEKE PLVRALINDR VVPLHGCAVD KLGRCKLNDF A. fumigatus 32239 QC. KSEKE PLVRVLVNDR VVPLHGCAVD KFGRCTLDDW A. fumigatus 32239 QC. B. KSEKE PLVRVLVNDR VVPLHGCAVD KFGRCKLNDF A. fumigatus 32239 QC. B. KSEKE PLVRVLVNDR VVPLHGCAVD KFGRCKLNDF A. fumigatus 32239 QC. B. KSEKE PLVRVLVNDR VVPLHGCAVD KFGRCKLNDF A. fumigatus 32239 QC. B. KSEKE PLVRVLVNDR VVPLHGCAVD KFGRCKLNDF A. fumigatus 32239 QC. B. KSEKE PLVRVLVNDR VVPLHGCAVD KFGRCKLNDF	components phytase	MONTOIFFAL	GLINGTAPLS	TISVESIEET	DGYSASWTVP	FGARAYVEMM
A. terreus 9A-1 QC. RAEKE PLVRVLVNDR VMPLHGCPTD KLGRCKTDAF A. terreus cbs QC. RAEKQ PLVRVLVNDR VMPLHGCAVD NLGRCKTDAF A. niger var. awamori QC. QAEQE PLVRVLVNDR VVPLHGCPID aLGRCTTDSF A. niger T213 QC. QAEQE PLVRVLVNDR VVPLHGCPID aLGRCTTDSF A. niger NRRL3135 QC. QAEQE PLVRVLVNDR VVPLHGCPVD ALGRCTTDSF A. fumigatus 13073 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32722 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 58128 QC. KSEKE SLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 26906 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32239 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32239 QC. KSEKE PLVRALINDR VVPLHGCAVD KLGRCKLNDF A. fumigatus 32239 QC. KSEKE PLVRVLVNDR VVPLHGCAVD KFGRCTLDDW A. fumigatus 32239 QC. B. KSEKE PLVRVLVNDR VVPLHGCAVD KFGRCKLNDF A. fumigatus 32239 QC. B. KSEKE PLVRVLVNDR VVPLHGCAVD KFGRCKLNDF A. fumigatus 32239 QC. B. KSEKE PLVRVLVNDR VVPLHGCAVD KFGRCKLNDF A. fumigatus 32239 QC. B. KSEKE PLVRVLVNDR VVPLHGCAVD KFGRCKLNDF A. fumigatus 32239 QC. B. KSEKE PLVRVLVNDR VVPLHGCAVD KFGRCKLNDF						
A. terreus 9A-1 A. terreus cbs QCRAEKQ PLVRVLVNDR VMPLHGCPTD KLGRCKrDAF A. niger var. awamori QCQAEQE PLVRVLVNDR VVPLHGCPID aLGRCTrDSF A. niger T213 QCQAEQE PLVRVLVNDR VVPLHGCPID aLGRCTrDSF A. niger NRRL3135 QCQAEQE PLVRVLVNDR VVPLHGCPID aLGRCTrDSF A. fumigatus 13073 QCKSEKE PLVRALINDR VVPLHGCPVD ALGRCTrDSF A. fumigatus 32722 QCKSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 58128 QCKSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 26906 QCKSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32239 QCKSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 3239 QCKSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32239 QCKSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32239 QCKSEKE PLVRALINDR VVPLHGCAVD KLGRCKLKDF E. nidulans QCKSEKE PLVRALINDR VVPLHGCAVD KLGRCKLKDF E. nidulans QCKSEKE PLVRVLVNDR VVPLHGCAVD KFGRCTLDDW T. thermophilus QCDDSDE PVVRVLVNDR VVPLHGCEVD SLGRCKTDDF M. thermophila RCSGGGGGGG GGGCCCCCCCCCCCCCCCCCCCCCCCCCC		401				450
A. terreus cbs QCRAEKQ PLVRVLVNDR VMPLHGCAVD NLGRCKrDDF A. niger var. awamori QCQAEQE PLVRVLVNDR VVPLHGCPID aLGRCTrDSF A. niger T213 QCQAEQE PLVRVLVNDR VVPLHGCPID aLGRCTrDSF A. niger NRRL3135 QCQAEQE PLVRVLVNDR VVPLHGCPVD aLGRCTrDSF A. fumigatus 13073 QCKSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32722 QCKSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 58128 QCKSEKE SLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 26906 QCKSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32239 QCKSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF E. nidulans QCKSEKE PLVRALINDR VVPLHGCAVD KLGRCKLNDF T. thermophilus QCDDSDE PVVRVLVNDR VVPLHGCAVD KFGRCTLDDW T. thermophilus QCDDSDE PVVRVLVNDR VVPLHGCEVD SLGRCKTDDF COnsensus QCQAEKE PLVRVLVNDR VVPLHGCAVD KLGRCKLDDF	A. terreus 9A-1	oc	RAEKE	DUWY INDWAY	WDI UCCDTD	WI COCK-DAR
A. niger var. awamori QC. QAEQE PLVRVLVNDR VVPLHGCPID aLGRCTrDSF A. niger T213 QC. QAEQE PLVRVLVNDR VVPLHGCPID aLGRCTrDSF A. niger NRRL3135 QC. QAEQE PLVRVLVNDR VVPLHGCPVD aLGRCTrDSF A. fumigatus 13073 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32722 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 58128 QC. KSEKE SLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 26906 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32239 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF E. nidulans QC. KSEKE PLVRALINDR VVPLHGCAVD KLGRCKLKDF E. nidulans QC. E. KKE PLVRALINDR VVPLHGCAVD KLGRCKLKDF T. thermophilus QC. DDSDE PVVRVLVNDR VVPLHGCAVD KFGRCTLDDW T. thermophilus QC. DDSDE PVVRVLVNDR VVPLHGCEVD SLGRCKTDDF COnsensus QCQAEKE PLVRVLVNDR VVPLHGCAVD KLGRCKLDDF	A. terreus cbs	OC	RAEKO	DIWANTANDE	VMDINGCEID	ALGREATURE ALGRESTA
A. niger T213 A. niger NRRL3135 QCQAEQE PLVRVLVNDR VVPLHGCPID aLGRCTTDSF A. fumigatus 13073 QCKSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32722 QCKSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 58128 QCKSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 26906 QCKSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32239 QCKSEKE PLVRALINDR VVPLHGCAVD KLGRCKLNDF CONSENSUS QCDDSDE PVVRVLVNDR VVPLHGCAVD KFGRCTLDDW M. thermophila QCDDSDE PVVRVLVNDR VVPLHGCEVD SLGRCKTDDF CONSENSUS QCQAEKE PLVRVLVNDR VVPLHGCAVD KLGRCKLDDF	A. niger var. awamor.	i oc	DAEOE	DIMONITARION	WITHINGCAVD	NLGRCKIDDF
A. niger NRRL3135 QCQAEQE PLVRVLVNDR VVPLHGCPVD aLGRCTrDSF A. fumigatus 13073 QCKSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32722 QCKSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 58128 QCKSEKE SLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 26906 QCKSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32239 QCKSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF E. nidulans QCKSEKE PLVRALINDR VVPLHGCAVD KLGRCKLKDF T. thermophilus QCBKE PLVRVLVNDR VVPLHGCAVD KFGRCTLDDW T. thermophilus QCDDSDE PVVRVLVNDR VVPLHGCEVD SLGRCKTDDF M. thermophila RCsgggggg ggegrQEKDE eMVRVLVNDR VVPLHGCAVD KLGRCKLDDF Consensus QCQAEKE PLVRVLVNDR VVPLHGCAVD KLGRCKLDDF	A. niger T213	OC	OAEOE	DIMENTALIA	WIDI HCCDID	algrerrer
A. fumigatus 13073 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32722 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 58128 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 26906 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32239 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF E. nidulans QC. KSEKE PLVRALINDR VVPLHGCAVD KLGRCKLKDF T. thermophilus QC. DDSDE PVVRVLVNDR VVPLHGCAVD KFGRCTLDDW T. thermophila RCsgggggg ggegrQEKDE eMVRVLVNDR VVPLHGCEVD SLGRCKrDDF Consensus QCQAEKE PLVRVLVNDR VVPLHGCAVD KLGRCKLDDF	A. niger NRRL3135	OC.	OAFOE	DI MOM MANDE	VVPLHGCPID	algerrose
A. fumigatus 32722 QC KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 58128 QC KSEKE SLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 26906 QC KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32239 QC KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF E. nidulans QC KSEKE PLVRALINDR VVPLHGCAVD KLGRCKLKDF T. thermophilus QC DDSDE PVVRVLVNDR VVPLHGCAVD KFGRCTLDDW M. thermophila RCsgggggg ggegrQEKDE eMVRVLVNDR VMTLKGCGAD ErGMCTLErF Consensus QCQAEKE PLVRVLVNDR VVPLHGCAVD KLGRCKLDDF		0C	TOTAL TOTAL	DIVIDALIANDA	VVPLHGCPVD	algrerrbsr
A. fumigatus 58128 QC. KSEKE SLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 26906 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32239 QC. KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF E. nidulans QC. KSEKE PLVRALINDR VVPLHGCAVD KLGRCKLKDF T. thermophilus QC. DDSDE PVVRVLVNDR VVPLHGCEVD SLGRCKrDDF M. thermophila RCsgggggg ggegrQEKDE eMVRVLVNDR VMTLkGCGAD ErGMCTLErF Consensus QCQAEKE PLVRVLVNDR VVPLHGCAVD KLGRCKLDDF	A. fumigatus 32722	OC	VCEVE	PLANATINDE	VVPLHGCDVD	KLGRCKLNDF
A. fumigatus 26906 QC KSEKE PLVRALINDR VVPLHGCDVD KLGRCKLNDF A. fumigatus 32239 QC KSEKE PLVRALINDR VVPLHGCAVD KLGRCKLKDF E. nidulans QC E.KKE PLVRVLVNDR VVPLHGCAVD KFGRCTLDDW T. thermophilus QC DDSDE PVVRVLVNDR VVPLHGCEVD SLGRCKrDDF M. thermophila RCsgggggg ggegrQEKDE eMVRVLVNDR VMTLkGCGAD ErGMCTLErF Consensus QCQAEKE PLVRVLVNDR VVPLHGCAVD KLGRCKLDDF		20	TABLA	THE TAKE THE TAKE	v v P L H G C D V D	KLGRCKLNDF
A. fumigatus 32239 QCKSEKE PLVRALINDR VVPLHGCAVD KLGRCKLKDF E. nidulans QCE.KKE PLVRVLVNDR VVPLHGCAVD KFGRCTLDDW T. thermophilus QCDDSDE PVVRVLVNDR VVPLHGCEVD SLGRCKrDDF M. thermophila RCsgggggg ggegrQEKDE eMVRVLVNDR VMTLkGCGAD ErGMCTLErF Consensus QCQAEKE PLVRVLVNDR VVPLHGCAVD KLGRCKLNDF		OC	TABEAL	PLINDALLINDS	V V PLHGCDVD	KLGRCKLNDF
E. nidulans QCE.KKE PLVRVLVNDR VVPLHGCAVD KEGRCKLENDF T. thermophilus QCDDSDE PVVRVLVNDR VVPLHGCEVD SLGRCKrDDF M. thermophila RCsgggggg ggegrQEKDE eMVRVLVNDR VMTLkGCGAD ErGMCTLErF Consensus QCQAEKE PLVRVLVNDR VVPLHGCAVD KLGRCKLDDF		0C	TABEAL	LTADAT ATOM	V V PLHGCDVD	KLGRCKLNDF
T. thermophilus QCDDSDE PVVRVLVNDR VVPLHGCEVD SLGRCKTDDF M. thermophila RCsgggggg ggegrQEKDE eMVRVLVNDR VMTLkGCGAD ErGMCTLErF Consensus QCQAEKE PLVRVLVNDR VVPLHGCAVD KLGRCKLDDF		OC	TARGA	ETINETTIME	V V PLHGCAVD	KLGRCKLKDF
M. thermophila RCsggggggg ggegrQEKDE eMVRVLVNDR VMTLkGCGAD ErGMCTLErF Consensus QCQAEKE PLVRVLVNDR VVPLHGCAVD KLGRCKLDDF		00	DAN. B	PLVKVLVNDR	VVPLHGCAVD	KFGRCTLDDW
Consensus QCQAEKE PLVRVLVNDR VVPLHGCAVD KLGRCKIDDF		PCcaraaaa	DUSUE	FVVKVLVNDR	VVPLHGCEVD	SLGRCKrDDF
Consensus QCQAEKE PLVRVLVNDR VVPLHGCAVD KLGRCKLDDF Consensus phytase QCQAEKE PLVRVLVNDR VVPLHGCAVD KLGRCKRDDF	arczmopiir ia	vesadadada	Adediorknr	emvkvLVNDR	VMTLkGCGAD	ErGMCTLErF
Consensus phytase QCQAEKE PLVRVLVNDR VVPLHGCAVD KLGRCKRDDF	Consensus	00		DI MUMITITATO	I # / D # 11.0 0	
ZO QAEKE PLVKVLVNDK VVPLHGCAVD KLGRCKRDDF		OC.	OREKE	PL VRVLVNDR	VVPLHGCAVD	KLGRCKLDDF
	Enl sand	z	QnekE	FUAKATANDK	VVPLHGCAVD	KLGRCKRDDF

		451	471
A.	terreus 9A-1	VAGLSFAQAG	GNWADCF~~~ ~
А.	terreus cbs	VEGLSFARAG	NWAECF~~~
A.	niger var. awamori	VrGLSFARSG	GDWAECsA~~ ~
A.	niger T213	VrGLSFARSG	GDWAECFA~~ ~
A.	niger NRRL3135	VrGLSFARSG	DWAECFA~~
A.	fumigatus 13073	VKGLSWARSG	GNWGECFS~~ ~
A.	fumigatus 32722	VKGLSWARSG	GNWGECFS~~ ~
A.	fumigatus 58128	VKGLSWARSG	GNWGECFS~~ ~
A.	fumigatus 26906	VKGLSWARSG	GNWGECFS~~ ~
A.	fumigatus 32239	VKGLSWARSG	NSEQSFS~~
E .	nidulans	VEGLNFARSG	GNWkTCFT1~ ~
T.	thermophilus	VrGLSFARqG	GNWEGCYAas e
М.	thermophila	IESMAFARGN	GKWDlCFA~~ ~
Con	sensus	VEGLSFARSG	GNWAECFA
Con	sensus phytase	VEGLSFARSG	GNWAECFA




Fig. 2a

CP-10 CP-11 V I I P E G S G Y N N T L D H G T C T A ACGTT ATTTTCCAGAAGGATCCGGTTACAACAACACTTTGGACCACGGT ACTTGTACTGTGCAATAATAAGGTCTTCCtAGgCCAATGTTGTTGTGAAACCTGGTGCCATGAACATGAC FEDSELGDDVEANFTALFAP $\tt CTTTCGAAGACTCTGAATTGGGTGACGACGTTGAAGCTAACTTCACTGCTTTGTTCGCTC$ 661 -----+ 720 GAAAGCTTCTGAGACTTAACCCACTGCTGCAACTTCGATTGAAGTGACGAAACAAGCGAG AIRARLEADLPGVTLTDEDV 721 -----+ 780 CP-13 V Y L M D M C P F E T V A R T S D A T E TTGTTTACTTGATGGACATGTGTCCATTCGAAACTGTTGCTAGAACTTCTGACGCTACTG ${\tt AACAAATGAACTACCTGTAC} ACAGGTAAGCTTTGACAACGATCTTGAAGACTGCGATGAC$ LSPFCALFTHDEWRQYDYLQ **AATTGTCTCCATTCTGTGCTTTGTT**CACTCACGACGAATGGAGACAATACGACTACTTGC 841 -----+ 900 TTAACAGAGGTAAGACACGAAACAAGTGAGTGCTGCTTACCTCTGTTATGCTGATGAACG CP-14 CP-15 S L G K Y Y G Y G A G N P L G P A Q G V AATCTTTGGGTAAGTACTACGGTTACGGTGCTGGTAACCCATTGGGTCCAGCTCAAGGTG ${\bf TTAGAAACCCATTCATGATGCCAATGCCAC} GACCATTGGGTAACCCAGGTCGAGTTCCAC$ G F A N E L I A R L T R S P V Q D H T S TTGGTTTCGCTAACGAATTGATTGCTAGATTGACTAGATCTCCAGTTCAAGACCACACTT 961 -----+ 1020 AACCAAAGCGATTGCTTAACTAACGATCTAACTGATCTAGAGGTCAAGTTCTGGTGTGAA CP-16 CP-17 T N H T L D S N P A T F P L N A T L Y A CTACTAACCACACTTTGGACTCTAACCCAGCTACTTTCCCATTGAACGCTACTTTGTACG 1021 ------ 1080 GATGATTGGTGTGAAACCTGAGATTGGGTCGATGAAAGGGTAACTTGCGATGAAACATGC D F S H D N S M I S I F F A L G L Y N G CTGACTTCTCTCACGACAACTCTATGATTTCTATTTTCTTCGCTTTGGGTTTGTACAACG 1081 ------+ 1140 GACTGAAGAGAGTGCTGTTGAGATACTAAAGATAAAAGAAGCGAAACCCAAACATGTTGC CP-19 TAPLSTTSVESIEETDGYSA 1141 -----+ 1200

Fig. 2b

	1	S	W	${f T}$	V	₽	F	G	Α	R	Α	Y	V	Ε	М	M	Q	C	Q	A	E	
	CT	TC1	rtgo	GAC'	TGT'	TCC	ATT6	CGG'	TGC'	TAG.	AGC'	TTA	CGTT	'GA	TAA	GAT	GCA	ATG	TCA	AGC	TG	
1201				+				+			-+-			-+-				+			-+	1260
	GA	AGZ	AAC	CTG.	ACA.	AGG'	TAA	GCC.	ACG	ATC'	TCG	AAT	GCAA	CT'	ГТА	CTA	CGT	TAC	AGT	TCG	AC	
													CP-	20								
														(CP-	21			,			
		K	E	P	L	V	R	V	L	V	N	D	R	v	v	Р	L	н	G	С	А	
													CAGA							_		
1261				+				+			-+-			-+-				+			-+	1320
	TT:	TTC	CT:										GTCI					-			•	1320
		V	D	K	L	G	R	С	K	R	D	D	F	V	E	G	L	s	F	А	R	
	CT	GT1	'GA	CAA	GTT	GGG'	rag:	ATG'	FAA	GAG	AGA	CGA	CTTC	GT:	rga.	AGG'	TTT	GTC	TTT	CGC	TA	
1321																		+				1380
	GA	CAA	ACTO	TTE	CAA	CCC	ATC:	rac.	ATT	CTC	TCT	GCT	GAAG	CA	ACT'	TCC	AAA	CAG	AAA	GCG	AΤ	1000
																	P-2					
	:	S	G	G	N	W	Α	Е	C	F	А	*	Ecc	R.	٢	<u> </u>		-				
	GA:	rci	'GG'	rgg									AGAA		_	מידמ						
1381				+				+			-+-			- 4 -				26				
	CTZ	AGA	CCZ	ACC:	ል ጥ ጥሪ	BACC	rce:	סידויי	רא כי:	122	200:	יידי ב	ריייי	'א א				20				

P. involutus (phyA1) P. involutus (phyA2) T. pubescens A. pediades P. lycii Basidio	SvP.RniAPK hiPlRdTSAc GgvvQaTfvQ StQfsfvAAQ	FPIPeseQrn FSIPeseQrn LdVTrDvQqs pfFPpQiQds LPIPaQntsn	WSPYSPYFPL WSmYSPYFPA WAAYTPYYPV WGPYdPFFPV	AeYkAPPAGC AtYvAPPASC qaYtPPPkDC EpYaAPPEGC	EInQVNIIQR QInQVHIIQR KItQVNIIQR tVtQVNLIQR
P. involutus (phyA1) P. involutus (phyA2) T. pubescens A. pediades P. lycii Basidio	HGARFPTSGA HGARFPTSGA HGARFPTSGA HGARWPTSGA	TTRIKAGLTK ATRIKAGLSK AKRIQTAVAK GTRIQAAVKK rSRQVAAVAK ATRIQAAVAK	LQSVqnfTDP LKAAsnyTDP LQSAktyTDP IQmArpfTDP	KFDFIkSfTY 1LAFVtNYTY RLDFLtNYTY KYEFLnDfvY	dLGtsDLVPF sLGqDsLVeL tLGhDDLVPF kFGvADLLPF
P. involutus (phyA1) P. involutus (phyA2) T. pubescens A. pediades P. lycii Basidio	GAaQSfDAG1 GAtQSSEAGQ GA1QSSQAGE GAnQShQTGt	EAFARYSKLV EVFARYSKLV EAFTRYSSLV ETFQRYSFLV DmYTRYSTLF	SSDNLPFIRS SaDELPFVRA SKENLPFVRA egGDVPFVRA	dgsdrvvdta sgsdrvvata sssnrvvdsa agdqrvvdss	TNWTAGFASA nNWTAGFALA TNWTEGFSAA TNWTAGFGdA
P. involutus (phyA1) P. involutus (phyA2) T. pubescens A. pediades P. lycii Basidio	SrNAiqPkLd SsNSitPvLs ShHvlnPiLf SgETvlPtLq	LILPQtGNDT LILPQtGNDT VIISEaGNDT VILSES1NDT VVLqEeGNcT VILSE-GNDT	LEDNMCPaAG LDDNMCPaAG LDDaMCPnAG LCNNMCPnEv	ESDPQvDaWL DSDPQvNqWL sSDPQtGiWt DGDest.tWL	AsafPSVTAQ AqFAPPMTAR SIYGTPIAnR GVFAPnITAR
P. involutus (phyA1) P. involutus (phyA2) T. pubescens A. pediades P. lycii Basidio	LNAAAPGANL LNAGAPGANL LNQQAPGANI LNAAAPSANL	TDaDAfNLvs TDtDTyNLlt TAaDvsNLip SDsDAltLmd	LCPFmTVSkE LCPFETVAtE LCAFETIVKE	qkSdFCtLFE rrSeFCDIYE tpSpFCNLF. naSpFCDLF.	giPGsFeAFa elQAE.dAFa .tPEEFaqFe .tAEEYvSYe

P. involutus (phyA1) P. involutus (phyA2) T. pubescens A. pediades P. lycii Basidio	YaGDLDKFYG YnADLDKFYG YfGDLDKFYG YyyDLDKYYG	TGYGQALGPV TGYGQPLGPV TGPGNALGPV	OGAGANETT OGAGAINETT OGAGAINETT	ARLTnsAVRD ARLTnsAVnD ARLTaQnVsD ARLTemPVRD ARLTgQAVRD	NTQTNRTLDA HTQTNsTLDS NTQTNRTLDS ETQTNRTLDS
		_			
P. involutus (phyA1) P. involutus (phyA2) T. pubescens A. pediades P. lycii	APdTFPLNKT SPeTFPLNRT SPlTFPLDRS	MYADFSHDN1 LYADFSHDNQ IYADLSHDNQ	MVAVFSAMGL MVAIFSAMGL MIAIFSAMGL	FrQPAPLSTS FrQSAPLSTS FNQSAPLDPT FNQSSPLDPS FNaTA.LDP1	tPDPNRTWLT tPDPaRTFLv fPNPKRTWVT
Basidio	SP-TFPLNRT	FYADFSHDNQ	MVAIFSAMGL	FNQSAPLDPS	-PDPNRTWVT
T. pubescens A. pediades P. lycii	SSVVPFSARM kKIVPFSARM SRLtPFSARM SKLVPFSGHM	aVERLsCa VVERLdCg VtERLlCqrd tVEKLaC	GT GA GTgsggpsri	tkVqsV mrngnvqtfVsgkeaV	RVLVQDqVQP RLLVNDAVQP RILVNDALQP RVLVNDAVQP
Basidio	SKLVPFSARM	VVERL-C	GT	v	RVLVNDAVQP
P. involutus (phyA1) P. involutus (phyA2) T. pubescens A. pediades P. lycii	LEFCGGDqDG LAFCGADtsG LKFCGGDmDS LEFCGG.VDG	1CALDkFVES VCTLDAFVES 1CTLEAFVES VCeLsAFVES	QaYARsGGaG QaYARNDGEG QkYAREDGQG QtYARENGQG	DFEKCLATTV DFEKCFAT~~ DFEKCFD~~~ DFAKCgfvPs	~ ~ ~ e
Basidio	LEFCGGD-DG	-CTLDAFVES	Q-YAREDGQG	DFEKCFATP-	-

A. terreus cbs Nhsdo A. niger var. awamori NqsTo A. niger NRRL3135 NqsSo A. fumigatus 13073 GSkSo A. fumigatus 32722 GSkSo A. fumigatus 58128 GSkSo A. fumigatus 26906 GSkSo A. fumigatus 32239 GSkAo E. nidulans QNHSO	ESVDr GYQCFPELSH kWG1YAI DTVDq GYQCFSETSH LWGQYAI DTVDq GYQCFSETSH LWGQYAI DTVD1 GYQCSPATSH LWGQYSI DTVD1 GYQCSPGTSH LWGQYSI DTVE1 GYQCSPGTSH LWGQYSI NTADG GYQCFPNVSH VWGQYSI	PFFS LANESVISPE VPAGCRVTFA PFFS LEDELSVSSK LPKDCRITLV PFFS LEDELSVSSD LPKDCRVTFV PYFS IEQESAISED VPhGCeVTFV
		PFFS LADQSEISPD VPQNCKITFV
		SPFFS LAEvSEISPA VPkGCRVeFV PYFS VPsElDaS IPdDCeVTFa
		PYFP VAXYXA pPaGCQIxqV
	rnorm dur ibwards with ite	TIT VANYAM pracegiad
		PFFS LADESAISPD VP-GCRVTFV PFFS LADESAISPD VPKGCRVTFV
A. terreus cbs A. niger var. awamori A. niger NRRL3135 A. fumigatus 13073 A. fumigatus 32722 A. fumigatus 58128 A. fumigatus 26906 A. fumigatus 32239 E. nidulans T. thermophilus T. lanuginosus M. thermophila Basidio Consensus QVLSR QVLSR NIIQR	HGARS PTGSKTKAYA ALIAAIGHGARY PTESKGKKYS ALIEEIGHGARY PTGSKGKKYS ALIEEIGHGARY PTSSKSKKYK KLVTAIGHGARY PTSSKSKKYK KLVTAIGHGARY PTSSKSKKYK KLVTAIGHGARY PTSSKSKKYK KLVTAIGHGARY PTASKSKKYK KLVTAIGHGARY PTASKSKYK KLVTAIGHGARY PTSSKTELYS GLIEAIGHGARY PTSKTELYS GLIEAIGHGARY PTAHKSEVYA ELLGRIGARA PTLRAASYV DLIGTIFHGARA PTSGAATRIG AAVAKLGHGARY PTSSKSKYS ALI-AIGHGARY PTSSKSKKYS ALI-AIGHGARY PTSSKSKKY PTSKSKKYS ALI-AIGHGARY PTSSKSKKYS ALI-AIGHGARY PTSSKSKKYS ALI-AIGHGARY PTSSKSKKYS ALI-AIGHGARY PTSSKSKKY PTSKSKKKYS ALI-AIGHGARY PTSSKSKKYS ALI-AIGHGARY PTSSKSKKY PTSKSKKY PTSKSK PTSKSKKY PTSKSK AIGHGARY PTSKSK PTSKSK PTSKSK PTSKSK PTSKSK PTSKSK PTSKSK PTSKSK PTSKSK PTSK PT	QQNA TTFDGKYAFL KTYNYSLGAD QANA TGFKGKFAFL KTYNYTLGAD QANA TGFKGKFAFL KTYNYTLGAD QANA TGFKGKFAFL KTYNYTLGAD QANA TGFKGKFAFL KTYNYTLGAD QKNA TEFKGKFAFL ETYNYTLGAD QKNA TSFWGQYAFL ESYNYTLGAD QKTA TAYKGYYAFL KGYYYQLGAN LQDTA TEFKGDFAFL RGYAYLGAD HGA ISYGPGYEFL RTYDYTLGAD QSAX XXTDPKLDFL XNXTYXLGXD
		OKNA TAFKGKYAFL KTYNYTLGAD
A. terreus cbs A. niger var. awamori A. niger NRRL3135 A. fumigatus 13073 A. fumigatus 32722 DLTPF A. fumigatus 58128 DLTPF A. fumigatus 26906 DLTAF A. fumigatus 32239 E. nidulans T. thermophilus T. lanuginosus M. thermophila Basidio DLVPF	STNQL qDlGaQFYRR YDTL.TF SEQEL VNSGIKFYQR YESL.TF SEQEL VNSGIKFYQR YESL.TF SEQQL VNSGIKFYQR YKAL.AF SEQQL VNSGIKFYQR YKAL.AF SEQQL VNSGIKFYQR YKAL.AF SEQQL VNSGIKFYQR YKAL.AF SEQQM VNSGIKFYQR YKAL.AF SEQQM VDSGIKFYQR YKAL.AF SENQM VDSGAKFYRR YKNL.AF SENQM IQlGIKFYNH YKSL.AF SGEQM MESGRQFYHR YREQ.AF SQQQM VNSGIKFYRR YRAL.AF SQQQM VNSGIKFYRR YRAL.AF SQQQM VNSGIKFYRR YRAL.AF SAXQS SQAGQEAFTR YSXLVSX	250 Rhin PFVRATDASR VHESAEKFVE Rhin PFVRAADSSR VHESAEKFVE Rnii PFIRSSGSSR VIASGEKFIE RSVV PFIRASGSDR VIASAEKFIN RNaV PFVRCSGSDR VIASAEFIN RNaV PFVRCSGSDR VIASAEFIN RNAV PFVRAAGSAR VIASAEFIN RSI PFVRTAGQDR VVNSAENFTQ RSI PFVRTASGSDR VVDSATNWTA
Fcp10 DLTPF	EOOM VNSGIKFYRR YKAL AR	R-IV PFVRASGSDR VIASAEKFIE

Fig. 4a

```
200
                      GFQTARqDDh hAnphQPSPr VDVaIPEGsA YMNTLEHSLC TAFEs...St
A. terreus 9a1
                     GFQNARqGDP hAnphQPSPr VDVVIPEGtA YNNTLEHSIC TAFEa...St
A. terreus cbs
A. niger var. awamori GFQSTKLkDP rAqpgQSSPk IDVVISEASS sNNTLDpGtC TvFEd...SE
                     GFQSTKLkDP rAqpgQSSPk IDVVISEAsS sNNTLDpGtC TvFEd...SE
A. niger NRRL3135
                      GFQQAKLADP gAt.nRAAPa ISVIIPESeT FNNTLDHGVC TkFEa...SQ
A. fumigatus 13073
                      GFQGAKLADP gAt.nRAAPa ISVIIPESeT FNNTLDHGVC TkFEa...SQ
A. fumigatus 32722
                      GFQqAKLADP gAt.nRAAPa ISVIIPESeT FNNTLDHGVC TKFEa...SQ
A. fumigatus 58128
                      GFQqAKLADP gAt.nRAAPa ISVIIPESeT FNNTLDHGVC TkFEa...SQ
A. fumigatus 26906
                      GFQqANVADP gAt.nRAAPV ISVIIPESeT YNNTLDHSVC TnFEa...SE
A. fumigatus 32239
                      GFRkAQLhDh g.s.gQATPV VNVIIPEidG FNNTLDHStC vSFEn...dE
E. nidulans
                      GFQSAKVlDP hSdkhDAPPt INVIIeEGpS YNNTLDtGsC PvFEd...Ss
T. thermophilus
                      GFQdAKdrDP rSnkdQAePV INVIISEEtG sNNTLDgltC PAaEe...Ap
T. lanuginosus
                      GFHSALLADR gStvrPTlPy dmVVIPETaG aNNTLHNDLC TAFEegPySt
M. thermophila
                      GFaxA..... ..sxntxxPx LxVILSExg. .NDTLDDNMC ......PxAG
Basidio
                      GFQSAKLADP -A---QASPV INVIIPEG-G YNNTLDHGLC TAFE--P-SE
           Consensus
                      GFQSAKLADP GANPHQASPV INVIIPEGAG YNNTLDHGLC TAFEE...SE
               Fcp10
                      VGDDavANFT AVFAPAIaqR LEAGLPGVQL StDDVVNLMA MCPFETVSlT
A. terreus 9a1
                      VGDAaADNFT AVFAPAIakR LEAGLPGVQL SADDVVNLMA MCPFETVSlT
A. terreus cbs
A. niger var. awamori LADtVEANFT AtFAPSIRqR LEndLSGVtL TDtEVtyLMD MCSFDTIStS
                      LADTVEANFT ATFVPSIRQR LENGLSGVTL TDTEVTYLMD MCSFDTISTS
A. niger NRRL3135
                      LGDEVAANFT ALFAPdIRAR aEkhLPGVtL TDEDVVSLMD MCSFDTVArT
A. fumigatus 13073
                      LGDEVAANFT ALFAPdIRAR aEkhLPGVtL TDEDVVSLMD MCSFDTVArT
A. fumigatus 32722
                      LGDEVAANFT ALFAPdIRAR aEkhLPGVtL TDEDVVSLMD MCSFDTVArT
A. fumigatus 58128
                      LGDEVAANFT ALFAPdIRAR aKkhLPGVtL TDEDVVSLMD MCSFDTVArT
A. fumigatus 26906
                      LGDEVEANFT ALFAPAIRAR IEKHLPGVQL TDDDVVSLMD MCSFDTVArT
A. fumigatus 32239
                      rADEIEANFT AIMGPPIRKR LENGLPGIKL TNENVIYLMD MCSFDTMArT
E. nidulans
T. thermophilus
                      qGHDaQEKFA kqFAPAI1EK IKDhLPGVDL AvsDVpyLMD LCPFETLArn
                       .DptqpAEFl qVFGPRVlkK ItkhMPGVNL TlEDVplFMD LCPFDTVGsd
T. lanuqinosus
                      IGDDaQDtYl StFAGPItAR VNAnLPGaNL TDADtVaLMD LCPFETVAsS
M. thermophila
                      dSDpqxnxWl AVFAPPItAR LNAaaPGaNL TDxDaxNLxx LCPFETVS..
Basidio
                     LGDDVEANFT AVFAPPIRAR LEA-LPGVNL TDEDVVNLMD MCPFDTVA-T
           Consensus
                      LGDDVEANFT AVFAPPIRAR LEAHLPGVNL TDEDVVNLMD MCPFDTVART
               Fcp10
                      dD..Aht... .....LSPF CDLFTa..tE WtQYNYLlSL dKYYGYGGGN
A. terreus 9al
A. terreus cbs
                      dD..Aht... .....LSPF CDLFTa..aE WtQYNYLlSL dKYYGYGGGN
A. niger var. awamori Tv..DTK... .....LSPF CDLFTH..dE WiHYDYLQSL kKYYGHGAGN
                      Tv..DTK... .....LSPF CDLFTH..dE WiNYDYLQSL kKYYGHGAGN
A. niger NRRL3135
                      SD..ASQ... LSPF CQLFTH..nE WkKYNYLQSL gKYYGYGAGN
A. fumigatus 13073
                      SD..ASQ... .....LSPF CQLFTH..nE WkKYNYLQSL qKYYGYGAGN
A. fumigatus 32722
                      SD..ASQ... .....LSPF CQLFTH..nE WkKYNYLQSL gKYYGYGAGN
A. fumigatus 58128
                      SD..ASQ... .....LSPF CQLFTH..nE WkKYNYLQSL gKYYGYGAGN
A. fumigatus 26906
A. fumigatus 32239
                      AD..ASE... .....LSPF CAIFTH..nE WkKYDYLQSL gKYYGYGAGN
                      AH..GTE... .....LSPF CAIFTE..kE WlQYDYLQSL sKYYGYGAGS
E. nidulans
                      ht..DT.....LSPF CALsTQ..eE WqaYDYYQSL gKYYGnGGGN
T. thermophilus
                      PvlfPrQ.....LSPF CHLFTa..dD WmaYDYYyTL dKYYSHGGGS
T. lanuginosus
M. thermophila
                      SsdpATadag ggngrpLSPF CrLFSE..sE WraYDYLQSV gKWYGYGPGN
Basidio
                       .....xexxSxF CDLFexxpeE FxaFxYxgdL dKFYGtGyGQ
            Consensus SD--ATQ--- -----LSPF CDLFTH---E W-QYDYLQSL -KYYGYGAGN
                Fcp10 SD..ATQ... .....LSPF CDLFTH..DE WIQYDYLQSL GKYYGYGAGN
```

	301				350
A. terreus 9a1		and in an and a	א המשחטיים	NNTLDASPAT	
A. terreus cbs				NNTLDANPAT	
A. niger var. awamori				NHTLDANPAT	
A. niger NRRL3135				NHTLDSSPAT	
A. fumigatus 13073					
				NsTLvSNPAT	
A. fumigatus 32722				NsTLvSNPAT	
A. fumigatus 58128				NsTLvSNPAT	
A. fumigatus 26906				NsTLvSNPAT	
A. fumigatus 32239				NsTLDSDPAT	
E. nidulans				NHTLDSNPAT	
T. thermophilus				NHTLDSNPAT	
T. lanuginosus					FPLDAvLYAD
M. thermophila				NRTLDGDPrT	
Basidio	PLGPvQGVGY	iNELLARLTx	qa.VRDNTqT	${\tt NRTLDSSPxT}$	FPLNrTFYAD
_					
Consensus				NHTLDSNPAT	
Fcp10	PLGPAQGVGF	VNELIARLTH	S.PVQDHTST	NHTLDSNPAT	FPLNATLYAD
	251				
A. terreus 9al	351 ECHDO-11401	DEAT OF SOLOM	- DI G (EGY)	G	400
		FWALGLYNGT	_		AAWTVPFAAR
A. terreus cbs		FWALGLYNGT	-		AAWTVPFAAR
A. niger var. awamori					SAWTVPFASR
A. niger NRRL3135		LFALGLYNGT		-	SAWTVPFASR
A. fumigatus 13073		FFALGLYNGT			ASWvVPFGAR
A. fumigatus 32722		FFALGLYNGT			ASWvVPFGAR
A. fumigatus 58128		FFALGLYNGT			ASW√VPFGAR
A. fumigatus 26906		FFALGLYNGT			ASWvVPFGAR
A. fumigatus 32239		FFAMGLYNGT			ASWAVPFGAR
E. nidulans	FSHDNSMISI	FFAMGLYNGT	qPLSmdSVE.	.SiQEmDGYA	ASWTVPFGAR
T. thermophilus				.SiEETDGYS	
T. lanuginosus					A ASWTVPFAAR
M. thermophila	FSHDNdMMGV	LgALGaYDGv	pPLdkTAR	${\tt rdpEElGGYA}$	ASWAVPFAAR
Basidio	FSHDNqMVAI	FsAMGLFNqS	aPLdPSxpDP	$\mathtt{nrt} \ldots . \mathtt{Wv}$	TSklVPFSAR
Consensus				-S-EETDGYA	
Fcp10	FSHDNTMVSI	FFALGLYNGT	KPLSTTSVE.	.SIEETDGYA	ASWTVPFAAR
A. terreus 9a1	401				450
				VRVLVNDRVM	
A. terreus cbs				VRVLVNDRVM	
A. niger var. awamori					
A. niger NRRL3135				VRVLVNDRVV	
A. fumigatus 13073				VRaLINDRVV	
A. fumigatus 32722	AYIETMQC	Ks	EKEPL	VRaLINDRVV	PLHGCDVDKL
A. fumigatus 58128	AYIETMQC	Ks	EKESL	VRaLINDRVV	PLHGCDVDKL
A. fumigatus 26906				VRaLINDRVV	
A. fumigatus 32239				VRaLINDRVV	
E. nidulans	AYIELMQC	E	KKEPL	VRVLVNDRVV	PLHGCAVDKF
T. thermophilus	AYIEMMQC	Dα	sDEPV	VRVLVNDRVV	PLHGCEVDsL
T. lanuginosus					PLHGCrVDRW
M. thermophila Basidio				VRVLVNDRVM	
Dastuto	MAARTTXCXX	xgtxxxxxx	xxxxxxxxx	VRVLVNDaVq	PLEfCGgDxd
Consoners	7. V.T. T. E. N.M. 4. C. C.	ייי	EG BIERT	IIDIII ID	DT 110000
Consensus	AIVENMQC	E	EGEKEPL	VRVLVNDRVV	PLHGCGVDKL
Fcp10	AIVEMMQC	EA	EKEPL	VRVLVNDRVV	PLHGCGVDKL

		451		4	82
A.	terreus 9al	GRCKrDAFVA	GLSFAQAG	GNWADCF~~~	~~
A .	terreus cbs	GRCKrDDFVE	GLSFARAG	GNWAECF~~~	~~
Α.	niger var. awamori	GRCtrDsFVr	GLSFARSG	GDWAECsA~~	~~
A.	niger NRRL3135	GRCtrDsFVr	GLSFARSG	GDWAECFA~~	~~
A.	fumigatus 13073	GRCKLNDFVK	GLSWARSG	GNWGECFS~~	~~
Α.	fumigatus 32722	GRCKlNDFVK	GLSWARSG	GNWGECFS~~	~~
A.	fumigatus 58128	GRCKLNDFVK	GLSWARSG	GNWGECFS~~	~~
Α.	fumigatus 26906	GRCKINDFVK	GLSWARSG	GNWGECFS~~	~~
A.	fumigatus 32239	GRCK1KDFVK	GLSWARSG	GNSEQSFS~~	~~
E .	nidulans	GRCtlDDWVE	GLNFARSG	GNWKtCFT1~	~~
T.	thermophilus	GRCKrDDFVr	GLSFARqG	GNWEGCYAas	e~
T.	lanuginosus	GRCRrDEWI]	K GLTFARqG.	. GHWDrCF~~~	- ~~
M.	thermophila	GmCtlErFIE	SMAFARGN	GKWDlCFA~~	~~
Bas	sidio	GxCtlDAFVE	SqxYAReDgq	GDFEKCFAtp	$\mathbf{x}\mathbf{x}$
	Consensus	GRCK-DDFVE	GLSFARSG	GNWEECFA	
	Fcp10	GRCKRDDFVE	GLSFARSG	GNWEECFA	• •

	CP-1	
	Ecori M G V F V V L L S I A T L F G S T	17
	${\tt TATAT} {\it GAATTC} {\it \underline{ATG}} {\it GGCGTGTTCGTCGTGCTACTGTCCATTGCCACCTTGTTCGGTTCCA}$	
1	+	60
	${\tt ATATACTTAAGTACCCGCACAAGCAGCACGATGACAGGTAACGGTGGAACAAGCCAAGGTAACGGTGAACAAGCCAAGGTAACGGTGAACAAGCCAAGGTAACAGGTAACAGGTAACAGGTAACAGGTAACAAGCCAAGGTAACAGGTAACAAGCCAAGGTAACAGGTAACAAGCCAAGGTAACAAGCCAAGGTAACAAGCCAAGGTAACAAGCAAG$	
	SGTALGPRGNSHSCDTVDGG	37
	CATCCGGTACCGCCTTGGGTCCTCGTGGTAATTCTCACTCTTGTGACACTGTTGACGGTG	
61		120
	GTAGGCCATGGCGGAACCCAGGAGCACCATTAAGAGTGAGAACACTGTGACAACTGCCAC CP-2	
	<u>CP-3.10</u> Y Q C F P E I S H L W G Q Y S P F F S L	E 77
	GTTACCAATGTTTCCCAGAAATTTCTCACTTGTGGGGTCAATACTCTCCATTCTTCTT	57
121		180
	CAATGGTTACAAAGGGTCTTTAAAGAGTGAACACCCCAGTTATGAGAGGGTAAGAAGAGAA	
	<u>A</u> D E S A I S P D V P <u>K</u> <u>G</u> C R V T F V Q	77
	${\tt TGGCTGACGAATCTGCTATTTCTCCA}{\tt GACGTTCCAAAGGGTTGTAGAGTTACTTTCGTTC}$	
181		240
	ACCGACTGCTTAGACGATAAAGAGGTCTGCAAGGTTTCCCGACATCTCAATGAAAGCAAG	
	<u>CP-4.10</u>	
	<u>CP-5.10</u>	
	V L S R H G A R Y P T S S K S K K Y S A	97
2/1	AAGTTTTGTCTAGACACGGTGCTAGATACCCAACTTCTTCTAAGTCTAAGAAGTACTCTG	200
211	TTCAAAACAGATCTGTGCCACGATCTATGGGTTGAAGAAGATTCAGATTCTTCATGAGAC	300
	TOTAL CONTROL OF THE	
	LIEAIQKNATAFKGKYAFLK	117
	CTTTGATTGAAGCTATTCAAAAGAACGCTACTGCTTTCAAGGGTA AGTACGCTTTCTTGA	
301	+	360
	${\tt GAAACTAACTTCGATAAGTTTTCTT{\tt GCGATGACGAAAGTTCCCATTCATGCGAAAGAACT}}$	
	CP-6	
	<u>CP-7.10</u>	
	T Y N Y T L G A D D L T P F G E Q Q M V	137
361	AGACTTACAACTACACTTTGGGTGCTGACGACTTGACTCCATTCGGTGAACAACAAATGG	420
301	TCTGAATGTTGATGTGAAACCCACGACTGCTGAACTGAGGTAAGCCACTTGTTTTACC	420
	N S G I K F Y R R Y K A L A R K I V P F	157
	TTAACTCTGGTATTAAGTTCTACAGAAGATACAAGGCTTTGGCTAGAAAGATTGTTCCAT	
421		480
	AATTGAGACCATAATTCAAGATGTCTTCTATGTTCCGAAACCGATCTTTCTAACAAGGTA	
	<u>CP-8.10</u>	
	<u>CP-9.10</u>	
	V R A S G S D R V I A S A E K F I E G F	177
491	TCGTTAGAGCTTCTGGTTCTGACAGAGTTATTGCTTCTGCTGAAAAGTTCATTGAAGGTT	F 4.6
4 O T	AGCAATCTCGAAGACCAAGACTGTCTCAATAACGAAGACGACTTTTCAAGTAACTTCCAA	540
	Q S A K L A D P G <u>A</u> <u>N</u> P H Q A S P V I <u>N</u>	197
	TCCAATCTGCTAAGTTGGCTGACCCAGGTGCTAACCCACCAAGCTTCTCCAGTTATTA	101
541		600
	AGGTTAGACGATTCAACCGACTGGGTCCACGATTGGGTGTGTTCGAAGAGGTCAATAAT	

															CP	-10	.10				
	7.7	T	-	ъ	73	a	70	a	37	NT).T	m	.	Б				11.			015
	ACGT						_		Y TTA								_	C GTG	_		217
601																					660
	TGCA	ATA	ATA.	AGG'	TCT	TCC.	ACG	ACC	AAT	GTT	GTT	GTG.	AAA	CCT	GGT	GCC	AAA	CAC	ATG	AC	
	F	E	E	s	E	L	G	D	D	V	E	A	N	F	T	A	V	F	A	P	237
	CTTT																-				
66T	GAAA																				720
										0011				01111	010.	1100	11011		CP-		10
																		•			
	P CACC!								_					_					D		257
721																					780
	GTGG																				. • •
	an 1		_																		
	CP-1		<u>D</u>	M	ח	м	C	ם	모	D	т	77	7\	ъ	т	c	ח	7\	т	^	277
	TTGT	_																			211
781			+				+		-	-+-			+		- 		+			-+	840
	AACA	ATT(GAA	CTA	CCT	GTA	C AC	AGG	TAA	GCT	GTG.	ACA	ACG.	ATC'	TTG.	AAG.	ACT	GCG.	ATG	AG	
	L	s	P	F	C	D	L	F	Т	Ħ	D	E	W	т	0	v	מ	v	т.	0	297
	AATT					_								_						~	23,
841																					900
	TTAA			TAA(4.1)		ACT	GAA	CAA	GTG	AGT	GCT	GCT'	TAC	CTA.	AGT'	TAT	GCT	GAT	GAA(CG	
		<u>Ç.</u>	P - 1.		<u>-</u> -15	.10															
	s	L	G				G	Y	G	A	G	N	P	L	G	P	A	Q	G	V	317
001	AATC																				
901	TTAG																				960
														12111			100.	AO 1	ıccı	10	
	G			N					R			-				_			T	-	337
961	TTGG	rtt(CGT'																		1020
JQ1	AACC	AAA	GCA.																		1020
						CP-															
	т	ЪТ	TT	т	т	ъ		-17 N		73			_	_		_		_		_	
	CTAC																				357
1021			+				+			-+-			+	-	-		+			-+	1080
	GATG	ATT	3GT	GTG.	AAA	CCT	GAG.	ATT	GGG:	rcg.	ATG	AAA	GGG'	TAA	CTT	GCG.	ATG.	AAA	CATO	ЭC	
	D	F	s	н	D	N	т	м	v	S	т	F	F	2\	T.	G	T.	v	N	Œ	377
	CTGA																				311
1081			+				+			-+-			+				+			-+	1140
	GACT	JAA(JAG	AGT	GCT(GTT(GTG.		CCA CP-1			AAA	GAA	GCG.	AAA	CCC.	AAA	CAT	GTT(ЭC	
									CP		<u>10</u> P-1:	9.10	0								
									V	E	S	I	E	E	т	D	G	Y	A	A	397
1141	GTAC																				
	CATG																				

Fig. 5b

	S	W	\mathbf{T}	V	P	F	A	Α	R	Α	Y	V	E	M	M	Q	C	E	Α	E	417
	CTTC	TTG	GAC'	TGT	TCC.	ATT	CGC'	TGC'	TAG.	AGC	TTA	CGT.	rga	AAT	GAT	GCA	ATG	TGA	AGC	TG	
1201			+				+			-+-			+				+			-+	1260
	GAAG	AAC	CTG.	ACA	AGG'	TAA	GCC.	A.CG.	ATC'	TCG	AAT	GCA	ACT	TTA	CTA	CGT	TAC	ACT	TCG	AC	
												CP.	-20	.10							
														CP-	21.	10					
	K	E	P	L	V	R	V	L	V	N	D	R	V	V	P	L	H	G	C	G	437
	AAAA	GGA	ACC.	ATT	GGT'	TAG	AGT'	$\mathbf{r}\mathbf{r}\mathbf{r}$	GGT	TAA	CGA	CAG	AGT	TGT	TCC	ATT	GCA	CGG	TTG	TG	
1261			+				+			-+-			+				+			-+	1320
	TTTT	CCT	TGG'	TAA	CCA.	ATC'	TCA.	AAA	CCA	ATT	GCT	GTC:	rca.	ACA	AGG	TAA	CGT	GCC	AAC	AC	
																					457
	GTGT																				
1321																					1380
	CACA	ACT	GTT	CAA	CCC.	ATC'	rac.	ATT	CTC	TCT	GCT	GAA	GCA	ACT					GCG.	ΑT	
	_	~	~			_	_		_	_		_	_	_	-		2.1	<u>0</u>			
												Eco					67				
	GATC	TGG	TGG'	I'AA	CTG	GGA	AGA														
1381	CTAG		+			·	+						_				26				

	1				50
P. involutus (phyA1)	~~~~~~~	~FPipeseqR	nWSPYSPYFP	LAEykA	pPaGCQInqV
P. involutus (phyA2)	~~~~~~~	~FsipeseqR	nWSPYSPYFP	LAEykA	pPaGCeInqV
T. pubescens	~~~~~~~	~LDvtRDVqQ	sWSmYSPYFP	aAtyvA	pPaSCQInqV
A. pediades	~~~~~~~	~pffpPQIqD	sWAaYTPYYP	VqAyTP	pPKDCKITqV
P. lycii	~~~~~~~	~LPipAQnTs	nWGPYdPFFP	VEpyAA	pPEGCtVTqV
A. terreus 9al				LqDESPFPlD	
A. terreus cbs				LqDESPFPlD	
A. niger var. awamori				LANESAISPD	
A. niger T213	NgsSCDTVDg	GYQCfSEtSH	LWGQYAPFFS	LANESVISPD	VPaGCRVTFa
A. niger NRRL3135	NgsSCDTVDg	GYQCfSEtSH	LWGQYAPFFS	LANESvISPE	VPaGCRVTFa
A. fumigatus ATCC13073	GSkSCDTVD1	GYQCsPAtSH	LWGQYSPFFS	LEDELSVSSK	LPKDCRITLV
A. fumigatus ATCC32722	GSkSCDTVD1	GYQCsPAtSH	LWGQYSPFFS	LEDE1SVSSK	LPKDCRITLV
A. fumigatus ATCC58128	GSkSCDTVD1	GYQCsPAtSH	LWGQYSPFFS	LEDElSVSSK	LPKDCRITLV
A. fumigatus ATCC26906	GSkSCDTVD1	GYQCsPAtSH	LWGQYSPFFS	LEDElSVSSK	LPKDCRITLV
A. fumigatus ATCC32239	GSkACDTVEl	GYQCsPGtSH	LWGQYSPFFS	LEDElSVSSD	LPKDCRVTFV
E. nidulans	QNHSCNTaDq	GYQCfPNVSH	VWGQYSPYFS	IEQESAISeD	VPhGCeVTFV
T. thermophilus	DSHSCNTVEq	GYQCrPEISH	sWGQYSPFFS	LADQSEISPD	VPONCKITFV
T. lanuginosus	_				A VPKGCRVeFV
M. thermophila				VPsElDaS	
-	-	- 5	_		
Consensus Seq. 11	NSHSCDTVD-	GYQC-PEISH	LWGQYSPFFS	LADESAISPD	VPKGCRVTFV
-			-		
	51				100
P. involutus (phyA1)	NIIqRHGARF			nftDAKFnFI	KSFKYdLGns
P. involutus (phyA2)	NIIqRHGARF NIIqRHGARF	PTSGaAtRik	AgLsKLQsvq	nftDPKFDFI	KSFKYdLGns KSFtYdLGTs
P. involutus (phyA2) T. pubescens	NIIQRHGARF NIIQRHGARF HIIQRHGARF	PTSGaAtRik PTSGaAKRiq	AgLsKLQsvq TaVAKLKaaS	nftDPKFDFI nytDPlLAFV	KSFKYdLGns KSFtYdLGTs tnYtYSLGqD
P. involutus (phyA2) T. pubescens A. pediades	NIIQRHGARF NIIQRHGARF HIIQRHGARF NIIQRHGARF	PTSGaAtRik PTSGaAKRiq PTSGaGtRiq	AgLsKLQsvq TaVAKLKaaS AaVKKLQsak	nftDPKFDFI nytDPlLAFV TytDPRLDFL	KSFKYdLGns KSFtYdLGTs tnYtYSLGqD tnYtYTLGhD
P. involutus (phyA2) T. pubescens	NIIQRHGARF NIIQRHGARF HIIQRHGARF NIIQRHGARF NLIQRHGARW	PTSGaAtRik PTSGaAKRiq PTSGaGtRiq PTSGarsRqv	AgLsKLQsvq TaVAKLKaaS AaVKKLQsak AaVAKIQmar	nftDPKFDFI nytDPlLAFV TytDPRLDFL PftDPKYEFL	KSFKYdLGns KSFtYdLGTs tnYtYSLGqD tnYtYTLGhD NdFvYkFGvA
P. involutus (phyA2) T. pubescens A. pediades	NIIQRHGARF NIIQRHGARF HIIQRHGARF NIIQRHGARW NLIQRHGARW QVLARHGARS	PTSGaAtRik PTSGaAKRiq PTSGaGtRiq PTSGarsRqv PThSKTKaYA	AgLsKLQsvq TaVAKLKaaS AaVKKLQsak AaVAKIQmar AtIAaIQKSA	nftDPKFDFI nytDPlLAFV TytDPRLDFL PftDPKYEFL TaFpGKYAFL	KSFKYdLGns KSFtYdLGTs tnYtYSLGqD tnYtYTLGhD NdFvYkFGvA QSYNYSLDSE
P. involutus (phyA2) T. pubescens A. pediades P. lycii	NIIQRHGARF NIIQRHGARF HIIQRHGARF NIIQRHGARW NLIQRHGARW QVLARHGARS	PTSGaAtRik PTSGaAKRiq PTSGaGtRiq PTSGarsRqv PThSKTKaYA	AgLsKLQsvq TaVAKLKaaS AaVKKLQsak AaVAKIQmar AtIAaIQKSA	nftDPKFDFI nytDPlLAFV TytDPRLDFL PftDPKYEFL	KSFKYdLGns KSFtYdLGTs tnYtYSLGqD tnYtYTLGhD NdFvYkFGvA QSYNYSLDSE
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1	NIIqRHGARF NIIqRHGARF HIIqRHGARF NIIqRHGARF NLIQRHGARW QVLARHGARS QVLARHGARS	PTSGaAtrik PTSGaAKRiq PTSGaGtriq PTSGarsRqv PThSKTKaYA PTGSKTKaYA	AgLsKLQsvq TaVAKLKaaS AaVKKLQsak AaVAKIQmar AtIAaIQKSA AtIAaIQKNA	nftDPKFDFI nytDPlLAFV TytDPRLDFL PftDPKYEFL TaFpGKYAFL	KSFKYdLGns KSFtYdLGTs tnYtYSLGqD tnYtYTLGhD NdFvYkFGvA QSYNYSLDSE KSYNYSMGSE
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs	NIIQRHGARF NIIQRHGARF HIIQRHGARF NIIQRHGARW QVLARHGARS QVLARHGARS QVLSRHGARY	PTSGaAtrik PTSGaAKRiq PTSGaGtRiq PTSGarsRqv PThSKTKaYA PTGSKTKaYA PTESKGKKYS	AgLsKLQsvq TaVAKLKaaS AaVKKLQsak AaVAKIQmar AtIAaIQKSA AtIAaIQKNA ALIEEIQQNv	nftDPKFDFI nytDPlLAFV TytDPRLDFL PftDPKYEFL TaFpGKYAFL TaLpGKYAFL	KSFKYdLGns KSFtYdLGTs tnYtYSLGqD tnYtYTLGhD NdFvYkFGvA QSYNYSLDSE KSYNYSMGSE KTYNYSLGAD
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori	NIIqRHGARF NIIqRHGARF HIIqRHGARF NIIqRHGARW QVLARHGARS QVLARHGARS QVLSRHGARY QVLSRHGARY	PTSGaAtrik PTSGaAKRiq PTSGaGtRiq PTSGarsRqv PThSKTKaYA PTGSKTKaYA PTESKGKKYS PTESKGKKYS	AgLsKLQsvq TaVAKLKaaS AaVKKLQsak AaVAKIQmar AtIAaIQKSA AtIAaIQKNA ALIEEIQQNV ALIEEIQQNV	nftDPKFDFI nytDPlLAFV TytDPRLDFL PftDPKYEFL TaFpGKYAFL TaLpGKYAFL TtFDGKYAFL	KSFKYdLGns KSFtYdLGTs tnYtYSLGqD tnYtYTLGhD NdFvYkFGvA QSYNYSLDSE KSYNYSMGSE KTYNYSLGAD KTYNYSLGAD
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213	NIIQRHGARF NIIQRHGARF HIIQRHGARF NIIQRHGARW QVLARHGARS QVLARHGARS QVLSRHGARY QVLSRHGARY QVLSRHGARY	PTSGaAtrik PTSGaAKRiq PTSGaGtRiq PTSGarsRqv PThSKTKaYA PTGSKTKAYA PTGSKKKYS PTESKGKKYS PTGSKGKKYS	AgLsKLQsvq TaVAKLKaaS AaVKKLQsak AaVAKIQmar AtIAaIQKSA AtIAaIQKNA ALIEEIQQNV ALIEEIQQNV ALIEEIQQNA	nftDPKFDFI nytDPlLAFV TytDPRLDFL PftDPKYEFL TaFpGKYAFL TaLpGKYAFL TtFDGKYAFL TtFDGKYAFL	KSFKYdLGns KSFTYdLGTS TNYTYSLGQD TNYTYTLGhD NdFVYkFGVA QSYNYSLDSE KSYNYSMGSE KTYNYSLGAD KTYNYSLGAD KTYNYSLGAD
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135	NIIQRHGARF NIIQRHGARF HIIQRHGARF NIIQRHGARW QVLARHGARS QVLARHGARS QVLSRHGARY QVLSRHGARY QVLSRHGARY QVLSRHGARY	PTSGaAtrik PTSGaAKRiq PTSGaGtriq PTSGarsRqv PThSKTKaYA PTGSKKKYS PTESKGKKYS PTGSKGKKYS PTGSKGKKYS	AgLsKLQsvq TaVAKLKaaS AaVKKLQsak AaVAKIQmar AtIAaIQKSA AtIAaIQKNA ALIEEIQQNv ALIEEIQQNv ALIEEIQQNA kLVtaIQaNA	nftDPKFDFI nytDPlLAFV TytDPRLDFL PftDPKYEFL TaFpGKYAFL TaLpGKYAFL TtFDGKYAFL TtFDGKYAFL	KSFKYdLGns KSFtYdLGTs tnYtYSLGqD tnYtYTLGhD NdFvYkFGvA QSYNYSLDSE KSYNYSMGSE KTYNYSLGAD KTYNYSLGAD KTYNYSLGAD KTYNYSLGAD
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073	NIIQRHGARF NIIQRHGARF HIIQRHGARF NIIQRHGARW QVLARHGARS QVLARHGARS QVLSRHGARY QVLSRHGARY QVLSRHGARY QVLSRHGARY QVLSRHGARY	PTSGaAtrik PTSGaAKRiq PTSGaGtriq PTSGarsRqv PThSKTKaYA PTGSKKKYS PTESKGKKYS PTGSKGKKYS PTGSKGKKYS PTSSKSKKYK PTSSKSKKYK	AgLsKLQsvq TaVAKLKaas AaVKKLQsak AaVAKIQmar AtlAaIQKSA AtlAaIQKNA ALIEEIQQNv ALIEEIQQNv ALIEEIQQNA kLVtaIQANA kLVtaIQANA	nftDPKFDFI nytDPlLAFV TytDPRLDFL PftDPKYEFL TaFpGKYAFL TaLpGKYAFL TtFDGKYAFL TtFDGKYAFL TtFDGKYAFL TtFDGKYAFL	KSFKYdLGns KSFTYdLGTS tnYtYSLGqD tnYtYTLGhD NdFvYkFGvA QSYNYSLDSE KSYNYSMGSE KTYNYSLGAD KTYNYSLGAD KTYNYSLGAD KTYNYSLGAD KTYNYTLGAD KTYNYTLGAD
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073 A. fumigatus ATCC32722 A. fumigatus ATCC58128 A. fumigatus ATCC26906	NIIQRHGARF NIIQRHGARF HIIQRHGARF NIIQRHGARW QVLARHGARS QVLARHGARS QVLSRHGARY QVLSRHGARY QVLSRHGARY QVLSRHGARY QVLSRHGARY QVLSRHGARY	PTSGaAtrik PTSGaAKRiq PTSGaGtriq PTSGarsRqv PThSKTKAYA PTGSKKKYS PTESKGKKYS PTGSKGKKYS PTGSKGKKYS PTSSKSKKYK PTSSKSKKYK	AgLsKLQsvq TaVAKLKaas AaVKKLQsak AaVAKIQmar AtlAalQKSA AtlAalQKNA ALIEEIQQNv ALIEEIQQNv ALIEEIQQNA kLVtalQaNA kLVtalQaNA kLVtalQaNA	nftDPKFDFI nytDPlLAFV TytDPRLDFL PftDPKYEFL TaFpGKYAFL TaLpGKYAFL TtFDGKYAFL TtFDGKYAFL TtFDGKYAFL TtFDGKYAFL TdFKGKFAFL TdFKGKFAFL	KSFKYdLGns KSFTYDLGTS tnYtYSLGQD tnYtYTLGhD NdFvYkFGvA QSYNYSLDSE KSYNYSMGSE KTYNYSLGAD KTYNYSLGAD KTYNYSLGAD KTYNYSLGAD KTYNYTLGAD KTYNYTLGAD KTYNYTLGAD
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073 A. fumigatus ATCC58128 A. fumigatus ATCC26906 A. fumigatus ATCC32239	NIIQRHGARF NIIQRHGARF HIIQRHGARF NIIQRHGARW QVLARHGARS QVLARHGARS QVLSRHGARY QVLSRHGARY QVLSRHGARY QVLSRHGARY QVLSRHGARY QVLSRHGARY QVLSRHGARY	PTSGaAtrik PTSGaAKRiq PTSGaGtriq PTSGarsRqv PThSKTKAYA PTGSKKKYS PTESKGKKYS PTGSKGKKYS PTSSKSKKYK PTSSKSKKYK PTSSKSKKYK	AgLsKLQsvq TaVAKLKaaS AaVKKLQsak AaVAKIQmar AtlAaIQKSA AtlAaIQKNA ALIEEIQQNv ALIEEIQQNv ALIEEIQQNA kLVtaIQANA kLVtaIQANA kLVtaIQANA	nftDPKFDFI nytDPlLAFV TytDPRLDFL PftDPKYEFL TaFpGKYAFL TaLpGKYAFL TtFDGKYAFL TtFDGKYAFL TtFDGKYAFL TtFDGKYAFL TdFKGKFAFL TdFKGKFAFL TdFKGKFAFL	KSFKYdLGns KSFTYDLGTS tnYtYSLGQD tnYtYTLGhD NdFvYkFGvA QSYNYSLDSE KSYNYSMGSE KTYNYSLGAD KTYNYSLGAD KTYNYSLGAD KTYNYSLGAD KTYNYTLGAD KTYNYTLGAD KTYNYTLGAD KTYNYTLGAD
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073 A. fumigatus ATCC58128 A. fumigatus ATCC26906 A. fumigatus ATCC32239 E. nidulans	NIIQRHGARF NIIQRHGARF HIIQRHGARF HIIQRHGARF NIIQRHGARW QVLARHGARS QVLSRHGARY	PTSGaAtrik PTSGaAKRiq PTSGaGtriq PTSGarsRqv PThSKTKAYA PTGSKKKYS PTGSKGKKYS PTGSKGKKYS PTSSKSKKYk PTSSKSKKYk PTSSKSKKYk PTSSKSKKYk PTSSKSKKYk	AgLsKLQsvq TaVAKLKaas AaVKKLQsak AaVAKIQmar AtlAaIQKSA AtlAaIQKNA ALIEEIQQNv ALIEEIQQNv ALIEEIQQNA kLVtaIQaNA kLVtaIQaNA kLVtaIQaNA kLVtaIQANA KLVtaIQANA	nftdPKFDFI nytdPlLafV TytdPRLDFL PftdPKYEFL TaFpGKYAFL TaLpGKYAFL TtFDGKYAFL TtFDGKYAFL TdFKGKFAFL TdFKGKFAFL TdFKGKFAFL TdFKGKFAFL TdFKGKFAFL TeFKGKFAFL	KSFKYdLGns KSFTYdLGTs tnYtYSLGqD tnYtYTLGhD NdFvYkFGvA QSYNYSLDSE KSYNYSMGSE KTYNYSLGAD KTYNYSLGAD KTYNYSLGAD KTYNYTLGAD KTYNYTLGAD KTYNYTLGAD KTYNYTLGAD KTYNYTLGAD ETYNYTLGAD ESYNYTLGAD
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073 A. fumigatus ATCC58128 A. fumigatus ATCC26906 A. fumigatus ATCC32239	NIIQRHGARF NIIQRHGARF HIIQRHGARF HIIQRHGARF NIIQRHGARW QVLARHGARS QVLSRHGARY	PTSGaAtrik PTSGaAkriq PTSGaGtriq PTSGarsrqv PThSKTKAYA PTGSKKKYS PTGSKGKKYS PTGSKGKKYS PTSSKSKKYk PTSSKSKKYk PTSSKSKKYk PTSSKSKKYk PTSSKSKKYk PTSSKSKKYk PTSSKSKKYk	AgLsKLQsvq TaVAKLKaas AaVKKLQsak AaVAKIQmar AtlAaIQKSA AtlAaIQKNA ALIEEIQQNv ALIEEIQQNv ALIEEIQQNA kLVtaIQANA kLVtaIQANA kLVtaIQANA kLVtaIQANA KLVtaIQKNA GLIEAIQKNA qLISRIQKTA	nftDPKFDFI nytDPlLAFV TytDPRLDFL PftDPKYEFL TaFpGKYAFL TaLpGKYAFL TtFDGKYAFL TtFDGKYAFL TtFDGKYAFL TdFKGKFAFL TdFKGKFAFL TdFKGKFAFL TdFKGKFAFL TdFKGKFAFL TdFKGKFAFL TAFKGKFAFL	KSFKYdLGns KSFTYdLGTs tnYtYSLGqD tnYtYTLGhD NdFvYkFGvA QSYNYSLDSE KSYNYSMGSE KTYNYSLGAD KTYNYSLGAD KTYNYSLGAD KTYNYTLGAD KTYNYTLGAD KTYNYTLGAD KTYNYTLGAD ETYNYTLGAD ESYNYTLGAD KGYRYGLGAN
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073 A. fumigatus ATCC58128 A. fumigatus ATCC26906 A. fumigatus ATCC32239 E. nidulans	NIIQRHGARF NIIQRHGARF HIIQRHGARF HIIQRHGARF NIIQRHGARW OVLARHGARS QVLARHGARY QVLSRHGARY QVLSRHGARY QVLSRHGARY QVLSRHGARY QVLSRHGARY QVLSRHGARY QVLSRHGARY QVLSRHGARY QVLSRHGARY	PTSGaAtrik PTSGaAkriq PTSGaGtriq PTSGarsrqv PThSKTKAYA PTGSKKKYS PTGSKGKKYS PTGSKGKKYS PTSSKSKKYk PTSSKSKKYk PTSSKSKKYk PTSSKSKKYk PTSSKSKKYk PTSSKSKKYk PTSSKSKKYk PTSSKSKKYK PTSSKSKKYK PTSSKSKYK PTSSKSKYK PTSSKSKYK PTSSKSKYK	AgLsKLQsvq TaVAKLKaas AaVKKLQsak AaVAKIQmar AtlAaIQKSA AtlAaIQKNA ALIEEIQQNv ALIEEIQQNv ALIEEIQQNA kLVtaIQANA kLVtaIQANA kLVtaIQANA kLVtaIQKNA GLIEAIQKNA qLISRIQKTA A ELLQRIQDti	nftDPKFDFI nytDPlLAFV TytDPRLDFL PftDPKYEFL TaFpGKYAFL TaLpGKYAFL TtFDGKYAFL TtFDGKYAFL TtFDGKYAFL TdFKGKFAFL TdFKGKFAFL TdFKGKFAFL TdFKGKFAFL TaFKGKFAFL TeFKGKFAFL TaYKGYYAFL	KSFKYdLGns KSFTYdLGTs tnYtYSLGqD tnYtYTLGhD NdFvYkFGvA QSYNYSLDSE KSYNYSMGSE KTYNYSLGAD KTYNYSLGAD KTYNYSLGAD KTYNYTLGAD KTYNYTLGAD KTYNYTLGAD KTYNYTLGAD ETYNYTLGAD ETYNYTLGAD ESYNYTLGAD KdyryqLGAN L RdyayhLGAD
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073 A. fumigatus ATCC58128 A. fumigatus ATCC58128 A. fumigatus ATCC26906 A. fumigatus ATCC32239 E. nidulans T. thermophilus	NIIQRHGARF NIIQRHGARF HIIQRHGARF HIIQRHGARF NIIQRHGARW OVLARHGARS QVLARHGARY QVLSRHGARY QVLSRHGARY QVLSRHGARY QVLSRHGARY QVLSRHGARY QVLSRHGARY QVLSRHGARY QVLSRHGARY QVLSRHGARY	PTSGaAtrik PTSGaAkriq PTSGaGtriq PTSGarsrqv PThSKTKAYA PTGSKKKYS PTGSKGKKYS PTGSKGKKYS PTSSKSKKYk PTSSKSKKYk PTSSKSKKYk PTSSKSKKYk PTSSKSKKYk PTSSKSKKYk PTSSKSKKYk PTSSKSKKYK PTSSKSKKYK PTSSKSKYK PTSSKSKYK PTSSKSKYK PTSSKSKYK	AgLsKLQsvq TaVAKLKaas AaVKKLQsak AaVAKIQmar AtlAaIQKSA AtlAaIQKNA ALIEEIQQNv ALIEEIQQNv ALIEEIQQNA kLVtaIQANA kLVtaIQANA kLVtaIQANA kLVtaIQKNA GLIEAIQKNA qLISRIQKTA A ELLQRIQDti	nftDPKFDFI nytDPlLAFV TytDPRLDFL PftDPKYEFL TaFpGKYAFL TaLpGKYAFL TtFDGKYAFL TtFDGKYAFL TtFDGKYAFL TdFKGKFAFL TdFKGKFAFL TdFKGKFAFL TdFKGKFAFL TdFKGKFAFL TdFKGKFAFL TAFKGKFAFL	KSFKYdLGns KSFTYdLGTs tnYtYSLGqD tnYtYTLGhD NdFvYkFGvA QSYNYSLDSE KSYNYSMGSE KTYNYSLGAD KTYNYSLGAD KTYNYSLGAD KTYNYTLGAD KTYNYTLGAD KTYNYTLGAD KTYNYTLGAD ETYNYTLGAD ETYNYTLGAD ESYNYTLGAD KdyryqLGAN L RdyayhLGAD
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073 A. fumigatus ATCC58128 A. fumigatus ATCC58128 A. fumigatus ATCC32722 D. fumigatus ATCC32239 E. nidulans T. thermophilus T. lanuginosus M. thermophila	NIIQRHGARF NIIQRHGARF HIIQRHGARF HIIQRHGARF NIIQRHGARW QVLARHGARS QVLSRHGARY	PTSGaAtrik PTSGaAKRiq PTSGaGtriq PTSGarsRqv PThSKTKAYA PTGSKGKKYS PTGSKGKKYS PTGSKGKKYS PTSSKSKKYk PTSSKSKKYk PTSSKSKKYk PTSSKSKKYk PTSSKSKKYk PTSSKSKKYk PTSSKSKKYK PTSSKSKYK PTSSKSKYV PTASKSKYV PTSSKTELYS PTAHKSEVY PTLKRAASYV	AgLsKLQsvq TaVAKLKaas AaVKKLQsak AaVAKIQmar AtlAaIQKSA AtlAaIQKNA ALIEEIQQNv ALIEEIQQNv ALIEEIQQNA kLVtaIQANA kLVtaIQANA kLVtaIQANA kLVtaIQKNA GLIEAIQKNA qLISRIQKTA A ELLQRIQDta	nftDPKFDFI nytDPlLAFV TytDPRLDFL PftDPKYEFL TaFpGKYAFL TaLpGKYAFL TtFDGKYAFL TtFDGKYAFL TdFKGKFAFL TdFKGKFAFL TdFKGKFAFL TdFKGKFAFL TdFKGKFAFL TAFKGKFAFL TSFWGQYAFL TaYKGYYAFL A TEFKGDFAFI isygPgYEFL	KSFKYdLGns KSFTYdLGTs tnYtYSLGqD tnYtYTLGhD NdFvYkFGvA QSYNYSLDSE KSYNYSMGSE KTYNYSLGAD KTYNYSLGAD KTYNYSLGAD KTYNYTLGAD KTYNYTLGAD KTYNYTLGAD KTYNYTLGAD ETYNYTLGAD ETYNYTLGAD ESYNYTLGAD KGYPYLGAD KGYPYLGAD RTYDYTLGAD
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073 A. fumigatus ATCC58128 A. fumigatus ATCC26906 A. fumigatus ATCC32239 E. nidulans T. thermophilus T. lanuginosus	NIIQRHGARF NIIQRHGARF HIIQRHGARF HIIQRHGARF NIIQRHGARW QVLARHGARS QVLSRHGARY	PTSGaAtrik PTSGaAKRiq PTSGaGtriq PTSGarsRqv PThSKTKAYA PTGSKGKKYS PTGSKGKKYS PTGSKGKKYS PTSSKSKKYk PTSSKSKKYk PTSSKSKKYk PTSSKSKKYk PTSSKSKKYk PTSSKSKKYk PTSSKSKKYK PTSSKSKYK PTSSKSKYV PTASKSKYV PTSSKTELYS PTAHKSEVY PTLKRAASYV	AgLsKLQsvq TaVAKLKaas AaVKKLQsak AaVAKIQmar AtlAaIQKSA AtlAaIQKNA ALIEEIQQNv ALIEEIQQNv ALIEEIQQNA kLVtaIQANA kLVtaIQANA kLVtaIQANA kLVtaIQKNA GLIEAIQKNA qLISRIQKTA A ELLQRIQDta	nftDPKFDFI nytDPlLAFV TytDPRLDFL PftDPKYEFL TaFpGKYAFL TaLpGKYAFL TtFDGKYAFL TtFDGKYAFL TtFDGKYAFL TdFKGKFAFL TdFKGKFAFL TdFKGKFAFL TdFKGKFAFL TaFKGKFAFL TeFKGKFAFL TaYKGYYAFL	KSFKYdLGns KSFTYdLGTs tnYtYSLGqD tnYtYTLGhD NdFvYkFGvA QSYNYSLDSE KSYNYSMGSE KTYNYSLGAD KTYNYSLGAD KTYNYSLGAD KTYNYTLGAD KTYNYTLGAD KTYNYTLGAD KTYNYTLGAD ETYNYTLGAD ETYNYTLGAD ESYNYTLGAD KGYPYLGAD KGYPYLGAD RTYDYTLGAD

Consensus Seq. 11

18/56

		101				150
Р.	involutus (phyA1)		fDAGqEaFaR	YskLvSKNnL	PFIRAdGSDR	
	involutus (phyA2)		fDAGLEvFaR			
	pubescens		sEAGqEaFtR			
	pediades		sQAGeEtFQR			
	lycii	DLlPFGANQs	hQTGtDMYtR	YsTLfEgGdV	PFVRAAGdQR	VVDSStNWtA
A .	terreus 9al	ELTPFGrNQL	rDlGaQFYeR	YNAL.TRHIn	PFVRATDAsR	VhESAEKFVE
A .	terreus cbs	NLTPFGrNQL	qDlGaQFYRR	YDTL.TRHIn	PFVRAADSsR	VhESAEKFVE
A .	niger var. awamori	DLTPFGEQEL	VNSGIKFYQR	YESL.TRNII	PFIRSSGSsR	VIASGEKFIE
	niger T213	DLTPFGEQEL	VNSGIKFYQR	YESL.TRNII	PFIRSSGSsR	VIASGEKFIE
A .	niger NRRL3135	DLTPFGEQEL	VNSGIKFYQR	YESL.TRNIV	PFIRSSGSsR	VIASGKKFIE
A .	fumigatus ATCC13073	DLTPFGEQQL	VNSGIKFYQR	YKAL.ARSVV	PFIRASGSDR	VIASGEKFIE
A .	fumigatus ATCC32722	DLTPFGEQQL	VNSGIKFYQR	YKAL.ARSVV	PFIRASGSDR	VIASGEKFIE
A .	fumigatus ATCC58128	DLTPFGEQQL	VNSGIKFYQR	YKAL.ARSVV	PFIRASGSDR	VIASGEKFIE
A.	fumigatus ATCC26906	DLTAFGEQQL	VNSGIKFYQR	YKAL.ARSVV	PFIRASGSDR	VIASGEKFIE
A .	fumigatus ATCC32239	DLTPFGEQQM	VNSGIKFYQK	YKAL.AgSVV	PFIRSSGSDR	VIASGEKFIE
E .	nidulans	DLTiFGENQM	VDSGaKFYRR	YKnL.ARKnt	PFIRASGSDR	VVASAEKFIN
T.	thermophilus	DLTPFGENQM	IQlGIKFYnH	YKSL.ARNaV	PFVRCSGSDR	VIASGrlFIE
T.	lanuginosus	NLTRFGEEQN	MESGrQFYH	R YREq.AREI	/ PFVRAAGSAI	R VIASAEfFnr
M.	thermophila	ELTRtGQQQM	VNSGIKFYRR	YRAL.ARKsI	PFVRTAGqDR	VVhSAENFtQ
Cor	nsensus Seq. 11	DLTPFGENOM	VNSGTKEVER	VKAL ARNIV	DEMPAGGGDD	WINGARKETE
	a-q		THE CALL AND	11412 111412	FF VKADGDDK	A TWOMBUL TH
			THOUSELL SALL		P P V RADGODIK	
	-	151				200
P.	involutus (phyA1)	151 GFaSA	shNtvqPk	LNLILPQT	gndtlednmc	200 PAaGD
P. P.	involutus (phyA1) involutus (phyA2)	151 GFaSA	shNtvqPk srNaiqPk	LNLILPQT LDLILPQT	gNDTLEDNMC	200 PAaGD PAaGE
P. P. T.	involutus (phyA1) involutus (phyA2) pubescens	151 GFaSA GFaSA	shNtvqPk srNaiqPk ssNsiTPV	LNLILPQT LDLILPQT LSVIISEA	GNDTLEDNMC GNDTLEDNMC	200 PAaGD PAaGE
P. P. T. A.	involutus (phyA1) involutus (phyA2) pubescens pediades	151 GFaSA GFaSA GFsAA	shNtvqPk srNaiqPk ssNsiTPV shHvlNPI	LNLILPQT LDLILPQT LSVIISEA LfVILSES	gNDTLEDNMC gNDTLEDNMC gNDTLDDNMC LNDTLDDAMC	200 PAaGD PAaGE PAaGD
P. P. T. A.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii	151 GFaSA GFaSA GFsAA GFgdA	shNtvqPk srNaiqPk ssNsiTPV shHvlNPI sgEtvlPt	LNLILPQT LDLILPQT LSVIISEA LfVILSES LQVVLQEE	gNDTLEDNMC gNDTLEDNMC gNDTLDDNMC LNDTLDDAMC gNcTLcNNMC	200 PAaGD PAaGE PAaGD Phags PnevD
P. P. T. A. P.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii terreus 9a1	151 GFaSA GFaSA GFsAA GFgdA GFQTARqDDh	shNtvqPk srNaiqPk ssNsiTPV shHvlNPI sgEtvlPt hAnpHQPSPr	LNLILPQT LDLILPQT LSVIISEA LfVILSES LQVVLQEE VDVaIPEGSA	gndtlednmc gndtlednmc gndtlddnmc Lndtlddamc gnctlcnnmc ynntlehslc	200 PAaGD PAaGE PAaGD PnaGS PnevD TAFESST
P. P. T. A. P.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii terreus 9a1 terreus cbs	151 GFaSA GFaSA GFsAA GFgdA GFQTARqDDh GFQNARqGDP	shNtvqPk srNaiqPk ssNsiTPV shHvlNPI sgEtvlPt hAnpHQPSPr	LNLILPQT LDLILPQT LSVIISEA LfVILSES LQVVLQEE VDVAIPEGSA VDVVIPEGTA	gndtlednmc gndtlednmc gndtlddnmc Lndtlddamc gnetlennmc ynntlehslc ynntlehsic	200 PAaGD PAaGE PAaGD PnaGS PnevD TAFESST
P. T. A. P. A.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii terreus 9a1 terreus cbs niger var. awamori	151 GFaSA GFaSA GFsAA GFgdA GFQTARqDDh GFQNARqGDP GFQSTKLkDP	shNtvqPksrNaiqPkssNsiTPVshHvlNPIsgEtvlPt hAnpHQPSPr hAnpHQPSPr	LNLILPQT LDLILPQT LSVIISEA LfVILSES LQVVLQEE VDVAIPEGSA VDVVIPEGTA IDVVISEASS	gndtlednmc gndtlednmc gndtlddnmc Lndtlddamc gnctlcnnmc ynntlehslc ynntlehsic snntldpgtc	200 PAaGD PAaGE PAaGD PnaGS PnevD TAFESST TAFEAST
P. T. A. P. A. A. A.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii terreus 9a1 terreus cbs niger var. awamori niger T213	151 GFaSA GFaSA GFsAA GFgdA GFQTARqDDh GFQNARqGDP GFQSTKLkDP	shNtvqPk srNaiqPk ssNsiTPV shHvlNPI sgEtvlPt hAnpHQPSPr hAnpHQPSPr rAqpgQSSPk rAqpgQSSPk	LNLILPQT LDLILPQT LSVIISEA LfVILSES LQVVLQEE VDVAIPEGSA VDVVIPEGTA IDVVISEASS IDVVISEASS	gndtlednmc gndtlednmc gndtlddnmc Lndtlddamc gnctlcnnmc ynntlehslc ynntlehsic snntldpgtc snntldpgtc	200 PAaGD PAaGE PAaGD PnaGS PnevD TAFESST TAFEAST TVFEDSe TVFEDSe
P. P. T. A. P. A. A. A. A.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii terreus 9a1 terreus cbs niger var. awamori niger T213 niger NRRL3135	151 GFaSA GFaSA GFsAA GFgdA GFQTARqDDh GFQNARqGDP GFQSTKLkDP GFQSTKLkDP	shNtvqPk srNaiqPk ssNsiTPV shHvlNPI sgEtvlPt hAnpHQPSPr hAnpHQPSPr rAqpgQSSPk rAqpgQSSPk	LNLILPQT LDLILPQT LSVIISEA LfVILSES LQVVLQEE VDVAIPEGSA VDVVIPEGTA IDVVISEASS IDVVISEASS	gndtlednmc gndtlednmc gndtlddnmc Lndtlddamc gnctlcnnmc ynntlehslc ynntlehsic snntldpgtc snntldpgtc	200 PAaGD PAaGE PAaGD PnaGS PnevD TAFESST TAFEAST TVFEDSe TVFEDSe
P. P. A. A. A. A. A.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii terreus 9a1 terreus cbs niger var. awamori niger T213 niger NRRL3135 fumigatus ATCC13073	151 GFaSA GFaSA GFsAA GFgdA GFQTARqDDh GFQNARqGDP GFQSTKLkDP GFQSTKLkDP GFQSTKLkDP	shNtvqPk srNaiqPk ssNsiTPV shHvlNPI sgEtvlPt hAnpHQPSPr hAnpHQPSPr rAqpgQSSPk rAqpgQSSPk rAqpgQSSPk gAt.NRAAPa	LNLILPQT LDLILPQT LSVIISEA LfVILSES LQVVLQEE VDVAIPEGSA VDVVIPEGTA IDVVISEASS IDVVISEASS IDVVISEASS ISVIIPESET	gndtlednmc gndtlednmc gndtlddnmc Lndtlddamc gnctlcnnmc ynntlehslc ynntlehsic snntldpgtc snntldpgtc snntldpgtc	200 PAaGD PAaGE PAaGD PnaGS PnevD TAFESST TAFEAST TVFEDSe TVFEDSe TVFEDSe TKFEASq
P. T. A. P. A. A. A. A.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii terreus 9a1 terreus cbs niger var. awamori niger T213 niger NRRL3135 fumigatus ATCC13073 fumigatus ATCC32722	151 GFaSA GFaSA GFsAA GFgdA GFQTARqDDh GFQNARqGDP GFQSTKLkDP GFQSTKLkDP GFQSTKLkDP GFQAKLADP GFQQAKLADP	shNtvqPksrNaiqPksrNaiqPkssNsiTPVshHvlnPIsgEtvlPt hAnpHQPSPr hAnpHQPSPr rAqpgQSSPk rAqpgQSSPk rAqpgQSSPk gAt.NRAAPa gAt.NRAAPa	LNLILPQT LDLILPQT LSVIISEA LfVILSES LQVVLQEE VDVAIPEGSA VDVVIPEGTA IDVVISEASS IDVVISEASS IDVVISEASS ISVIIPESET ISVIIPESET	gndtlednmc gndtlednmc gndtlddnmc Lndtlddamc gnetlennmc ynntlehslc ynntlehslc snntldpgtc snntldpgtc snntldpgtc snntldpgtc snntldpgtc	200 PAaGD PAaGE PAaGD PnaGs PnevD TAFESST TAFEAST TVFEDSe TVFEDSe TVFEDSe TKFEASq TkFEASq
P. P. A. A. A. A. A. A.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii terreus 9a1 terreus cbs niger var. awamori niger T213 niger NRRL3135 fumigatus ATCC13073 fumigatus ATCC32722 fumigatus ATCC58128	151 GFaSA GFaSA GFsAA GFgdA GFQTARqDDh GFQNARqGDP GFQSTKLkDP GFQSTKLkDP GFQSTKLkDP GFQQAKLADP GFQQAKLADP GFQQAKLADP	shNtvqPk srNaiqPk ssNsiTPV shHvlNPI sgEtvlPt hAnpHQPSPr hAnpHQPSPr rAqpgQSSPk rAqpgQSSPk rAqpgQSSPk gAt.NRAAPa gAt.NRAAPa	LNLILPQT LDLILPQT LSVIISEA LfVILSES LQVVLQEE VDVAIPEGSA VDVVIPEGTA IDVVISEASS IDVVISEASS IDVVISEASS ISVIIPESET ISVIIPESET ISVIIPESET	gndtlednmc gndtlednmc gndtlddnmc Lndtlddamc gnctlcnnmc ynntlehslc ynntlehslc snntldpgtc snntldpgtc snntldpgtc snntldpgtc fnntldhgvc fnntldhgvc	200 PAaGD PAaGE PAaGD PnaGS PnevD TAFESST TAFEAST TVFEDSe TVFEDSe TVFEDSe TKFEASq TKFEASq TKFEASq
P. P. T. A. A. A. A. A. A. A.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii terreus 9a1 terreus cbs niger var. awamori niger T213 niger NRRL3135 fumigatus ATCC13073 fumigatus ATCC32722 fumigatus ATCC58128 fumigatus ATCC26906	151 GFaSA GFaSA GFsAA GFgdA GFQTARqDDh GFQNARqGDP GFQSTKLkDP GFQSTKLkDP GFQSTKLkDP GFQQAKLADP GFQQAKLADP GFQQAKLADP GFQQAKLADP	shNtvqPk srNaiqPk ssNsiTPV shHvlNPI sgEtvlPt hAnpHQPSPr hAnpHQPSPr rAqpgQSSPk rAqpgQSSPk rAqpgQSSPk gAt.NRAAPa gAt.NRAAPa gAt.NRAAPa	LNLILPQT LDLILPQT LSVIISEA LfVILSES LQVVLQEE VDVAIPEGSA VDVVIPEGTA IDVVISEASS IDVVISEASS IDVVISEASS ISVIIPESET ISVIIPESET ISVIIPESET ISVIIPESET	gndtlednmc gndtlednmc gndtlddnmc Lndtlddamc gnetlennmc Ynntlehslc Ynntlehslc snntldpgtc snntldpgtc snntldpgtc fnntldhgvc fnntldhgvc fnntldhgvc	200 PAaGD PAaGE PAaGD PnaGS PnevD TAFESST TAFEAST TVFEDSe TVFEDSe TVFEDSe TKFEASq TKFEASq TKFEASq TKFEASq
P. T. A. P. A. A. A. A. A. A. A. A. A.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii terreus 9a1 terreus cbs niger var. awamori niger T213 niger NRRL3135 fumigatus ATCC13073 fumigatus ATCC32722 fumigatus ATCC58128 fumigatus ATCC6906 fumigatus ATCC32239	151 GFaSA GFaSA GFsAA GFgdA GFQTARQDDh GFQNARQGDP GFQSTKLkDP GFQSTKLkDP GFQSTKLkDP GFQQAKLADP GFQQAKLADP GFQQAKLADP GFQQAKLADP GFQQAKLADP GFQQAKLADP	shNtvqPksrNaiqPksrNaiqPkssNsiTPVshHvlNPIsgEtvlPt hAnpHQPSPr hAnpHQPSPr rAqpgQSSPk rAqpgQSSPk rAqpgQSSPk gAt.NRAAPa gAt.NRAAPa gAt.NRAAPa gAt.NRAAPa	LNLILPQT LDLILPQT LSVIISEA LfVILSES LQVVLQEE VDVAIPEGSA VDVVIPEGTA IDVVISEASS IDVVISEASS IDVVISEASS ISVIIPESET ISVIIPESET ISVIIPESET ISVIIPESET ISVIIPESET	gndtlednmc gndtlednmc gndtlednmc gndtlddamc Lndtlddamc gnetlennmc Ynntlehslc Ynntlehslc snntldpgtc snntldpgtc snntldpgtc fnntldhgvc fnntldhgvc fnntldhgvc fnntldhgvc ynntldhgvc	200 PAaGD PAaGE PAaGD PnaGS PnevD TAFESST TAFEAST TVFEDSe TVFEDSe TVFEDSe TKFEASq TKFEASq TKFEASq TKFEASq TKFEASq TKFEASq
P. P. A. A. A. A. A. A. A. E.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii terreus 9a1 terreus cbs niger var. awamori niger T213 niger NRRL3135 fumigatus ATCC13073 fumigatus ATCC32722 fumigatus ATCC58128 fumigatus ATCC26906 fumigatus ATCC32239 nidulans	151 GFaSA GFaSA GFalA GFgdA GFQTARQDDh GFQNARQGDP GFQSTKLkDP GFQSTKLkDP GFQSTKLkDP GFQQAKLADP GFQQAKLADP GFQQAKLADP GFQQAKLADP GFQQAKLADP GFQQAKLADP GFQQAKLADP GFQQAKLADP	shNtvqPksrNaiqPksrNaiqPkssNsiTPVshHvlNPIsgEtvlPt hAnpHQPSPr hAnpHQPSPr rAqpgQSSPk rAqpgQSSPk rAqpgQSSPk gAt.NRAAPa gAt.NRAAPa gAt.NRAAPa gAt.NRAAPa gAt.NRAAPa	LNLILPQT LDLILPQT LSVIISEA LfVILSES LQVVLQEE VDVAIPEGSA VDVVIPEGTA IDVVISEASS IDVVISEASS IDVVISEASS ISVIIPESET ISVIIPESET ISVIIPESET ISVIIPESET ISVIIPESET ISVIIPESET VNVIIPEIGG	gndtlednmc gndtlednmc gndtlednmc gndtlddamc Lndtlddamc gnetlennmc Ynntlehslc Ynntlehslc snntldpgtc snntldpgtc snntldpgtc fnntldhgvc fnntldhgvc fnntldhgvc fnntldhgvc fnntldhgvc fnntldhgvc fnntldhgvc fnntldhgvc fnntldhgvc	200 PAaGD PAaGE PAaGD PnaGS PnevD TAFESST TAFEAST TVFEDSe TVFEDSe TVFEDSe TKFEASq TKFEASq TKFEASq TKFEASq TKFEASq TKFEASq
P. P. A. A. A. A. A. A. A. E. T.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii terreus 9a1 terreus cbs niger var. awamori niger T213 niger NRRL3135 fumigatus ATCC13073 fumigatus ATCC32722 fumigatus ATCC58128 fumigatus ATCC26906 fumigatus ATCC32239 nidulans thermophilus	151 GFaSA GFaSA GFsAA GFgdA GFQTARQDDh GFQNARQGDP GFQSTKLkDP GFQSTKLkDP GFQQTKLkDP GFQQAKLADP GFQQAKLADP GFQQAKLADP GFQQAKLADP GFQQAKLADP GFQQAKLADP GFQQAKLADP GFQQAKLADP	shNtvqPksrNaiqPksrNaiqPkssNsiTPVshHvlNPIsgEtvlPt hAnpHQPSPr hAnpHQPSPr rAqpgQSSPk rAqpgQSSPk rAqpgQSSPk gAt.NRAAPa gAt.NRAAPa gAt.NRAAPa gAt.NRAAPa gAt.NRAAPa gAt.NRAAPy g.s.gQATPV hSdkHDAPPt	LNLILPQT LDLILPQT LSVIISEA LfVILSES LQVVLQEE VDVAIPEGSA VDVVIPEGTA IDVVISEASS IDVVISEASS IDVVISEASS ISVIIPESET ISVIIPESET ISVIIPESET ISVIIPESET ISVIIPESET ISVIIPESET ISVIIPESET ISVIIPESET ISVIIPESET INVIIPEIGG INVIIEEGPS	gndtlednmc gndtlednmc gndtlednmc gndtlddnmc Lndtlddamc gnctlcnnmc ynntlehslc ynntlehslc snntldpgtc snntldpgtc snntldpgtc fnntldhgvc fnntldhgvc fnntldhgvc fnntldhgvc fnntldhgvc ynntldhsvc fnntldhsvc fnntldhsvc	200 PAaGD PAaGE PAaGD PnaGS PnevD TAFESST TAFEAST TVFEDSe TVFEDSe TVFEDSe TKFEASq TKFEASq TKFEASq TKFEASq TKFEASq TKFEASq TKFEASq
P. P. T. A. A. A. A. A. A. T. T.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii terreus 9a1 terreus cbs niger var. awamori niger T213 niger NRRL3135 fumigatus ATCC13073 fumigatus ATCC32722 fumigatus ATCC58128 fumigatus ATCC26906 fumigatus ATCC32239 nidulans thermophilus lanuginosus	151 GFaSA GFaSA GFalA GFgdA GFQTARQDDh GFQNARQGDP GFQSTKLkDP GFQSTKLkDP GFQQAKLADP	shNtvqPksrNaiqPksrNaiqPkssNsiTPVshHvlNPIsgEtvlPt hAnpHQPSPr hAnpHQPSPr rAqpgQSSPk rAqpgQSSPk rAqpgQSSPk gAt.NRAAPa gAt.NRAAPa gAt.NRAAPa gAt.NRAAPa gAt.NRAAPa gAt.NRAAPa gAt.NRAAPA	LNLILPQT LDLILPQT LSVIISEA LfVILSES LQVVLQEE VDVAIPEGSA VDVVIPEGTA IDVVISEASS IDVVISEASS IDVVISEASS ISVIIPESET ISVIIPESET ISVIIPESET ISVIIPESET ISVIIPESET VNVIIPEIGG INVIIEEGPS V INVIISEET	gndtlednmc gndtlednmc gndtlednmc gndtlddnmc Lndtlddamc gnctlcnnmc ynntlehslc ynntlehslc snntldpgtc snntldpgtc snntldpgtc fnntldhgvc fnntldhgvc fnntldhgvc fnntldhgvc ynntldhgvc ynntldhsvc fnntldhsvc fnntldhsvc snntldgsc ynntldtgsc ynntldgsc	200 PAaGD PAaGE PAaGE PAaGD PnaGS PnevD TAFESST TAFEAST TVFEDSe TVFEDSe TVFEDSe TKFEASq TKFEASq TKFEASq TKFEASq TKFEASq TKFEASq TKFEASq TKFEASq TKFEASq TRFEASq
P. P. T. A. A. A. A. A. A. T. T.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii terreus 9a1 terreus cbs niger var. awamori niger T213 niger NRRL3135 fumigatus ATCC13073 fumigatus ATCC32722 fumigatus ATCC58128 fumigatus ATCC26906 fumigatus ATCC32239 nidulans thermophilus	151 GFaSA GFaSA GFalA GFgdA GFQTARQDDh GFQNARQGDP GFQSTKLkDP GFQSTKLkDP GFQQAKLADP	shNtvqPksrNaiqPksrNaiqPkssNsiTPVshHvlNPIsgEtvlPt hAnpHQPSPr hAnpHQPSPr rAqpgQSSPk rAqpgQSSPk rAqpgQSSPk gAt.NRAAPa gAt.NRAAPa gAt.NRAAPa gAt.NRAAPa gAt.NRAAPa gAt.NRAAPy g.s.gQATPV hSdkHDAPPt	LNLILPQT LDLILPQT LSVIISEA LfVILSES LQVVLQEE VDVAIPEGSA VDVVIPEGTA IDVVISEASS IDVVISEASS IDVVISEASS ISVIIPESET ISVIIPESET ISVIIPESET ISVIIPESET ISVIIPESET VNVIIPEIGG INVIIEEGPS V INVIISEET	gndtlednmc gndtlednmc gndtlednmc gndtlddnmc Lndtlddamc gnctlcnnmc ynntlehslc ynntlehslc snntldpgtc snntldpgtc snntldpgtc fnntldhgvc fnntldhgvc fnntldhgvc fnntldhgvc ynntldhgvc ynntldhsvc fnntldhsvc fnntldhsvc snntldgsc ynntldtgsc ynntldgsc	200 PAaGD PAaGE PAaGE PAaGD PnaGS PnevD TAFESST TAFEAST TVFEDSe TVFEDSe TVFEDSe TKFEASq TKFEASq TKFEASq TKFEASq TKFEASq TKFEASq TKFEASq TKFEASq TKFEASq TRFEASq

GFQSAKLADP -A--HQASPV INVIIPEGSG YNNTLDHGLC TAFED---ST

	201				250
P. involutus (phyA1)		AVafPSItAR	LNAaaPSVNL	TDtDafNLVs	
P. involutus (phyA2)				TDADafNLVs	
T. pubescens				TDtDtyNLLt	
A. pediades				TAADVsNLIp	
P. lycii				SDsDaLtLMD	
A. terreus 9al				StDDVVNLMA	
A. terreus cbs				SADDVVNLMA	
A. niger var. awamori				TDtEVtyLMD	
A. niger T213		-		TDtEVtyLMD	
A. niger NRRL3135		-		TDtEVtyLMD	
A. fumigatus ATCC13073		-		TDEDVVSLMD	
A. fumigatus ATCC32722	· ·			TDEDVVSLMD	
A. fumigatus ATCC58128				TDEDVVSLMD	
A. fumigatus ATCC26906				TDEDVVSLMD	
A. fumigatus ATCC32239				TDDDVVSLMD	
E. nidulans				TNENVIYLMD	
T. thermophilus				AvsDVpyLMD	
T. lanuginosus					D LCPFDTVGsd
-					
M. thermophila	IGDDAQDCII	SCFAGPICAR	VNAILLPGANL	TDADtVaLMD	LCPFEIVASS
Consensus Seq. 11	T.GDDARANET	ΔΥΓΔΡΟΤΡΆΡ	T.EA - T.DGVNT.	TDEDVVNLMD	MCDEUTVART
compensus seq. 11	monning r	2172212220	DDI DICTE	TDDD V VIVIDID	MOLLDIVING
	251				300
P. involutus (phyA1)		ekkSdF	CtLFegiPGs	FeaFAYggdL	
P. involutus (phyA1) P. involutus (phyA2)				FeaFAYggdL FeaFAYaqdL	dKFYGtGyGQ
P. involutus (phyA1) P. involutus (phyA2) T. pubescens		\dots eqkSdF	CtLFegiPGs	FeaFAYagdL	dKFYGtGyGQ dKFYGtGyGQ
P. involutus (phyA2) T. pubescens		eqkSdF errSeF	CtLFegiPGs CDIYeelqAE	FeaFAYagdL .daFAYnadL	dKFYGtGyGQ dKFYGtGyGQ dKFYGtGyGQ
P. involutus (phyA2)		eqkSdF errSeF etpSPF	CtLFegiPGs CDIYeelqAE CNLFTPEE	FeaFAYagdL .daFAYnadL FaQFEYFgdL	dKFYGtGyGQ dKFYGtGyGQ dKFYGtGyGQ dKFYGtGyGQ
P. involutus (phyA2) T. pubescens A. pediades		eqkSdF errSeF etpSPF gnaSPF	CtlFegiPGs CDIYeelqAE CNLFTPEE CDLFTAEE	FeaFAYagdL .daFAYnadL	dKFYGtGyGQ dKFYGtGyGQ dKFYGtGyGQ dKFYGtGyGQ dKYYGtGPGN
P. involutus (phyA2) T. pubescens A. pediades P. lycii	dDAht	eqkSdFerrSeFetpSPFgnaSPF	CtlFegiPGs CDIYeelqAE CNLFTPEE CDLFTAEE CDLFTAtE	FeaFAYagdL .daFAYnadL FaQFEYFgdL YvsYEYYydL	dKFYGtGyGQ dKFYGtGyGQ dKFYGtGyGQ dKFYGtGyGQ dKYYGtGPGN dKYYGYGGGN
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1	dDAht	eqkSdFerrSeFetpSPFgnaSPFLSPF	CtlFegiPGs CDIYeelqAE CNLFTPEE CDLFTAEE CDLFTAtE CDLFTAAE	FeaFAYagdL .daFAYnadL FaQFEYFgdL YvsYEYYydL WtQYNYLlSL	dKFYGtGyGQ dKFYGtGyGQ dKFYGtGyGQ dKFYGtGyGQ dKYYGtGPGN dKYYGYGGGN dKYYGYGGGN
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs	dD. Aht	eqkSdF errSeF etpSPF gnaSPF LSPF LSPF	CtlFegiPGs CDIYeelqAE CNLFTPEE CDLFTAEE CDLFTAtE CDLFTAAE CDLFThDE	FeaFAYagdL .daFAYnadL FaQFEYFgdL YvsYEYYydL WtQYNYLlSL WtQYNYLlSL	dKFYGtGyGQ dKFYGtGyGQ dKFYGtGyGQ dKFYGtGyGQ dKYYGtGPGN dKYYGYGGGN dKYYGYGGGN kKYYGHGAGN
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori	dD.AhtdD.AhtTvDTK	eqkSdF errSeF etpSPF gnaSPF LSPF LSPF LSPF	CtlFegiPGs CDIYeelqAE CNLFTPEE CDLFTAEE CDLFTAAE CDLFTAAE CDLFThDE	FeaFAYagdL .daFAYnadL FaQFEYFgdL YvsYEYYydL WtQYNYLlSL WtQYNYLlSL WiHYDYLQSL	dKFYGtGYGQ dKFYGtGYGQ dKFYGtGYGQ dKFYGtGYGQ dKYYGtGPGN dKYYGYGGGN dKYYGYGGGN kKYYGHGAGN kKYYGHGAGN
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213	dD. Aht dD. Aht Tv. DTK Tv. DTK	eqkSdF errSeF etpSPF gnaSPF LSPF LSPF LSPF LSPF	CtlFegiPGs CDIYeelqAE CNLFTPEE CDLFTAEE CDLFTAAE CDLFThDE CDLFThDE CDLFThDE	FeaFAYagdL .daFAYnadL FaQFEYFgdL YvsYEYYydL WtQYNYL1SL WtQYNYL1SL WiHYDYLQSL WiHYDYLRSL WiNYDYLQSL	dKFYGtGYGQ dKFYGtGYGQ dKFYGtGYGQ dKFYGtGYGQ dKYYGtGPGN dKYYGYGGGN dKYYGYGGGN kKYYGHGAGN kKYYGHGAGN kKYYGHGAGN
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135	dD. Aht dD. Aht Tv. DTK Tv. DTK Tv. DTK SD. ASQ	eqkSdF errSeF graspf Spanser LSPF LSPF LSPF LSPF LSPF LSPF LSPF	CtlFegiPGs CDIYeelqAE CNLFTPEE CDLFTAEE CDLFTAAE CDLFThDE CDLFThDE CDLFThDE CDLFThDE	FeaFAYagdL .daFAYnadL FaQFEYFgdL YvsYEYYydL WtQYNYL1SL WtQYNYL1SL WiHYDYLQSL WiHYDYLRSL	dKFYGtGYGQ dKFYGtGYGQ dKFYGtGYGQ dKFYGtGYGQ dKYYGtGPGN dKYYGYGGGN dKYYGYGGGN kKYYGHGAGN kKYYGHGAGN kKYYGHGAGN
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073 A. fumigatus ATCC32722	dD. Aht dD. Aht Tv. DTK Tv. DTK Tv. DTK SD. ASQ SD. ASQ	eqkSdF errSeF gnaSPF Spr Spr LSPF LSPF LSPF LSPF LSPF LSPF LSPF LSPF	CtlFegiPGs CDIYeelqAE CNLFTPEE CDLFTAEE CDLFTAAE CDLFThDE CDLFThDE CDLFThDE CQLFThNE CQLFThNE	FeaFAYagdL .daFAYnadL FaQFEYFgdL YvsYEYYydL WtQYNYL1SL WtQYNYL1SL WiHYDYLQSL WiHYDYLRSL WiNYDYLQSL WKKYNYLQSL WKKYNYLQSL	dKFYGtGYGQ dKFYGtGYGQ dKFYGtGYGQ dKFYGtGYGQ dKYYGtGPGN dKYYGYGGGN dKYYGYGGGN kKYYGHGAGN kKYYGHGAGN kKYYGHGAGN gKYYGYGAGN
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073 A. fumigatus ATCC32722 A. fumigatus ATCC58128	dD. Aht dD. Aht Tv. DTK Tv. DTK Tv. DTK SD. ASQ SD. ASQ	eqkSdF errSeF gnaSPF SpF LSPF LSPF LSPF LSPF LSPF LSPF LSPF LSP	CtlFegiPGs CDIYeelqAE CNLFTPEE CDLFTAEE CDLFTAAE CDLFThDE CDLFThDE CDLFThDE CQLFThNE CQLFThNE CQLFThNE	FeaFAYagdL .daFAYnadL FaQFEYFgdL YvsYEYYydL WtQYNYL1SL WtQYNYL1SL WiHYDYLQSL WiHYDYLRSL WiNYDYLQSL WKKYNYLQSL WKKYNYLQSL WKKYNYLQSL	dKFYGtGYGQ dKFYGtGYGQ dKFYGtGYGQ dKFYGtGYGQ dKYYGtGPGN dKYYGYGGGN dKYYGYGGGN kKYYGHGAGN kKYYGHGAGN kKYYGHGAGN gKYYGYGAGN gKYYGYGAGN
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073 A. fumigatus ATCC32722	dD. Aht dD. Aht Tv. DTK Tv. DTK SD. ASQ SD. ASQ SD. ASQ SD. ASQ	eqkSdF errSeF gnaSPF Spr Spr LSPF LSPF LSPF LSPF LSPF LSPF LSPF LSPF	CtlFegiPGs CDIYeelqAE CNLFTPEE CDLFTAEE CDLFTALE CDLFThDE CDLFThDE CDLFThDE CQLFThNE CQLFThNE CQLFThNE CQLFThNE	FeaFAYagdL .daFAYnadL FaQFEYFgdL YvsYEYYydL WtQYNYL1SL WtQYNYL1SL WiHYDYLQSL WiHYDYLRSL WiNYDYLQSL WKKYNYLQSL WKKYNYLQSL	dKFYGŁGYGQ dKFYGŁGYGQ dKFYGŁGYGQ dKFYGŁGYGQ dKYYGŁGPGN dKYYGYGGGN dKYYGYGGGN kKYYGHGAGN kKYYGHGAGN kKYYGHGAGN gKYYGYGAGN gKYYGYGAGN
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073 A. fumigatus ATCC32722 A. fumigatus ATCC58128 A. fumigatus ATCC6906	dD. Aht dD. Aht Tv. DTK Tv. DTK SD. ASQ SD. ASQ SD. ASQ SD. ASQ SD. ASQ AD. ASE	eqkSdF errSeF gnaSPF Spr LSPF LSPF LSPF LSPF LSPF LSPF LSPF LSPF	CtlFegiPGs CDIYeelqAE CNLFTPEE CDLFTAEE CDLFTALE CDLFThDE CDLFThDE CDLFThDE CQLFThNE CQLFThNE CQLFThNE CQLFThNE CQLFThNE CQLFThNE	FeaFAYagdL .daFAYnadL FaQFEYFgdL YvsYEYYydL WtQYNYL1SL WtQYNYL1SL WiHYDYLQSL WiHYDYLRSL WiNYDYLQSL WKKYNYLQSL WKKYNYLQSL WKKYNYLQSL WKKYNYLQSL WKKYNYLQSL WKKYNYLQSL	dKFYGŁGYGQ dKFYGŁGYGQ dKFYGŁGYGQ dKFYGŁGYGQ dKYYGŁGPGN dKYYGYGGGN dKYYGYGGGN kKYYGHGAGN kKYYGHGAGN kKYYGHGAGN gKYYGYGAGN gKYYGYGAGN gKYYGYGAGN gKYYGYGAGN
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073 A. fumigatus ATCC58128 A. fumigatus ATCC58128 A. fumigatus ATCC32739	dD. Aht dD. Aht Tv. DTK Tv. DTK SD. ASQ SD. ASQ SD. ASQ SD. ASQ ASD ASQ AD ASE AH GTE	eqkSdF errSeF gnaSPF Spr LSPF LSPF LSPF LSPF LSPF LSPF LSPF LSPF	CtlFegiPGs CDIYeelqAE CNLFTPEE CDLFTAEE CDLFTALE CDLFThDE CDLFThDE CDLFThDE CQLFThNE CQLFThNE CQLFThNE CQLFThNE CQLFThNE CQLFThNE CQLFThNE CQLFTHNE	FeaFAYagdL .daFAYnadL FaQFEYFgdL YvsYEYYydL WtQYNYL1SL WtQYNYL1SL WiHYDYLQSL WiHYDYLQSL WKYNYLQSL WKKYNYLQSL WKKYNYLQSL WKKYNYLQSL WKKYNYLQSL WKKYNYLQSL WKYNYLQSL WKYNYLQSL WKYNYLQSL	dKFYGtGYGQ dKFYGtGYGQ dKFYGtGYGQ dKFYGtGYGQ dKFYGtGPGN dKYYGYGGGN dKYYGYGGGN kKYYGHGAGN kKYYGHGAGN kKYYGHGAGN gKYYGYGAGN gKYYGYGAGN gKYYGYGAGN gKYYGYGAGN gKYYGYGAGN gKYYGYGAGN
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073 A. fumigatus ATCC32722 A. fumigatus ATCC58128 A. fumigatus ATCC5906 A. fumigatus ATCC32239 E. nidulans T. thermophilus	dD. Aht dD. Aht Tv. DTK Tv. DTK SD. ASQ SD. ASQ SD. ASQ SD. ASQ ASD ASQ AD ASE AH GTE ht DT	eqkSdF errSeF gnaSPF Spr Spr LSPF LSPF LSPF LSPF LSPF LSPF LSPF LSPF	CtlFegiPGs CDIYeelqAE CNLFTPEE CDLFTAEE CDLFTADE CDLFThDE CDLFThDE CDLFThDE CQLFThNE CQLFThNE CQLFThNE CQLFThNE CQLFThNE CQLFThNE CQLFThNE CAIFTEKE CALSTQEE	FeaFAYagdL .daFAYnadL FaQFEYFgdL YvsYEYYydL WtQYNYL1SL WtQYNYL1SL WiHYDYLQSL WiHYDYLQSL WKYNYLQSL WKYNYLQSL WKYNYLQSL WKYNYLQSL WKYNYLQSL WKYNYLQSL WKYNYLQSL WKYNYLQSL WKYDYLQSL WIQYDYLQSL WqaYDYYQSL	dKFYGtGYGQ dKFYGtGYGQ dKFYGtGYGQ dKFYGtGYGQ dKFYGtGYGQ dKYYGtGPGN dKYYGYGGGN dKYYGYGGGN kKYYGHGAGN kKYYGHGAGN kKYYGHGAGN gKYYGYGAGN gKYYGYGAGN gKYYGYGAGN gKYYGYGAGN gKYYGYGAGN gKYYGYGAGN gKYYGYGAGN gKYYGYGAGN
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073 A. fumigatus ATCC32722 A. fumigatus ATCC58128 A. fumigatus ATCC26906 A. fumigatus ATCC32239 E. nidulans	dD. Aht dD. Aht Tv. DTK Tv. DTK SD. ASQ SD. ASQ SD. ASQ SD. ASQ AD. ASE AH. GTE ht. DT PvlfPrQ	eqkSdF errSeF gnaSPF Spr Spr LSPF LSPF LSPF LSPF LSPF LSPF LSPF LSPF	CtlFegiPGs CDIYeelqAE CNLFTPEE CDLFTAEE CDLFTALE CDLFThDE CDLFThDE CDLFThDE CQLFThNE CQLFThNE CQLFThNE CQLFThNE CQLFThNE CQLFThNE CAIFTAEE CALSTQEE F CHLFTAD	FeaFAYagdL .daFAYnadL FaQFEYFgdL YvsYEYYydL WtQYNYL1SL WtQYNYL1SL WiHYDYLQSL WiHYDYLQSL WKYNYLQSL WKYNYLQSL WKYNYLQSL WKYNYLQSL WKYNYLQSL WKYNYLQSL WKYDYLQSL WKYDYLQSL WGAYDYYQSL O WmayDYYYYT	dKFYGtGYGQ dKFYGtGYGQ dKFYGtGYGQ dKFYGtGYGQ dKFYGtGYGQ dKYYGtGPGN dKYYGYGGGN kKYYGHGAGN kKYYGHGAGN kKYYGHGAGN gKYYGYGAGN
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073 A. fumigatus ATCC32722 A. fumigatus ATCC58128 A. fumigatus ATCC5906 A. fumigatus ATCC32239 E. nidulans T. thermophilus T. lanuginosus	dD. Aht dD. Aht Tv. DTK Tv. DTK SD. ASQ SD. ASQ SD. ASQ SD. ASQ AD. ASE AH. GTE ht. DT PvlfPrQ	eqkSdF errSeF gnaSPF Spr Spr LSPF LSPF LSPF LSPF LSPF LSPF LSPF LSPF	CtlFegiPGs CDIYeelqAE CNLFTPEE CDLFTAEE CDLFTALE CDLFThDE CDLFThDE CDLFThDE CQLFThNE CQLFThNE CQLFThNE CQLFThNE CQLFThNE CQLFThNE CAIFTAEE CALSTQEE F CHLFTAD	FeaFAYagdL .daFAYnadL FaQFEYFgdL YvsYEYYydL WtQYNYL1SL WtQYNYL1SL WiHYDYLQSL WiHYDYLQSL WKYNYLQSL WKYNYLQSL WKYNYLQSL WKYNYLQSL WKYNYLQSL WKYNYLQSL WKYNYLQSL WKYNYLQSL WKYDYLQSL WIQYDYLQSL WqaYDYYQSL	dKFYGtGYGQ dKFYGtGYGQ dKFYGtGYGQ dKFYGtGYGQ dKFYGtGYGQ dKYYGtGPGN dKYYGYGGGN kKYYGHGAGN kKYYGHGAGN kKYYGHGAGN gKYYGYGAGN

Consensus Seq. 11

20/56

		301				350
P.	involutus (phyA1)	eLGPvQGVGY	VNELIARLTN	S.AVRDNTqT	NRTLDASPvT	FPLNkTFYAD
	involutus (phyA2)	ALGPvQGVGY				
	pubescens	PLGPvQGVGY	iNELIARLTa	q.nVsDHTqT	NsTLDSSPET	FPLNrTLYAD
	pediades	PLGPvQGVGY				
	lycii	ALGPvQGVGY	vNELLARLTg	q.AVRDETqT	NRTLDSDPAT	FPLNrTFYAD
	terreus 9a1	PLGPvOGVGW	aNELMARLTR	A.PVHDHTCv	NNTLDASPAT	FPLNATLYAD
	terreus cbs				NNTLDANPAT	
Α.	niger var. awamori				NHTLDSNPAT	
	niger T213	PLGPTQGVGY	aNELIARLTH	S.PVHDDTSS	NHTLDSNPAT	FPLNSTLYAD
	niger NRRL3135	PLGPTQGVGY	aNELIARLTH	S.PVHDDTSS	NHTLDSSPAT	FPLNSTLYAD
	fumigatus ATCC13073	PLGPAQGIGF	tNELIARLTR	S.PVQDHTST	NsTLvSNPAT	FPLNATMYvD
A.	fumigatus ATCC32722	PLGPAQGIGF	tNELIARLTR	S.PVQDHTST	NsTLvSNPAT	FPLNATMYvD
A .	fumigatus ATCC58128	PLGPAQGIGF	tNELIARLTR	S.PVQDHTST	NsTLvSNPAT	FPLNATMYvD
A .	fumigatus ATCC26906	PLGPAQGIGF	tNELIARLTR	S.PVQDHTST	NsTLvSNPAT	FPLNATMYvD
	fumigatus ATCC32239	PLGPAQGIGF	tNELIARLTN	S.PVQDHTST	NsTLDSDPAT	FPLNATIYvD
	nidulans	PLGPAQGIGF	tNELIARLTQ	S.PVQDNTST	NHTLDSNPAT	FPLDrkLYAD
T.	thermophilus				NHTLDSNPAT	
	lanuqinosus	AFGPSRGVGF	vNELIARMT	NIPVKDHTT	v NHTLDdNPE	r fpldavlyad
	thermophila				NRTLDGDPrT	
	2					
COL	nsensus Seq. 11	PLGPAQGVGF	-NELTARLTH	S-PVODHTST	NHTLDSNPAT	FPI.NATI.YAD
	recuede ped. TT			D & D		
00.	recuency ped. TT	1201112010-		D 1 1 2 2 1 1 2 1		
00.	neman ped. II	351				400
	involutus (phyA1)	351 FSHDN1MVAV	FsAMGLFrqP	aPLSTSvpNP	wrtWr	400 TSSlVPFSGR
Р.	-	351 FSHDN1MVAV FSHDN1MVAV	FsAMGLFrqP FsAMGLFrqS	aPLSTSvpNP aPLSTSTpDP	wrtWr	400 TSS1VPFSGR TSSvVPFSAR
P. P.	involutus (phyA1)	351 FSHDN1MVAV FSHDN1MVAV FSHDNqMVAI	FsAMGLFrqP FsAMGLFrqS FsAMGLFNqS	aPLSTSVpNP aPLSTSTpDP aPLdPTTpDP	wrtWr nrtWl artFl	400 TSS1VPFSGR TSSvVPFSAR vkkiVPFSAR
P. P. T.	involutus (phyA1) involutus (phyA2)	351 FSHDN1MVAV FSHDN1MVAV FSHDNqMVAI LSHDNqMIAI	FsAMGLFrqP FsAMGLFrqS FsAMGLFNqS FsAMGLFNqS	aPLSTSvpNP aPLSTSTpDP aPLdPTTpDP sPLdPSfpNP	wrtWr nrtWl artFl krtWv	400 TSS1VPFSGR TSSVVPFSAR vkkiVPFSAR TSR1tPFSAR
P. P. T. A.	involutus (phyA1) involutus (phyA2) pubescens	351 FSHDN1MVAV FSHDN1MVAV FSHDNQMVAI LSHDNQMIAI FSHDNTMVPI	FsAMGLFrqP FsAMGLFrqS FsAMGLFNqS FsAMGLFNqS FaALGLFNAT	aPLSTSvpNP aPLSTSTpDP aPLdPTTpDP sPLdPSfpNP a.LdPlkpDe	wrtWr nrtWl artFl krtWv nrlWv	400 TSS1VPFSGR TSSVVPFSAR vkkiVPFSAR TSR1tPFSAR DSk1VPFSGH
P. P. T. A.	involutus (phyA1) involutus (phyA2) pubescens pediades	351 FSHDN1MVAV FSHDN1MVAV FSHDNqMVAI LSHDNqMIAI FSHDNTMVPI FSHDSnLVSI	FsAMGLFrqP FsAMGLFrqS FsAMGLFNqS FsAMGLFNqS FaALGLFNAT FWALGLYNGT	aPLSTSVpNP aPLSTSTpDP aPLdPTTpDP sPLdPSfpNP a.LdPlkpDe aPLSqTSVES	wrtWr nrtWl artFl krtWv nrlWv	400 TSS1VPFSGR TSSVVPFSAR vkkiVPFSAR TSR1tPFSAR DSk1VPFSGH AAWTVPFAAR
P. P. T. A. P.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii	351 FSHDN1MVAV FSHDN1MVAV FSHDNqMVAI LSHDNqMIAI FSHDNTMVPI FSHDSnLVSI FSHDSnLVSI	FsAMGLFrqP FsAMGLFrqS FsAMGLFNqS FsAMGLFNqT FaALGLFNAT FWALGLYNGT	aPLSTSvpNP aPLSTSTpDP aPLdPTTpDP sPLdPSfpNP a.LdPlkpDe aPLSqTSVES KPLSqTTVEd	wrtWr nrtWl artFl krtWv nrlWv VsQTDGYA ItrTDGYA	400 TSS1VPFSGR TSSVVPFSAR VkkiVPFSAR TSR1tPFSAR DSk1VPFSGH AAWTVPFAAR
P. P. T. A. P. A.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii terreus 9a1	351 FSHDN1MVAV FSHDN1MVAV FSHDNqMVAI LSHDNqMIAI FSHDNTMVPI FSHDSnLVSI FSHDSNLVSI FSHDNGIISI	FSAMGLFrqP FSAMGLFrqS FSAMGLFNqS FSAMGLFNAT FSALGLFNAT FWALGLYNGT FWALGLYNGT LFALGLYNGT	aPLSTSVpNP aPLSTSTpDP aPLdPTTpDP sPLdPSfpNP a.LdPlkpDe aPLSqTSVES KPLSqTTVEd KPLSTTTVEN	wrtWr nrtWl artFl krtWv nrlWv VsQTDGYA ItTTDGYA ItQTDGFS	400 TSS1VPFSGR TSSVVPFSAR vkkiVPFSAR TSR1tPFSAR DSk1VPFSGH AAWTVPFAAR AAWTVPFAAR SAWTVPFASR
P. T. A. P. A.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii terreus 9a1 terreus cbs	351 FSHDN1MVAV FSHDN1MVAV FSHDNqMVAI LSHDNqMIAI FSHDNTMVPI FSHDSNLVSI FSHDSNLVSI FSHDNGIISI FSHDNGIISI	FSAMGLFrqP FSAMGLFrqS FSAMGLFNqS FSAMGLFNAT FWALGLYNGT FWALGLYNGT LFALGLYNGT LFALGLYNGT	aPLSTSVpNP aPLSTSTpDP aPLdPTTpDP sPLdPSfpNP a.LdPlkpDe aPLSqTSVES KPLSqTTVEd KPLSTTTVEN	wrtWr nrtWl artFl krtWv nrlWv VsQTDGYA ItrTDGYA ItQTDGFS ItQTDGFS	400 TSS1VPFSGR TSSVVPFSAR vkkiVPFSAR TSR1tPFSAR DSk1VPFSGH AAWTVPFAAR AAWTVPFAAR SAWTVPFASR
P. P. T. A. P. A. A.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii terreus 9a1 terreus cbs niger var. awamori	351 FSHDN1MVAV FSHDN1MVAV FSHDNqMVAI LSHDNqMIAI FSHDNTMVPI FSHDSNLVSI FSHDSNLVSI FSHDNGIISI FSHDNGIISI FSHDNGIISI	FSAMGLFrqP FSAMGLFrqS FSAMGLFNqS FSAMGLFNAT FWALGLYNGT FWALGLYNGT LFALGLYNGT LFALGLYNGT LFALGLYNGT	aPLSTSvpNP aPLSTSTpDP aPLdPTTpDP sPLdPSfpNP a.LdPlkpDe aPLSqTSVES KPLSqTTVEd KPLSTTTVEN KPLSTTTVEN	wrtWr nrtWl artFl krtWv nrlWv VsQTDGYA ItTTDGYA ItQTDGFS ItQTDGFS ItQTDGFS	400 TSS1VPFSGR TSSVVPFSAR vkkiVPFSAR TSR1tPFSAR DSk1VPFSGH AAWTVPFAAR AAWTVPFAAR SAWTVPFASR SAWTVPFASR
P. P. T. A. P. A. A. A.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii terreus 9a1 terreus cbs niger var. awamori niger T213	351 FSHDN1MVAV FSHDN1MVAV FSHDNqMVAI LSHDNqMIAI FSHDNTMVPI FSHDSNLVSI FSHDSNLVSI FSHDNGIISI FSHDNGIISI FSHDNGIISI FSHDNGIISI FSHDNGIISI FSHDNGIISI	FSAMGLFrqP FSAMGLFrqS FSAMGLFNqS FSAMGLFNAT FWALGLYNGT FWALGLYNGT LFALGLYNGT LFALGLYNGT LFALGLYNGT FFALGLYNGT	aPLSTSVpNP aPLSTSTpDP aPLdPTTpDP sPLdPSfpNP a.LdPlkpDe aPLSqTSVES KPLSqTTVEd KPLSTTTVEN KPLSTTTVEN KPLSTTTVEN EPLSTTSVES	wrtWr nrtWl artFl krtWv nrlWv VsQTDGYA ItTTDGYA ItQTDGFS ItQTDGFS ItQTDGFS akElDGYS	400 TSS1VPFSGR TSSVVPFSAR vkkiVPFSAR TSR1tPFSAR DSk1VPFSGH AAWTVPFAAR AAWTVPFAAR SAWTVPFASR SAWTVPFASR SAWTVPFASR ASWVVPFGAR
P. P. A. A. A. A. A.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii terreus 9a1 terreus cbs niger var. awamori niger T213 niger NRRL3135	351 FSHDN1MVAV FSHDN1MVAV FSHDNQMVAI LSHDNQMIAI FSHDNTMVPI FSHDSNLVSI FSHDNGIISI FSHDNGIISI FSHDNGIISI FSHDNGIISI FSHDNSMVSI FSHDNSMVSI	FSAMGLFrqP FSAMGLFrqS FSAMGLFNqS FSAMGLFNAT FWALGLYNGT FWALGLYNGT LFALGLYNGT LFALGLYNGT LFALGLYNGT FFALGLYNGT FFALGLYNGT FFALGLYNGT	aPLSTSVPNP aPLSTSTPDP aPLdPTTPDP sPLdPSfPNP a.LdPlkpDe aPLSqTSVES KPLSqTTVEd KPLSTTTVEN KPLSTTTVEN KPLSTTTVEN EPLSTTSVES gPLSTTSVES	wrtWr nrtWl artFl krtWv nrlWv VsQTDGYA ItTTDGYA ItQTDGFS ItQTDGFS ItQTDGFS akElDGYS akElDGYS	400 TSS1VPFSGR TSSVVPFSAR vkkiVPFSAR TSR1tPFSAR DSk1VPFSGH AAWTVPFAAR AAWTVPFAAR SAWTVPFASR SAWTVPFASR SAWTVPFASR ASWVVPFGAR ASWVVPFGAR
P. T. A. A. A. A. A.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii terreus 9a1 terreus cbs niger var. awamori niger T213 niger NRRL3135 fumigatus ATCC13073	351 FSHDN1MVAV FSHDN1MVAV FSHDNQMVAI LSHDNQMIAI FSHDNTMVPI FSHDSNLVSI FSHDNGIISI FSHDNGIISI FSHDNGIISI FSHDNSMVSI FSHDNSMVSI FSHDNSMVSI FSHDNSMVSI	FSAMGLFrqP FSAMGLFrqS FSAMGLFNqS FSAMGLFNAT FWALGLYNGT FWALGLYNGT LFALGLYNGT LFALGLYNGT LFALGLYNGT FFALGLYNGT FFALGLYNGT FFALGLYNGT FFALGLYNGT	aPLSTSVpNP aPLSTSTpDP aPLdPTTpDP sPLdPSfpNP a.LdPlkpDe aPLSqTSVES KPLSqTTVEd KPLSTTTVEN KPLSTTTVEN KPLSTTTVEN EPLSTTSVES gPLSTTSVES	wrtWr nrtWl artFl krtWv nrlWv VsQTDGYA ItTTDGYA ItQTDGFS ItQTDGFS ItQTDGFS akElDGYS akElDGYS akElDGYS	400 TSS1VPFSGR TSSVVPFSAR vkkiVPFSAR TSR1tPFSAR DSk1VPFSGH AAWTVPFAAR AAWTVPFAAR SAWTVPFASR SAWTVPFASR SAWTVPFASR ASWVVPFGAR ASWVVPFGAR
P. T. A. A. A. A. A.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii terreus 9a1 terreus cbs niger var. awamori niger T213 niger NRRL3135 fumigatus ATCC13073 fumigatus ATCC32722	351 FSHDN1MVAV FSHDN1MVAV FSHDNQMVAI LSHDNQMIAI FSHDNTMVPI FSHDSNLVSI FSHDNGIISI FSHDNGIISI FSHDNGIISI FSHDNSMVSI FSHDNSMVSI FSHDNSMVSI FSHDNSMVSI FSHDNSMVSI FSHDNSMVSI	FSAMGLFrqP FSAMGLFrqS FSAMGLFNqS FSAMGLFNAT FWALGLYNGT FWALGLYNGT LFALGLYNGT LFALGLYNGT LFALGLYNGT FFALGLYNGT FFALGLYNGT FFALGLYNGT FFALGLYNGT FFALGLYNGT FFALGLYNGT	aPLSTSVPNP aPLSTSTPDP aPLdPTTPDP sPLdPSfPNP a.LdPlkpDe aPLSqTSVES KPLSqTTVEM KPLSTTTVEN KPLSTTTVEN EPLSTTSVES gPLSTTSVES EPLSTTSVES	wrtWr nrtWl artFl krtWv nrlWv VsQTDGYA ItTTDGYA ItQTDGFS ItQTDGFS itQTDGFS akElDGYS akElDGYS akElDGYS	400 TSS1VPFSGR TSSVVPFSAR vkkiVPFSAR TSR1tPFSAR DSk1VPFSGH AAWTVPFAAR AAWTVPFAAR SAWTVPFASR SAWTVPFASR SAWTVPFASR ASWVVPFGAR ASWVVPFGAR ASWVVPFGAR
P. T. A. A. A. A. A. A. A.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii terreus 9a1 terreus cbs niger var. awamori niger T213 niger NRRL3135 fumigatus ATCC13073 fumigatus ATCC32722 fumigatus ATCC58128	351 FSHDN1MVAV FSHDN1MVAV FSHDNqMVAI LSHDNqMIAI FSHDNTMVPI FSHDSNLVSI FSHDNGIISI FSHDNGIISI FSHDNGIISI FSHDNSMVSI FSHDNSMVSI FSHDNSMVSI FSHDNSMVSI FSHDNSMVSI FSHDNSMVSI FSHDNSMVSI FSHDNSMVSI	FSAMGLFrqP FSAMGLFrqS FSAMGLFNqS FSAMGLFNAT FWALGLYNGT FWALGLYNGT LFALGLYNGT LFALGLYNGT FFALGLYNGT	aPLSTSVPNP aPLSTSTPDP aPLdPTTPDP sPLdPSfPNP a.LdPlkpDe aPLSqTSVES KPLSqTTVEM KPLSTTTVEN KPLSTTTVEN EPLSTTSVES gPLSTTSVES EPLSTTSVES EPLSTTSVES EPLSTTSVES	wrtWr nrtWl artFl krtWv nrlWv VsQTDGYA ItTTDGYA ItQTDGFS ItQTDGFS itQTDGFS akElDGYS akElDGYS akElDGYS akElDGYS tkESNGYS	400 TSS1VPFSGR TSSVVPFSAR vkkiVPFSAR TSR1tPFSAR DSk1VPFSGH AAWTVPFAAR AAWTVPFAAR SAWTVPFASR SAWTVPFASR SAWTVPFASR ASWVVPFGAR ASWVVPFGAR ASWVVPFGAR ASWVVPFGAR ASWVVPFGAR
P. T. A. A. A. A. A. A. A. A. E.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii terreus 9a1 terreus cbs niger var. awamori niger T213 niger NRRL3135 fumigatus ATCC13073 fumigatus ATCC32722 fumigatus ATCC58128 fumigatus ATCC6906 fumigatus ATCC32239 nidulans	351 FSHDN1MVAV FSHDN1MVAV FSHDNQMVAI LSHDNQMIAI FSHDNTMVPI FSHDSNLVSI FSHDNGIISI FSHDNGIISI FSHDNGIISI FSHDNSMVSI	FSAMGLFrqP FSAMGLFrqS FSAMGLFNqS FSAMGLFNAT FWALGLYNGT FWALGLYNGT LFALGLYNGT LFALGLYNGT FFALGLYNGT FFAMGLYNGT FFAMGLYNGT	aPLSTSVPNP aPLSTSTPDP aPLdPTTPDP sPLdPSfPNP a.LdPlkpDe aPLSqTSVES KPLSqTTVEM KPLSTTTVEN KPLSTTTVEN EPLSTTSVES gPLSTTSVES EPLSTTSVES EPLSTTSVES EPLSTTSVES EPLSTTSVES	wrtWr nrtWl artFl krtWv nrlWv VsQTDGYA ItTTDGYA ItQTDGFS ItQTDGFS itQTDGFS akElDGYS akElDGYS akElDGYS akElDGYS akElDGYS akElDGYS	400 TSSIVPFSGR TSSVVPFSAR vkkiVPFSAR TSRItPFSAR DSKIVPFSGH AAWTVPFAAR AAWTVPFAAR SAWTVPFASR SAWTVPFASR SAWTVPFASR ASWVVPFGAR ASWVVPFGAR ASWVVPFGAR ASWVVPFGAR ASWVVPFGAR ASWVVPFGAR ASWVVPFGAR ASWVVPFGAR ASWVVPFGAR
P. T. A. A. A. A. A. A. A. A. T.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii terreus 9a1 terreus cbs niger var. awamori niger T213 niger NRRL3135 fumigatus ATCC13073 fumigatus ATCC32722 fumigatus ATCC58128 fumigatus ATCC26906 fumigatus ATCC32239 nidulans thermophilus	351 FSHDN1MVAV FSHDN1MVAV FSHDNQMVAI LSHDNQMIAI FSHDNTMVPI FSHDSNLVSI FSHDNGIISI FSHDNGIISI FSHDNGIISI FSHDNSMVSI FSHDNSMISI FSHDNSMISI FSHDNSMISI FSHDNTMLSI	FSAMGLFrqP FSAMGLFrqS FSAMGLFNqS FSAMGLFNAT FWALGLYNGT FWALGLYNGT LFALGLYNGT LFALGLYNGT FFALGLYNGT FFALGLYNGT FFALGLYNGT FFALGLYNGT FFALGLYNGT FFALGLYNGT FFALGLYNGT FFALGLYNGT FFALGLYNGT FFAMGLYNGT FFAMGLYNGT FFAMGLYNGT FFAMGLYNGT FFAMGLYNGT	aPLSTSVPNP aPLSTSTPDP aPLdPTTPDP sPLdPSfPNP a.LdPlkpDe aPLSqTSVES KPLSqTTVEM KPLSTTTVEN KPLSTTTVEN EPLSTTSVES gPLSTTSVES EPLSTTSVES EPLSTTSVES EPLSqTSeES QPLSmdSVES akLSTTEIKS	wrtWr nrtWl artFl krtWv nrlWv VsQTDGYA ItTTDGYA ItQTDGFS ItQTDGFS itQTDGFS akElDGYS akElDGYS akElDGYS akElDGYS akElDGYS itCTDGYS akELDGYS akELDGYS akELDGYS akELDGYS akELDGYS	400 TSS1VPFSGR TSSVVPFSAR vkkiVPFSAR TSR1tPFSAR DSk1VPFSGH AAWTVPFAAR AAWTVPFAAR SAWTVPFASR SAWTVPFASR SAWTVPFASR ASWVVPFGAR
P. T. A. A. A. A. A. A. E. T. T.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii terreus 9a1 terreus cbs niger var. awamori niger T213 niger NRRL3135 fumigatus ATCC13073 fumigatus ATCC32722 fumigatus ATCC58128 fumigatus ATCC26906 fumigatus ATCC32239 nidulans thermophilus lanuginosus	351 FSHDN1MVAV FSHDN1MVAV FSHDNQMVAI LSHDNQMIAI FSHDNTMVPI FSHDSNLVSI FSHDSNLVSI FSHDNGIISI FSHDNGIISI FSHDNSMVSI FSHDNSMVSI FSHDNSMVSI FSHDNSMVSI FSHDNSMVSI FSHDNSMISI FSHDNSMISI FSHDNTMtGI FSHDNTMtGI	FSAMGLFrqP FSAMGLFrqS FSAMGLFNqS FSAMGLFNAT FWALGLYNGT FWALGLYNGT LFALGLYNGT LFALGLYNGT FFALGLYNGT FFALGLYNGT FFALGLYNGT FFALGLYNGT FFALGLYNGT FFALGLYNGT FFALGLYNGT FFAMGLYNGT FSAMGLYNGT FSAMGLYNGT	aPLSTSvpNP aPLSTSTpDP aPLdPTTpDP sPLdPSfpNP a.LdPlkpDe aPLSqTSVES KPLSqTTVEM KPLSTTTVEN KPLSTTTVEN EPLSTTSVES GPLSTTSVES EPLSTTSVES EPLSTTSVES EPLSTTSVES ALLSTTEIKS T KPLSTSKIQ	wrtWr nrtWl artFl krtWv nrlWv VsQTDGYA ItTTDGYA ItQTDGFS ItQTDGFS itQTDGFS akElDGYS akElDGYS akElDGYS akElDGYS akElDGYS akELDGYS akELDGYS akELDGYS akELDGYS ptgaAADGY	400 TSS1VPFSGR TSSVVPFSAR vkkiVPFSAR TSR1tPFSAR DSk1VPFSGH AAWTVPFAAR AAWTVPFAAR SAWTVPFASR SAWTVPFASR SAWTVPFGAR ASWVVPFGAR ASWVVPFGAR ASWVVPFGAR ASWVVPFGAR ASWTVPFGAR ASWTVPFGAR ASWTVPFGAR ASWTVPFGAR ASWTVPFGAR ASWTVPFGAR ASWTVPFGAR
P. T. A. A. A. A. A. A. E. T. T.	involutus (phyA1) involutus (phyA2) pubescens pediades lycii terreus 9a1 terreus cbs niger var. awamori niger T213 niger NRRL3135 fumigatus ATCC13073 fumigatus ATCC32722 fumigatus ATCC58128 fumigatus ATCC26906 fumigatus ATCC32239 nidulans thermophilus	351 FSHDN1MVAV FSHDN1MVAV FSHDNQMVAI LSHDNQMIAI FSHDNTMVPI FSHDSNLVSI FSHDSNLVSI FSHDNGIISI FSHDNGIISI FSHDNSMVSI FSHDNSMVSI FSHDNSMVSI FSHDNSMVSI FSHDNSMVSI FSHDNSMISI FSHDNSMISI FSHDNTMtGI FSHDNTMtGI	FSAMGLFrqP FSAMGLFrqS FSAMGLFNqS FSAMGLFNAT FWALGLYNGT FWALGLYNGT LFALGLYNGT LFALGLYNGT FFALGLYNGT FFALGLYNGT FFALGLYNGT FFALGLYNGT FFALGLYNGT FFALGLYNGT FFALGLYNGT FFAMGLYNGT FSAMGLYNGT FSAMGLYNGT	aPLSTSvpNP aPLSTSTpDP aPLdPTTpDP sPLdPSfpNP a.LdPlkpDe aPLSqTSVES KPLSqTTVEM KPLSTTTVEN KPLSTTTVEN EPLSTTSVES GPLSTTSVES EPLSTTSVES EPLSTTSVES EPLSTTSVES ALLSTTEIKS T KPLSTSKIQ	wrtWr nrtWl artFl krtWv nrlWv VsQTDGYA ItTTDGYA ItQTDGFS ItQTDGFS itQTDGFS akElDGYS akElDGYS akElDGYS akElDGYS akElDGYS akELDGYS akELDGYS akELDGYS akELDGYS ptgaAADGY	400 TSS1VPFSGR TSSVVPFSAR vkkiVPFSAR TSR1tPFSAR DSk1VPFSGH AAWTVPFAAR AAWTVPFAAR SAWTVPFASR SAWTVPFASR SAWTVPFASR ASWVVPFGAR

FSHDNTMVSI FFALGLYNGT KPLSTTSVES I---ETDGYA ASWTVPFAAR

	401	450
P. involutus (phyA1)	mvVErLsC fGt Tk VRVLVQ	DQVq PLEfCGgDRn
P. involutus (phyA2)	maVErLsC AGtTk VRVLVQ	
T. pubescens	mvVErLDC GGaQs VRLLVN	DaVq PLafCGaDts
A. pediades	mvtErLlCQr DGtGsGGpsr imrNgnvQTF VRILVN	DaLq PLkfCGgDmd
P. lycii	mtVEkLaCsgKea VRVLVN	NDaVq PLEfCGg.vd
A. terreus 9a1	AYVEMMQCrAEKEPL VRVLVN	IDRVM PLHGCPtDKL
A. terreus cbs	AYIEMMQCrAEKQPL VRVLVN	IDRVM PLHGCAVDNL
A. niger var. awamori	lyvemmocoa	NDRVV PLHGCPIDaL
A. niger T213	lyvemmqcqa	NDRVV PLHGCPIDaL
A. niger NRRL3135	1YVEMMQCQAEQEPL VRVLVN	
A. fumigatus ATCC13073	AYFEtMQCKSEKEPL VRaLIN	IDRVV PLHGCDVDKL
A. fumigatus ATCC32722	AYFETMQCKSEKEPL VRaLIN	
A. fumigatus ATCC58128	AYfEtMQCKSEKESL VRaLIN	IDRVV PLHGCDVDKL
A. fumigatus ATCC26906	AYfEtMQCKSEKEPL VRaLIN	NDRVV PLHGCDVDKL
A. fumigatus ATCC32239	AYFETMQCKSEKEPL VRaLIN	
E. nidulans	AYFELMQCEKKEPL VRVLVN	NDRVV PLHGCAVDKF
T. thermophilus	AYIEMMQCDDsDEPV VRVLVN	NDRVV PLHGCEVDsL
T. lanuginosus	AYVELLRCET ETsSeEEeEGEDEPF VRVLV	NDRVV PLHGCrVDRW
M. thermophila	iYVEkMRCsG GGgGGGGEGrQekdEeM VRVLVN	NDRVM TLkGCGaDEr
-		
Consensus Seq. 11	AYVEMMQCEA GG-G-GG-EGEKEPL VRVLVN	NDRVV PLHGCGVDKL
	451 482	
P. involutus (phyA1)	GlCtLAKFVE SqTFARSDga GDFEKCFAts a~	
P. involutus (phyA2)	GlCtLAKFVE SqTFARSDga GDFEKCFAts a~ GlCaLDKFVE SqAYARSGga GDFEKCLAtt v~	
P. involutus (phyA2) T. pubescens	GlCtLAKFVE SqTFARSDga GDFEKCFAts a~ GlCaLDKFVE SqAYARSGga GDFEKCLAtt v~ GvCtLDAFVE SqAYARNDge GDFEKCFAt~ ~~	
P. involutus (phyA2) T. pubescens A. pediades	GlCtLAKFVE SqTFARSDga GDFEKCFAts a~ GlCaLDKFVE SqAYARSGga GDFEKCLAtt v~ GvCtLDAFVE SqAYARNDge GDFEKCFAt~ ~~ SlCtLEAFVE SqkYAReDgq GDFEKCFD~~ ~~	
P. involutus (phyA2) T. pubescens A. pediades P. lycii	GlCtLAKFVE SqTFARSDga GDFEKCFAts a~ GlCaLDKFVE SqAYARSGga GDFEKCLAtt v~ GvCtLDAFVE SqAYARNDge GDFEKCFAt~ ~~ SlCtLEAFVE SqkyAReDgq GDFEKCFD~~ ~~ GvCELsAFVE SqTYAReNgq GDFAKCgfvp se	
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1	GlCtLAKFVE SqTFARSDga GDFEKCFAts a~ GlCaLDKFVE SqAYARSGga GDFEKCLAtt v~ GvCtLDAFVE SqAYARNDge GDFEKCFAt~ ~~ SlCtLEAFVE SqKYAREDgq GDFEKCFD~~ ~~ GvCELsAFVE SqTYARENgq GDFAKCgfvp se GRCKrDAFVA GLSFAQAG GNWADCF~~~ ~~	
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs	GlCtLAKFVE SqTFARSDga GDFEKCFAts a~ GlCaLDKFVE SqAYARSGga GDFEKCLAtt v~ GvCtLDAFVE SqAYARNDge GDFEKCFAt~ ~~ SlCtLEAFVE SqKYAREDgq GDFEKCFD~~ ~~ GvCELsAFVE SqTYARENGq GDFAKCgfvp se GRCKrDAFVA GLSFAQAG GNWADCF~~~ ~~ GRCKrDDFVE GLSFARAG GNWAECF~~~ ~~	
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori	GlCtLAKFVE SqTFARSDga GDFEKCFAts a~ GlCaLDKFVE SqAYARSGga GDFEKCLAtt v~ GvCtLDAFVE SqAYARNDge GDFEKCFAt~ ~~ SlCtLEAFVE SqKYAREDgq GDFEKCFD~~ ~~ GvCELsAFVE SqTYARENGq GDFAKCgfvp se GRCKrDAFVA GLSFAQAG GNWADCF~~~ ~~ GRCKrDDFVE GLSFARAG GNWAECF~~~ ~~ GRCtrDsFVr GLSFARSG GDWAECSA~~ ~~	
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213	GlCtLAKFVE SqTFARSDga GDFEKCFAts a~ GlCaLDKFVE SqAYARSGga GDFEKCLAtt v~ GvCtLDAFVE SqAYARNDge GDFEKCFAt~ ~~ SlCtLEAFVE SqKYAREDgq GDFEKCFD~~ ~~ GvCELsAFVE SqTYARENgq GDFAKCgfvp se GRCKrDAFVA GLSFAQAG GNWADCF~~~ ~~ GRCKrDDFVE GLSFARAG GNWAECF~~~ ~~ GRCtrDsFVr GLSFARSG GDWAECFA~~ ~~ GRCtrDsFVr GLSFARSG GDWAECFA~~ ~~	
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135	GlCtLAKFVE SqTFARSDga GDFEKCFAts a~ GlCaLDKFVE SqAYARSGga GDFEKCLAtt v~ GvCtLDAFVE SqAYARNDge GDFEKCFAt~ ~~ SlCtLEAFVE SqKYAREDgq GDFEKCFD~~ ~~ GvCELSAFVE SqTYARENGQ GDFAKCGfvp se GRCKrDAFVA GLSFAQAG GNWADCF~~~ ~~ GRCKrDDFVE GLSFARSG GDWAECFA~~ ~~ GRCtrDsFVr GLSFARSG GDWAECFA~~ ~~ GRCtrDsFVr GLSFARSG GDWAECFA~~ ~~ GRCtrDsFVr GLSFARSG GDWAECFA~~ ~~	
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073	GlCtLAKFVE SqTFARSDga GDFEKCFAts a~ GlCaLDKFVE SqAYARSGga GDFEKCLAtt v~ GvCtLDAFVE SqAYARNDge GDFEKCFAt~ ~~ SlCtLEAFVE SqKYAREDgq GDFEKCFD~~ ~~ GVCELSAFVE SqTYARENGQ GDFAKCGfvp se GRCKrDAFVA GLSFAQAG. GNWADCF~~~ ~~ GRCKrDDFVE GLSFARSG. GDWAECF~~~ ~~ GRCtrDsFVr GLSFARSG. GDWAECFA~~ ~~ GRCtrDsFVr GLSFARSG. GDWAECFA~~ ~~ GRCtrDsFVr GLSFARSG. GDWAECFA~~ ~~ GRCKLNDFVK GLSWARSG. GNWGECFS~~ ~~	
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073 A. fumigatus ATCC32722	GlCtLakfve SqTfarsDga GDFEKCFAts a~ GlCalDkfve SqAyarsGga GDFEKCLAtt v~ GvCtLDafve SqAyarnDge GDFEKCFAt~ ~~ SlCtLeafve SqkyareDgq GDFEKCFD~~ ~~ GvCELsafve SqtyareNgq GDFAKCgfvp se GrCkrDafva GLSFaQAG GNWADCF~~~ ~~ GRCkrDDfve GLSFarag GNWAECF~~~ ~~ GRCtrDsfvr GLSFarsg GDWAECSA~~ ~~ GRCtrDsfvr GLSFarsg GDWAECFA~~ ~~ GRCtrDsfvr GLSFarsg GDWAECFA~~ ~~ GRCkLnDfvk GLSWARSG GNWGECFS~~ ~~ GRCKLNDfvk GLSWARSG GNWGECFS~~ ~~ GRCKLNDfvk GLSWARSG GNWGECFS~~ ~~	
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073 A. fumigatus ATCC58128	GlCtLakfve SqTfarsDga GDFEKCFAts a~ GlCalDkfve SqAyarsGga GDFEKCLAtt v~ GvCtLDafve SqAyarnDge GDFEKCFAt~ ~~ SlCtLeafve SqkyareDgq GDFEKCFD~~ ~~ GvCELsafve SqtyareNgq GDFAKCgfvp se GRCkrDafva GLSFAQAG GNWADCF~~~ ~~ GRCkrDDfve GLSFarag GNWAECF~~~ ~~ GRCtrDsfvr GLSFarsg GDWAECSA~~ ~~ GRCtrDsfvr GLSFarsg GDWAECFA~~ ~~ GRCtrDsfvr GLSFarsg GDWAECFA~~ ~~ GRCklnDfvk GLSWARSG GNWGECFS~~ ~~ GRCKLNDfvk GLSWARSG GNWGECFS~~ ~~ GRCKLNDfvk GLSWARSG GNWGECFS~~ ~~ GRCKLNDfvk GLSWARSG GNWGECFS~~ ~~	
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073 A. fumigatus ATCC32722 A. fumigatus ATCC58128 A. fumigatus ATCC5906	GlCtLakfve SqTfarsDga GDFEKCFAts a~ GlCalDkfve SqAyarsGga GDFEKCLAtt v~ GvCtLDafve SqAyarnDge GDFEKCFAt~ ~~ SlCtLeafve SqkyareDgq GDFEKCFAt~ ~~ SlCtLeafve SqtyareDgq GDFEKCFD~~ ~~ GrCkrDafva GLSFAQAG GNWADCF~~~ ~~ GRCkrDDfve GLSFarag GNWAECF~~~ ~~ GRCtrDsfvr GLSFarsg GDWAECSA~~ ~~ GRCtrDsfvr GLSFarsg GDWAECFA~~ ~~ GRCklnDfvk GLSWARSG GNWGECFS~~ ~~	
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073 A. fumigatus ATCC58128 A. fumigatus ATCC58128 A. fumigatus ATCC26906 A. fumigatus ATCC32239	GlCtLakfve SqTfarsDga GDFEKCFAts a~ GlCalDkfve SqAyarsGga GDFEKCLAtt v~ GvCtLDafve SqAyarnDge GDFEKCFAt~ ~~ SlCtLeafve SqkyareDgq GDFEKCFAt~ ~~ SlCtLeafve SqtyareDgq GDFEKCFD~~ ~~ GrCkrDafva GLSFAQAG GNWADCF~~~ ~~ GRCkrDDfve GLSFarag GNWAECF~~~ ~~ GRCtrDsfvr GLSFarsg GDWAECSA~~ ~~ GRCtrDsfvr GLSFarsg GDWAECFA~~ ~~ GRCklnDfvk GLSWARSG GNWGECFS~~ ~~ GRCKLNDfvk GLSWARSG GNSEQSFS~~ ~~	
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073 A. fumigatus ATCC58128 A. fumigatus ATCC58128 A. fumigatus ATCC26906 A. fumigatus ATCC32239 E. nidulans	GlCtLakfve SqTfarsDga GDFEKCFAts a~ GlCalDkfve SqAyarsGga GDFEKCLAtt v~ GvCtLDafve SqAyarnDge GDFEKCFAt~ ~~ SlCtLeafve SqkyareDgq GDFEKCFD~~ ~~ GvCELsafve SqtyareNgq GDFAKCgfvp se GRCkrDafva GLSFAQAG GNWADCF~~~ ~~ GRCkrDDfve GLSFarag GNWAECF~~~ ~~ GRCtrDsfvr GLSFarsg GDWAECSA~~ ~~ GRCtrDsfvr GLSFarsg GDWAECFA~~ ~~ GRCklnDfvk GLSWarsg GNWGECFS~~ ~~ GRCKLKDfvk GLSWarsg GNSEQSFS~~ ~~ GRCKLLDDWVE GLNFARSG GNWktCfTl~ ~~	
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073 A. fumigatus ATCC32722 A. fumigatus ATCC58128 A. fumigatus ATCC58128 A. fumigatus ATCC32239 E. nidulans T. thermophilus	GlCtLAKFVE SqTFARSDga GDFEKCFAts a~ GlCaLDKFVE SqAYARSGga GDFEKCLAtt v~ GvCtLDAFVE SqAYARNDge GDFEKCFAt~ ~~ SlCtLEAFVE SqKYAREDGQ GDFEKCFD~~ ~~ GVCELSAFVE SQTYARENGQ GDFAKCGfVP se GRCKrDAFVA GLSFAQAG GNWADCF~~~ ~~ GRCKrDDFVE GLSFARAG GNWAECF~~~ ~~ GRCtrDsFVr GLSFARSG GDWAECSA~~ ~~ GRCtrDsFVr GLSFARSG GDWAECFA~~ ~~ GRCKLNDFVK GLSWARSG GNWGECFS~~ ~~ GRCKLDDFVY GLSFARGG GNWKCFT1~ ~~ GRCKTDDFVY GLSFARGG GNWEGCYAAS e~	
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073 A. fumigatus ATCC32722 A. fumigatus ATCC58128 A. fumigatus ATCC58128 A. fumigatus ATCC32239 E. nidulans T. thermophilus T. lanuginosus	GlCtLakfve SqTfarsDga GDFEKCFAts a~ GlCalDkfve SqAyarsGga GDFEKCLAtt v~ GvCtLDafve SqAyarnDge GDFEKCFAt~ ~~ SlCtLeafve SqkyareDgq GDFEKCFAt~ ~~ SlCtLeafve SqkyareDgq GDFEKCFD~~ ~~ GvCELsafve SqTyareNgq GDFAKCgfvp se GRCkrDafva GLSfaqag GNWADCF~~~ ~~ GRCkrDDfve GLSfarag GNWAECF~~~ ~~ GRCtrDsfvr GLSfarsg GDWAECSA~~ ~~ GRCtrDsfvr GLSfarsg GDWAECFA~~ ~~ GRCklnDfvk GLSWarsg GNWGECFS~~ ~~ GRCKLDfvk GLSWarsg GNWGECFS~~ ~~ GRCKLDDWVE GLNFarsg GNWEGCYAas e~ GRCKrDDfvr GLSFarqg GNWEGCYAas e~	
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073 A. fumigatus ATCC32722 A. fumigatus ATCC58128 A. fumigatus ATCC58128 A. fumigatus ATCC32239 E. nidulans T. thermophilus	GlCtLAKFVE SqTFARSDga GDFEKCFAts a~ GlCaLDKFVE SqAYARSGga GDFEKCLAtt v~ GvCtLDAFVE SqAYARNDge GDFEKCFAt~ ~~ SlCtLEAFVE SqKYAREDGQ GDFEKCFD~~ ~~ GVCELSAFVE SQTYARENGQ GDFAKCGfVP se GRCKrDAFVA GLSFAQAG GNWADCF~~~ ~~ GRCKrDDFVE GLSFARAG GNWAECF~~~ ~~ GRCtrDsFVr GLSFARSG GDWAECSA~~ ~~ GRCtrDsFVr GLSFARSG GDWAECFA~~ ~~ GRCKLNDFVK GLSWARSG GNWGECFS~~ ~~ GRCKLDDFVY GLSFARGG GNWKCFT1~ ~~ GRCKTDDFVY GLSFARGG GNWEGCYAas e~	
P. involutus (phyA2) T. pubescens A. pediades P. lycii A. terreus 9a1 A. terreus cbs A. niger var. awamori A. niger T213 A. niger NRRL3135 A. fumigatus ATCC13073 A. fumigatus ATCC32722 A. fumigatus ATCC58128 A. fumigatus ATCC58128 A. fumigatus ATCC32239 E. nidulans T. thermophilus T. lanuginosus	GlCtLakfve SqTfarsDga GDFEKCFAts a~ GlCalDkfve SqAyarsGga GDFEKCLAtt v~ GvCtLDafve SqAyarnDge GDFEKCFAt~ ~~ SlCtLeafve SqkyareDgq GDFEKCFAt~ ~~ SlCtLeafve SqkyareDgq GDFEKCFD~~ ~~ GvCELsafve SqTyareNgq GDFAKCgfvp se GRCkrDafva GLSfaqag GNWADCF~~~ ~~ GRCkrDDfve GLSfarag GNWAECF~~~ ~~ GRCtrDsfvr GLSfarsg GDWAECSA~~ ~~ GRCtrDsfvr GLSfarsg GDWAECFA~~ ~~ GRCklnDfvk GLSWarsg GNWGECFS~~ ~~ GRCKLDfvk GLSWarsg GNWGECFS~~ ~~ GRCKLDDWVE GLNFarsg GNWEGCYAas e~ GRCKrDDfvr GLSFarqg GNWEGCYAas e~	

		GGC	GTC	TTE	CGT	CGTC		ACTO	3TC	CAT	rgco	CAC	CTTC	TTE	CGGT	rtc	CAC			T TACC	20
1	TAC																			ATGG	60
61		TTC									TTG:	rga(CAC!		rgac		rgg'			C ATGT	40 120
01							ATT	\AG2	AGT	3AG	AAC	ACTO	GTG/	ACAZ	ACTO	3CC	ACC	AATO	3GTT	raca _	
121								3TG	GGG'	rac	CTA	CTC:	rcc	ATA	CTT	CTC'	TTT(AGA	E CGAA +	60 180
						AGT	GAA(CAC	CCC	ATG	GAT(GAG	AGG'	TAT(GAA	GAG	AAA	CCG'	rct(3CTT	
107		rgc'				AGA		rcc:	AGA	CGA	CTG	TAG	AGT'	TAC'	TTT(CGT'	TCA.		rtt(S GTCT +	80 240
10/																				CAGA	
047	AGA	ACA		TGC	TAG.	ATA		AAC'	TTC'	TTC'	TGC	GTC'	TAA	GGC'	TTA	CTC	TGC	TTT	GAT'	E IGAA +	300
24 I																				ACTT	300
201										CAA		TAA		CGC						N CAAC	120 360
301																				GTTG	300
		CAC'							GAC	TCC		CGG	TGA		CCA	AAT		TAA		G TGGT	140 420
361																				acca	420
407				CTA	CAG	AAG		CAA	GGC	TTT		TAG	AAA	GAT	TGT	TCC	ATT	CAT		A AGCT +	160 480
421																				TCGA	400
	TC	TGG	TTC	TGA	CAG	AGT		TGC	TTC	TGC	TGA	AAA	GTT	CAT	TGA	AGG	TTT	CCA	ATC	A TGCT	180
481																				acga	540
		GTT	GGC	TGA	'GGC	AGG		TCA	ACC	ACA	CCA	AGC	TTC	TCC	AGT	'TAT	'TAA	CGT	GAT	CATT	200
541																				+ .GTAA	600
				ATC	CGC		CAA	CAA		TTT:	GGA	CCA		TAC				TTT		D AGAC	220
601				-																TCTG	660

Fig. 7a

661								TGA					TGC'							R FAGA	240 720
991																				ATCT	720
								GCC:	AGG	TGT	TAC'	TTT	GAC'		CGA		CGT'		TTA	CTTG	260
721																				GAAC	780
501					TCC		CGA	CAC'	TGT	CGC	TAG	AAC'	TTC'	TGA	CGC'	TAC'				P ICCA	280 840
781																				AGGT	840
	TTC	CTG'		TTT	GTT	CAC	TCA	CGA	CGA	ATG	GAT	CCA	ATA		CTA	CTT	GCA.	AAG		GGGT	300
841																				CCCA	900
	AAC		CTA		TTA	.CGG					ATT	GGG	TCC.	AGC'				TGG'		A CGCT	320
901																				+ GCGA	960
		CGA.						GAC	TCA	.CTC	TCC	AGT	TCA		CCA	CAC		TAC'		H CCAC	340
~~1				_ 1 _																+	1020
961																				GGTG	1020
	TTC T AC	GCT L FTT	TAA D GGA	CTA S CTC	ACG N TAA	P CCC	TAA A 'AGC	CTG T TAC	AGT F TTT	GAG P CCC	AGG L ATT	TCA N GAA	AGT A .CGC	TCT T TAC	GGT L TTT	GTG Y GTA	AAG A .CGC	ATG. D TGA	ATT(F CTT(GGTG S CTCT	360
	TTO T ACT	GCT L FTT	TAA D GGA	CTA S CTC -+-	ACG N TAA	P CCC	TAA A AGC	T TAC	AGT F TTT	GAG P CCC	AGG L ATT +	TCA N GAA	AGT A .CGC	TCT T TAC	GGT L TTT	GTG Y GTA	AAG A .CGC +	ATG D TGA	ATT(F CTT(GGTG S CTCT	
1021	TTC	L TTT AAA D CGA	D GGA CCT N CAA	S CTC -+- GAG	ACG N TAA ATT M TAT	P CCC GGG	TAA A AGC+ TCG S ATC	T TAC ATG	AGT F TTT AAA F	P CCCC .GGG F	AGG L ATT + TAA CGC	TCA N GAA CTT L	AGT CGC GCG G	TCT TAC -+- ATG L	GGT TTT AAA Y GTA	GTG. Y GTA CAT N .CAA	AAG. CGC + GCG G	D TGA ACT T	F CTT GAA K CAA	S CTCT + GAGA P GCCA	360 1080 380
1021	TTO T ACT TGA	L FTT AAA D CGA	D GGA CCT N CAA	S CTC -+- GAG T CAC	ACG N TAA ATT M TAT	P .CCC 'GGG	TAA AGC TCG TCG	T TAC ATG	F TTT AAA F TTT	P CCCC .GGG F	AGG L ATT + TAA A CGC	TCA N GAA CTT L TTTT	AGT A CGC GGGG	TCT TAC -+- ATG L TTT	GGT TTT AAA Y GTA	GTG. Y GTA CAT N CAA	AAG A .CGC + GCG G .CGG	D TGA ACT T TAC	F CTT GAA K CAA	S CTCT + GAGA P GCCA	360 1080
1021	TTO T ACT TGA H CAC GTO	L ITTT AAAA D CGA GCT S GTC	D GGA CCT N CAA GTT T TAC	S CTC -+- GAG .CAC -+- GTG	N TAA ATT M TAT ATA ATA S TTC	P CCC CGGG I CGAT CTA	A AGC TCG SATC TAG	T TAC ATG I TAT ATAT ATA	F TTT AAA F TTT AAA I TAT	GAG P CCC GGG F CTT GAA	L ATT + TAA A CGGC + GCG	N GAA CTT L TTTT AAA	AGT A CGC GCG GGGG CGCC	TCT TAC -+- ATG L TTT -+- AAA G	L TTT AAA Y GTA CAT Y	Y GTA CAT N CAA CAA CTC	AAG CGC + GCG G.CGG + CGCC	D TGA ACT TAC ATG	F CTT GAA CAA GTT W TTG	S CTCT+ GAGA P GCCA+ CGGT T GACT	360 1080 380 1140 400
1021	TTO T ACT TGA H CAC GTO	L TTT AAA D CGA GCT S GTC	D GGA CCT N CAA GTT TAC	S CTC -+- GAG T CAC -+- GTG T T T C-+-	N TAA ATT M TAT ATA ATA S TTC	P CCCC CGGG I CGAT CTA V	A AGC+ TCG S ATC+ TAG E TGA	T TAC ATG I TAT ATAT ATAT ATAT ATAT S ATA	F TTT AAA F TTT AAAA I TAT	P CCCC GGGG F CTT GAA E	L ATT + TAA A CGC + GCG E AGA	N GAA CTT L TTTT AAA T AAC	AGT A CGGC GGCG G GGGG CCCC D TTGA	TCT TAC -+- ATG L TTT -+- AAA G CGGG -+-	L TTTT AAAA Y GTA CAT Y TTA	GTG. Y GTA CAT N CAA GTT S CTC	AAG A CGC+ GCG G CGG+ GCC A TTGC	D TGA TAC TAC TAC TTAC TTAC TTAC TTAC	F CTT GAA CAA GTT W TTG	S CTCT+ GAGA P GCCA+ CGGT T GACT	360 1080 380 1140
1021 1081 1141	TTO T ACT TGA H CAO GTO L TTO AAO V GTT	L TTT AAA D CGA GCT S GTC CAG	D GGA CCT N CAAA GTT TAC ATG F ATT	S CTC -+- GAG CAC -+- GTG T TAC -+- ATG A CGCC	ACG N TAA ATT M TAT ATA S TTC AAAG A	P CCCC CGGG I CGAT CTA V V V TGT FACA	A A AGC+ TCG S ATC+ TAG E TGA+ ACT A	TTAC ATG I TATAT ATAT S ATC TTAG	F TTT AAA F TTTT AAA I TAT ATA V CGT	P CCCC GGG F CTT GAA E ACT ACT E	AGG L ATT + TAA A CGC GCG E AGA + TCT M AAT	N GAA CTT L TTT AAA T AAC TTG	AGT A CGCC GGGG GGGG CCCC D TGA ACT ACT Q GGCA	TCT TAC -+- ATG L TTTT -+- AAA G CGGG -+- GCCC C ATG	L TTT AAA Y GTA CAT TTA AAT Q TCA	GTG Y GTA CAT N CAA GTT S CTC GAG A	AAG A CGC+ GCG G CGGG+ GCCC A TGC+ ACGC E	D TGA ACT T TAC ATG S TTC AAG K AAA	F CTT GAA CAA CAA GTT W TTG AAC E GGG	S CTCT+ GAGA P GCCA+ CGGT T GACT+ CTGA P	360 1080 380 1140 400 1200
1021 1081 1141	TTO T ACT TGA H CAO GTO L TTO AAO V GTT	L TTT AAA D CGA GCT S GTC CAG	D GGA CCT N CAA GTT TAC ATG F ATT	S CTC -+- GAG CAC -+- GTG T TAC -+- ATG A CCGC -+-	ACG N TAA ATT M TAT ATA S TTC AAAG	P CCCC CGGG I CGAT CTA V V TGGI CTA	A AGC+ TCG S ATC+ TAG E TGA+ ACT A AGC+	TTAC ATG I TATAT ATAT S ATC TTAG Y	FTTT AAA FTTTT AAA ITTTT AAA V CGT	P CCCC GGG F CTT GAA E TTGA ACT E	AGG L ATT + TAA A CGGG + GCG TCT M AAT +	N GAA CTT L TTTT AAA T AAC TTTG	AGT A CGCC GGGG GGGG TTGA A CCCC D CGCC D CGCC CCCC CCCC CCCC CCCC CCCC CCCC CCCC	TCTTTACC-+-ATGCGGGCCCATGGCTATGCTTTTT-+-CAAAACCGGCCCCATGCCCATGCCCATGCCATGCTTTTTTTT	GGT L TTTT AAA Y GTA CAT Y TTA AAT Q TCA	GTG Y GTA CAT N CAA GTT S CTC GAG A AGC	AAG A CGC+ GCG G CGGG+ GCCC A TGCC+ ACGC+ TGCC	D TGA ACT T TAC ATG S TTC AAGG K AAA	F CTT GAA CAA CAA GTT W TTG AAC E GGA	S CTCT+ GAGA P GCCA+ CGGT T GACT+ CTGA P	360 1080 380 1140 400 1200
1021 1081 1141 1201	TTO T ACT TGA H CAO GTO L TTO AAO V GTT CA	L ITTT AAA D CGA GCT S TCC CAG V GGT	D GGA CCA GTT TAC ATG F ATT TAA R R TAG	S CTC -+- GAG CAC -+- GTG T TAC -+- ATG ATG V AGG	N TAAAATA S TTCCAAAG	P CCCC I CGAT CTA V CTGT R CTA CTA V CTGT CTA CTA CTA CTGT CT	A A AGC+ TCG S ATC+ TAG E TGA+ ACT A HAGC TCG N	TTAC ATG I TTAT ATAT ATAT ATAT SATA TTAG Y TTAG ACGA	F TTTT AAA F TTTT AAA I TTAT ATAT CGT GCA	P P P P P P P P P P P P P P P P P P P	AGG L ATT + TAA A CGC GCG AGA + TCT M AAT + TTA	YCA N GAA CTT L TTT AAA T AAC TTG M GGAT CTA	AGT A CGCC GGGG GGGG CCCC D TTGA ACT ACT ACT L CATT	TCT TAC -+- ATG L TTT -+- AAA G CGG -+- GCC C ATG -+- TAC H	GGT L TTTT AAA Y GTA CAT Y TTA AAT Q TCA AGT G CGG	GTG. Y GTA CAT N CAA GTT S CTC GAG A AGC TCG C C TTCG	AAG A CGCC+ GCG G CGGG+ GCCC A TTGCC+ GACG A TTGA TTGA A GATTGC A	D TGA ACT TAC TAC ATG STTC AAAA TTTT V TTGT	F CTT GAA CAA CAA GTT W TTG GGA C GGA C CCT D	S CTCT+ GAGA P GCCA+ CGGT T GACT+ CTGA P ACCA+ TGGT K CAAG	360 1080 380 1140 400 1200

Fig. 7b

		_		_				D .CGA												G TGGT	460
1321		~ - -		-+-	-	- 	+				+			-+-		-	+	-		+	1380
	AA	CCC	ATC'	TAC.	ATT	CTC	TCT	GCT	GAA	GCA	ACT	TCC	AAA	CAG.	AAA	GCG	ATC	TAG	ACC	ACCA	
	N	W	Α	\mathbf{E}	C	F	A	*		467											
	AΑ	CTG	GGC'	TGA.	ATG	TTT	'CGC	TTA	A												
1381				- + -				~ .	_ 1	41 n											

TTGACCCGACTTACAAAGCGAATT

	M G V F V V L L S I A T L F G S T S G T ATGGGCGTGTTCGTCGTGCTACTGTCCACTTGTTCGGTTCCACATCCGGTAC	20 C
1	TACCCGCACAAGCAGCACGATGACAGGTAACGGTGGAACAAGCCAAGGTGTAGGCCATG	
<i>c</i> 1	A L G P R G N S H S C D T V D G G Y Q C GCCTTGGGTCCTCGTGGTAACTCTCACTCTTGTGACACTGTTGACGGTGGTTACCAATG	
0.1	CGGAACCCAGGAGCACCATTGAGAGTGAGAACACTGTGACAACTGCCACCAATGGTTAC	
	F P E I S H L W G \underline{T} Y S P F F S L A D E TTCCCAGAAATTTCTCACTTGTGGGGTACATACTCTCCATTCTTCTCTTTGGCTGACGA	
121	AAGGGTCTTTAAAGAGTGAACACCCCATGTATGAGAGGTAAGAAGAGAAACCGACTGCT	
	S A I S P D V P K G C R V T F V Q V L S TCTGCTATTCTCCAGACGTTCCAAAGGGTTGTAGAGTTACTTTCGTTCAAGTTTTGTC	
181	AGACGATAAAGAGGTCTGCAAGGTTTCCCAACATCTCAATGAAAGCAAGTTCAAAACAG	
0.47	R H G A R Y P T S S \underline{A} S K \underline{A} Y S A L I E AGACACGGTGCTAGATACCCAACTTCTTCTGCGTCTAAGGCGTACTCTGCTTTGATTGA	
241	TCTGTGCCACGATCTATGGGTTGAAGAAGACGCAGATTCCGCATGAGACGAAACTAACT	
201	A I Q K N A T A F K G K Y A F L K T Y N GCTATTCAAAAGAACGCTACTGCTTTCAAGGGTAAGTACGCTTTCTTGAAGACTTACAA	
301	CGATAAGTTTTCTTGCGATGACGAAAGTTCCCATTCATGCGAAAGAACTTCTGAATGTT	
261	Y T L G A D D L T P F G E Q Q M V N S G TACACTTTGGGTGACGACTTGACTCCATTCGGTGAACAACAAATGGTTAACTCTGG	
361	ATGTGAAACCCACGACTGCTGAACTGAGGTAAGCCACTTGTTGTTTACCAATTGAGACC	
407	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
421	TAATTCAAGATGTCTTCTATGTTCCGAAACCGATCTTTCTAACAAGGTAAGTAA	
401	S G S D R V I A S A E K F I E G F Q S A TCTGGTTCTGACAGAGTTATTGCTTCTGCTGAAAAGTTCATTGAAGGTTTCCAATCTGC	_
481	AGACCAAGACTGTCTCAATAACGAAGACGACTTTTCAAGTAACTTCCAAAGGTTAGACG	
E 4 1	K L A D P G A N P H Q A S P V I N V I I AAGTTGGCTGACCCAGGTGCTAACCCACCCAAGCTTCTCCAGTTATTAACGTTATTAT	
3 4 I	TTCAACCGACTGGGTCCACGATTGGGTGTGGTTCGAAGAGGTCAATAATTGCAATAATA	
	P E G A G Y N N T L D H G L C T A F E E CCAGAAGGTGCTGGTTACAACAACACTTTGGACCACGGTTTGTGTACTGCTTTCGAAGA	
601		

Fig. 8a

			TT	GGT	rga(CGA		rgaz	AGC'	TAA	CTT	CAC'	rgc'	TGT'	TTT	CGC'	TCC:			R PAGA	240
661																				ATCT	720
		[AG						GCC2	AGG'		TAA	CTT	GAC'		CGA.		CGT		TAA	CTTG	260
721	CGZ	ATC:	 CAA	- + - · CCT	rcg	AGT	+ GAA	 CGG'	 FCC	ACA	+ ATT	GAA	CTG	-+- ACT	GCT	TCT	+ GCA	ACA	 ATT(GAAC	780
	ATO			GTG.		ATT	CGA	CAC'	TGT		TAG.	AAC'	TTC	TGA	CGC		TCA	ATT	GTC'	P TCCA	280 840
781																				AGGT	040
	TTC		rga(CTT	GTT	CAC	TCA	CGA	CGA	ATG	GAT	TCA	ATA	CGA	CTA	CTT	GCA	ATC		GGGT	300 900
841																				CCCA	900
	AA	GTA		CGG'	TTA	CGG	TGC	TGG		.CCC	ATT	GGG	TCC	AGC				TGG		V CGTT	320
901																				+ GCAA	960
		CGA								CTC		AGT	TCA	AGA	CCA	CAC	TTC	TAC	TAA	H CCAC	340
961		TTGCTTAACTAACGATCTAACTGAGTGAGAGGTCAAGTTCTGGTGTGAAGATGATTGGTG															1020				
		$_{ m TTT}$	GGA				'AGC	TAC		CCC	'ATT		CGC	'TAC	TTT:		CGC	TGA		S CTCT	360
1021																				+ GAGA	1080
		CGA			TAT	GGT	TTC	TAT	TTT	CTT	CGC	TTT:	'GGG	TTT	GTA	CAA	CG0		TAA	P GCCA	380
1081																				CGGT	1140
	TT	GTC	TAC	TAC	TTC	TGT	TGA	ATC	'TAT	TGA	AGA	AAC	TGA	ACG(TTF	CTC	TGC	TTC	TTG	T GACT	
1141																				+ CTGA	1200
	GT	TCC	TTA!	'CGC	TGC	TAC	BAGC	TTP	\CGT	rtg <i>f</i>	LAA!	'GA'	rgc <i>i</i>	ATC	FTGI	AAGC	CTGI	AAA	AGGA	ACCA	420
1201																				+ TGGT	1260
	TT	'GGT	'TAG	AGT	TTT	GGT	TAZ	ACGF	ACAC	GAGT	r T G7	CTC	CAT	rgcz	ACGO	3TTC	GTG(GTG7	TGA	CAAG	
1261																				+	1320

Fig. 8b

	L	G	R	С	K	R	D	D	F V	E	G	L	S	F	A	R	S	G	G	460
		TTGGGTAGATGTAAGAGAGACGACTTCGTTGAAGGTTTGTCTTTCGCTAGATCTGGTGGT																		
1321	- -			-+-		-	+		- -	-+-			-+-			+	-		+	1380
	AA	CCC	ATC'	TAC.	ATT	CTC	TCT	GCT(GAAGC2	AAC'	TTCC	AAA	CAG	AAA	.GCG	ATC	TAG	ACC	ACCA	
	N	W	E	E	С	F	Α	*	46'	7										
	AA	AACTGGGAAGAATGTTTCGCTTAA																		
1381				- + -			+		- 1404	4										
	TT	GAC	CCT	TCT	TAC	AAA	.GCG	AAT'	Г											

																		S ATC		T CACT	20
1																				+ GTGA	60
		3CT(CCG'		AAA'		CTC	CAA	GTC	CTG		TAC	GGT.	AGA				Q CCAG	40
61																				+ GGTC	120
101	TG		CCC'		GAC'		TCA	TCT.	ATG	GGG	CAC	GTA		GCC	ATa	CTT	TTC	GCT	CGA	D GGAC	60
121																				+ CCTG	180
			GTC(GTC		TAA		TCC	CAA	GGA	TTG	CCG	GAT	CAC	CTT	GGT		GGT	GCTA	80
181																				+ CGAT	240
247		GCG(CCA'		AGC	GCG	GTA	CCC	AAC	CAG	CTC	CAA	GAG	CAA	AAA	GTA	TAA		GCT	_ TaTt	100
241																				+ AtAa	300
	AC		3AT	CCA		CAA	TGC	CAC	CGA	CTT	CAA	GGG		GTa	cGC	CTT	TTT	'GAA	GAC	Y GTAC	120
301		TGCCGCTAGGTCCGGTTACGGTGGCTGAAGTTCCCGTTCAtgCGGAAAAACTTCTGCATG															360				
	AA	CTA'	TAC'	TCT		TGC	GGA	TGA	CCT	CAC	TCC	CTT		GGA	GCA	GCA	GCT		GAA	S CTCG	140
361																				+ GAGC	420
407		CAT	CAA	GTT		CCA	GAG	GTA	CAA	.GGC	TCT	GGC		CAG'	TGT	GGT	GCC	GTT	TAT	R TCGC	160
421																				AGCG	480
401	GC	CTC	AGG	CTC	GGA	CCG	GGT	TAT	TGC	TTC	GGG	AGA	GAA	GTT	CAT	CGA	.GGG	GTT	CCA	Q .GCAG	
481																				+ CGTC	540
E 4.1	GC	GAA	GCT	GGC	TGA	TCC	TGG	CGC	GAC	GAA	.CCG	CGC	CGC	TCC	GGC	GAT	TAG	TGT	GAT	I TATT	
541																				+ ATAA	600
		GGA		CGA		GTT	CAA		TAC	GCT	'GGA	.CCA	.CGG	TGT	GTG	CAC	GAA		'T'GA	.GGCG	220
601																				+ 'CCGC	660

Fig. 9a

	AGI	Q CAC	CTC	GG <i>I</i>	GAI	GAG	GTT	GCG	GCC	'AA'	TTC	CACT	rgco	CTC	CTT	rgc <i>i</i>	ACC(D CGA	CATO	CCGA	240
661	TCF	GT(CGAC	-+ CCC1	CTF	 ACTO	CCAZ	ACG(CCGC	- 3TT <i>I</i>	AAA	TGZ		GAC	 BAA?	ACG:	rgg(GCT(TAC	GGCT	720
	GC1	CGC	ct	CGAC	K BAAC	CA?	CT:	rcc:	rggc	CGTC	ACC	CTC	3ACI	\GA(CGAC	GGA(CGT	V TGT(CAG:	L CTA	260
721	CGZ	AGC(ga(-+ 3CT(CTTC	CGTA	+ \GA	AGG?	ACCC	CAC	r CTG(CGA	CTG:	-+ CCTC	GCT(CCT	+ GCA	ACA(TC	+ AGAT	780
	M ATC	GA(CATO	GTG:	P CCC	TT:	rga:	raco	GT/	AGC(3CG(CAC	CAG	CGA	CGCZ	AAG	Q TCA	GCT(S GTC	P ACCG	280
781				-+-		-	+		- -	- -	+ -			-+	- ·		+			rggc	840
		C CTG:			F CTTC															G GGGC	300
841				-+-			+			- -	+			-+-		-	+	-		+ CCCG	900
	AA	GTA	CTA	CGG		CGG	CGC.	AGG	CAA	CCC'	rcT(GGG.	ACC	GGC'	TCA	GGG	GAT.	AGG	GTT	CACC	320
901																				+ GTGG	960
	AA	CGA	GCT	GAT'	A TGC	CCG	GTT	GAC	gCG'	TTC	GCC.	AGT	GCA	GGA	CCA	CAC	CAG	T CAC	N TAA	S CTCG	340
961																				+ GAGC	1020
	AC	L TCT	AGT	S CTC	CAA	CCC	GGC	T CAC	CTT	CCC	GTT	N GAA	CGC	TAC	CAT	GTA	V .CGT	CGA	F CTT	TTCA	360
1021																				+ AAGT	1080
	H CA	_		S .CAG		V GGT							G GGG			N .CAA			E TGA	P ACCC	380
1081																				+ TGGG	1140
																				V GGTG	
1141																				+ CCAC	1200
	•	P GCC			A CGC															P AGCCT	420
1201																				CGGA	1260
								_												K ACAAG	
1261																				+	1320

	L	G	R	C	K	\mathbf{L}	\mathbf{N}	D	F V	K	G	L	S	W	Α	R	S	G	G	460
	CTGGGGCGATGCAAGCTGAATGACTTTGTCAAGGGATTGAGTTGGGCCAGATCTGGGGGC																			
1321				-+-			+			+			-+-			+			+	1380
	GA	CCC	CGC'	TAC	GTT	CGA	CTT	ACT	JAAACA	GTT	'CCC	TAA	CTC	AAC	:CCG	GTC	TAG	ACC	CCCG	
	N	W	G	E	C	F	S	*	467											
	AACTGGGGAGAGTGCTTTAGTTGA																			
1381				-+-			+		- 1404											
	ጥጥር እር ር ር ር ር ጥር ጊር ር ሲል እር ጥር እር ር ር ር ር ር ር ር ር ር ር ር ር ር ር ር																			


	CP-1	-																			
	E	co	RI	M	G	V	F	V	V	L	L	S	I	A	${f T}$	L	F	G	S	T	
	TATA	TGA	ATI	<u>'CAT</u>	<u>G</u> GG	CGT	GTT	CGT	CGT	GCT.	ACT	GTC	CAT	TGC	CAC	CTT	GTT	CGG	TTC	CA	
1			+	-			+			-+-			+				+			-+	60
	ATAT	ACT	'TAA	GTA	CCC	GCA	CAA	GCA	GCA	CGA	TGA	CAG	GTA	ACG	GTG	GAA	CAA	GCC.	AAG	ЭT	
	S	G	т	Α	L	G	P	R	G	N	S	н	s	C	D	т	V	D	G	G	
	CATC	'CGG	TAC																		
61																					120
01	GTAG																				120
	GIAC		-2	IGCG	GAA		AGG.	AGC.	ACC	A.	AAG.	AG I	GAG	AAC	ACI	GIG	ACA	ACI	GCC		
		CP		a n	_																
		_		CP-	_	_	_	_		_		~	_		_	_		_	_	_	
	Y	~		F							W		-				Y				
	GTTA																				
121																					180
	CAAT	GGT	TAC	AAA	GGG	TCT	TTA	AAG.	AGT	GA A	CAC	CCC	AGT	TAT	GAG.	AGG	TAT	GAA	GAG	AA	
	E	D	E	S	A	I	S	P	D	V	P	D	D	С	R	V	\mathbf{T}	F	V	Q	
	TGGA	AGA	CGA	ATC	TGC	TAT'	TTC	TCC.	A GA	CGT	TCC.	AGA	CGA	CTG	TAG	AGT	TAC	TTT	CGT	ГC	
181			+				+			-+-			+				+			-+	240
	ACCI	TCT	GCT	'TAG	AC G	ATA	AAG.	AGG'	TCT	GCA	AGG'	TCT	GCT	GAC	ATC	TCA	ATG	AAA	GCA:	AG	
						CP-	4.7														
							C	P-5	. 7												
	V	L	S	R	H	G	A	R	Y	P	T	D	s	K	G	K	K	Y	S	Α	
	AAGT	TTT	GTC	TAG	ACA	CGG'	TGC	TAG.	ATA	CCC	AAC	Tga	cTC	TAA	- Ggg	tAA	- Gaa	gTA	CTC:	ГG	
241												_						_			300
	TTCA	AAA	CAG	ATC	TGT	GCC.	ACG.	ATC'	TAT	GGG	TTG.	Act	aAG.	ATT	Ccc	aTT	Ctt	cAT	GAG	AC	
													_								
	L	I	E	Α	I	0	K	N	Α	т	А	F	ĸ	G	K	Y	A	F	L	K	
	CTTI	'GAT	TGA	AGC	TAT	_															
301																					360
	GAAA																				
									CP											_	
									-	-	CP-	7									
	т	Y	N	v	т	L	G	Δ	D			-	D	ਜ	G	F	N	0	М	7.7	
	AGAC	_																~		•	
361																					420
301	TCTG																			-	420
	1010	444	GII	GAI	G1 G			ACG.	ACI	GCI	GAA	CIG	agg	ınn	GCC.	ACI	T 1 1	GGı	I IA	٠٠	
	NT	c	G	_	v	-	v	ъ	ъ	v	T/	71.	т	71	ъ	77	т	7.7	Þ	173	
													_					-	_	-	
401	TTAA																				
421																					480
	TTAA	GAG	ACC	ATA	ATT	CAA	GAT	GTC	TTC	TAT	GTT				ATC	TTT	CTA	ACA	AGG'	ľA	
												GP.	-8.	_	_						
	_	_	_	_	~	~	_	_		_	_	_		CP-			_	_	-		
	T	K K	A	S	G	S	<u> </u>	R	V	1	A	S	A	E	K	F	I	E	G	F	
4.0.7	TCAT																				
481																					540
	AGTA	ATC	TCG	AAG	ACC	AAG.	Aag	aTC	TCA	ATA	ACG.	AAG	ACG	ACT	TTT	CAA	GTA	ACT	TCC	AA	
																			I		
	TCCA																				
541																					600
	AGGI	TAG	ACG	ATT	CAA	CCG.	ACT	GGG	TCC	AAG	AGT	TGG	TGT	GGT	TCG	AAG	AGG	TCA	ATA	AC	

Fig. 10a

	CP-10.7	
	CP-11.7	
	VII <u>SEASS</u> YNNTLDPG I CTA	
	ACGTTATTATTtctGAcgctTCTtctTACAACAACACTTTGGACccaGGTACTTGTACTG	
601	+	
001		660
	TGCAATAATAAagaCTgcgaAGGagaATGTTGTTGTGAAACCTGggtCCATGAACATGAC	
	FEDSEL <u>A</u> D <u>T</u> VEANFTALFAP	
	CTTTCGAAGACTCTGAATTGgctGACactGTTGAAGCTAACTTCACTGCTTTGTTCGCTC	
661		720
	GAAAGCTTCTGAGACTTAACcgaCTGtgaCAACTTCGATTGAAGTGACGAAACAAGCGAG	
	CP-12.7	
	<u> </u>	
	AIRARLEADLPGVTLTDTEV	
701	CAGCTATTAGAGCTA GATTGGAAGCTGACTTGCCAGGTGTTACTTTGACTGACactgaaG	
721		780
	GTCGATAATCTCGATCTAACCTTCGACTGAACGGTCCACAATGAAACTGACTG	
	<u>CP-13.7</u>	
	TYLMDMCSFETVARTSDATE	
	TTactTACTTGATGGACATGTGTtctTTCGAAACTGTTGCTAGAACTTCTGACGCTACTG	
781	+	840
	AAtgaATGAACTACCTGTACACAagaAAGCTTTGACAACGATCTTGAAGACTGCGATGAC	040
	ANOGANIGACIACO I GIACARCA I CI I GAAGACI GCGAI GAC	
	LSPFCALFTHDEWRHYDYLQ	
	AATTGTCTCCATTCTGTGCTTTGTT CACTCACGACGAATGGAGACacTACGACTACTTGC	
841	+	900
	TTAACAGAGGTAAGACACGAAACAAGTGAGTGCTTACCTCTgtgATGCTGATGAACG	
	CP-14.7	
	CP-15.7	
	S L K Y Y G H G A G N P L G P T Q G V	
	AATCTTTGaagAAGTACTACGGTcacGGTGCTGGTAACCCATTGGGTCCAactCAAGGTG	
901	+	0.50
201		960
	TTAGAAACttcTTCATGATGCCAgtgCCACGACCATTGGGTAACCCAGGTtgaGTTCCAC	
	G F A N E L I A R L T R S P V Q D H T S	
	TTGGTTTCGCTAACGAATTGATTGCTAGATTGACTAGATCTCCAGTTCAAGACCACACTT	
961	+	1020
	AACCAAAGCGATTGCTTAACTAACGATCTAACTGATCTAGAGGTCAAGTTCTGGTGTGAA	
	CP-16	
	CP-17.7	
	T N H T L D S N P A T F P L N A T L Y A	
	CTACTAACCACACTTTGGACTCTAACCCAGCTACTTTCCCATTGAACGCTACTTTGTACG	
1021		1000
	GATGATTGGTGTGAAACCTGAGATTGGGTCGATGAAAGGGTAACTTGCGATGAAACATGC	1000
	D F S H D N G I I S T F F A T. G T. V N G	
1001	CTGACTTCTCACGACAACggtattATTTCTATTTTCTTCGCTTTGGGTTTGTACAACG	
TOST		1140
	GACTGAAGAGAGTGCTGTTGccataa TAAAGATAAAAGAAGCGAAACCCAAACATGTTGC	
	<u>CP-18.7</u>	
	CP-19.7	
	TAPLSTTSVESIEETDGYSS	
	GTACTGCTCCATTGTCTACTACTTCTGTTGAATCTATTGAAGAAACTGACGGTTACTCTt	
1141	+	1200
	CATGACGAGGTAACAGATGAAGACAACTTAGATAACTTCTTTGACTGCCAATGAGAa	1200
	· · · · · · · · · · · · · · · · · · ·	

Fig. 10b

		A	W	\mathbf{T}	V	P	F	A	<u>s</u>	R	A	Y	V	E	M	M	Q	C	Q	A	E	
	ct	_ gct	TG	GAC	TGT'	TCC	TTA	Cgc	tte	tAG2	AGC'	TA(CGTI	rga.	AAT	GAT(GCA.	ATG'	TCA	AGC	TG	
1201																						1260
													G CA									
	5	- 5-						_	_				CP-									
															CP-	21						
		v	ъ.	D	т.	7.7	Ð	77	т.	7.7	N	מ	R	7.7	77	 Р	т.	н	G	C	Δ	
													CAG									
1261																						1320
1201													GTC:									1320
	TT	1.1.0	CT	TGG	TAA	CCA	AIC	rCA.	HAR	CCA	HII	3611	GIC.	LCA	ACA	AGG	IAA	CGI	GCC	AAC	AC	
			_		_	~	_	~	7.5	_	_	_	_	7.7	-	~	-		73	70.	_	
		•	_		_	_	-						F									
													CTT									
1321																						1380
	GΑ	CAZ	4CT	GTT	CAA	CCC	ATC'	rac.	TTP	CTC'	rcr(GCT(GAA(3CA	ACT	TCC.	AAA	CAG	AAA	GCG	AT	
																C	P-2	2				
		S	G	G	N	W	Α	E	С	F	Α	*	Eco	o R	I							
	GA	TC:	rgg	TGG	TAA	CTG	GGC'	TGA:	ATG'	rtt(CGC'	Γ <i>TA</i> .	AGA!	TT	CAT	ATA						
1381				+				+			-+-		_ .	+			14	26				
	СT	AG	עכר	ACC	יייי ב	GAC	CCG	ACT'	rac:	A A A	GCG:	ידבב	тСт	ra a	GTA	TAT						







Fig. 11






Fig. 12




Fig. 13





Fig. 14






Fig. 15




Fig. 16





Fig. 17







Fig. 18






Fig. 19




Fig. 20

1	MGVFVVLLSI	ATLFGSTSGT	ALGPRGNSHS	CDTVDGGYQC	FPEIS <u>SN</u> WSP
51	YSP <u>Y</u> FSLADE	SAISPDVPKG	CRVTFVQVL <u>Q</u>	RHGAR <u>F</u> PTS <u>G</u>	A <u>ATRI</u> SALIE
101	AIQKNATAFK	GKYAFLKTYN	YTLGADDL <u>V</u> P	FG <u>AN</u> Q <u>SSQA</u> G	IKFYRRYKAL
151	ARKIVPFIRA	sgsdrvi <u>d</u> sa	TNWIEGFQSA	KLADPGANPH	QASPVINVII
201	PEGAGYNNTL	DHGLCTAFEE	SELGDDVEAN	FTAVFAPPIR	ARLEAHLPGV
251	NLTDEDVVNL	MDMCPFDTVA	RTSDAT <u>E</u> LSP	FCDLFTHDEW	IQYDYL <u>GD</u> LD
301	KYYG <u>T</u> GAGNP	LGPAQGVGFV	NELIARLTHS	PVQDHTSTNH	TLDSNPATFP
351	LNATLYADFS	HDNTMV <u>A</u> IFF	ALGLYNGTKP	LSTTSVESIE	ETDGYSASWL
401	VPF <u>S</u> AR <u>M</u> YVE	MMQCEAEKEP	LVRVLVNDRV	VPLHGCGVDK	LGRCKRDDFV
451	EGLSFARSGG	NWEECFA			




Fig. 22a




Fig. 22b

1081		-		-+-			+		-		+			-+-			+			GCCA + CGGT	1140
	Н	D	N	T	М	I	s	I	F	F	A	L	G	L	Y	N	G	Т	K	P	-
1141				-+-		-	+			-	+	 -		-+-			+		-	GACT + CTGA	1200
	L	s	т	Т	s	V	Е	s	I	E	E	T	D	G	Y	s	A	s	W	Т	-
1201				-+-			+				+	-		-+-			+		-	ACCA + TGGT	1260
	V	P	F	A	A	R	A	Y	v	E	M	M	Q	С	Q	A	E	ĸ	E	P	-
1261				-+-			+	-		-	+			-+-	-		+			CAAG + GTTC	1320
	L	v	R	V	L	V	N	D	R	V	v	P	L	н	G	С	A	v	D	ĸ	-
1321				-+-			+				+		 -	-+-	 -	-	+	-		TGGT + ACCA	1380
	L	G	R	С	K	R	D	D	F	V	E	G	L	s	F	A	R	s	G	G	-
1381		CTG(GAC(-+-			+		- 14	404											
			_	_		_	_														

-																				TACC	
1																				+ ATGG	60
	M	G	v	F	V	v	L	L	s	I	A	Т	L	F	G	s	${f T}$	s	G	Т	-
61																				ATGT	120
																				TACA	120
	A	L	G	P	R	G	N	s	H	s	С	D	Т	V	D	G	G	Y	Q	С	-
121																				.CGAA	180
																				GCTT	100
	F	P	E	I	s	Н	L	W	G	T	Y	s	P	Y	F	s	L	A	D	E	-
181																				GTCT	240
																				CAGA	240
	s	A	I	s	P	D	V	P	K	D	С	R	v	Т	F	V	Q	v	L	s	_
241																				TGAA	300
																				ACTT	300
	R	Н	G	A	R	Y	P	Т	s	s	A	s	K	A	Y	s	A	L	I	E	-
301	GC'	ΓΑΤ'.																		CAAC	360
	CG	ATA	AGT"	rtt(CTT	GCG2	ATG	ACG.	AAA	GTT	CCC.	ATT	CAT	GCG	AAA	GAA	.CTT	CTG	AAT	GTTG	
	A	Ι	Q	K	N	A	Т	A	F	K	G	K	Y	A	F	L	K	Т	Y	N	-
361																				TGGT	420
	AT(GTG2)AA	CCC	ACG	ACT	GCT(GAA	CTG	AGG'	TAA	GCC.	ACT	TTT	GGT	TTA	.CCA	ATT	GAG.	ACCA	
	Y	_	L	_		D						G					V		s	_	-
421				-+-			+	-		- .	+	-		-+-		- 	+			AGCT	480
	TAZ																	GTA	ATC	TCGA	
	Ι					R													R		-
481				-+-			+	-			+	-	-	-+-			+			TGCT	540
															ACT	TCC	AAA	GGT	TAG.	ACGA	
	S	G	S	D	R	V	I	A	S	A	Ε	K	F	I	E	G	F	Q	S	Α	-

Fig. 23a




Fig. 23b

1081 GT H 1141 AA L 1201 CA V 1261 AA L 1321 AA L																			GCCA	1140	
	GT(GCT(3TT	GTG2	ATA	CTA	TAG.	АТА	AAA	GAA	GCG	AAA	CCC	AAA	CAT	GTT	GCC.	ATG	GTT	CGGT	
	H	D	N	T	M	Ι	S	Ι	F	F	A	L	G	L	Y	N	G	Т	K	P	-
1141																				GACT	1200
																	-			CTGA	1200
	L	s	Т	т	s	v	E	s	I	E	E	Т	D	G	Y	s	A	s	W	Т	-
1201																				ACCA	1260
1201																				TGGT	1200
	V	P	F	A	A	R	A	Y	v	E	M	M	Q	С	Q	A	E	K	E	P	-
1261										-										CAAG	1320
1101																				GTTC	1320
	L	V	R	v	L	v	N	D	R	V	V	P	L	H	G	C	A	v	D	K	-
1321																				TGGT	1380
																				ACCA	1300
	L	G	R	C	K	R	D	D	F	V	E	G	L	s	F	A	R	ន	G	G	-
1381		CTG								404											
		GAC		-					_												
		F.7	70		~	_	_														




Fig. 24a

																				TATT	COO
541																				+ ATAA	600
	ĸ	L	A	D	P	G	Α	N	P	Н	Q	A	s	P	V	I	N	v	I	I	_
601																				AGAA	660
001																				TCTT	
	P	E	G	A	G	Y	N	N	T	L	D	H	G	L	С	Т	A	F	E	E	-
661																				TAGA	720
001																				ATCT	, _ ,
	S	T	L	G	D	D	v	E	A	N	F	Т	A	V	F	A	P	P	I	R	-
721																				CTTG	780
	CG	ATC'	raa(CCT'	TCG.	AGT	GAA	CGG	TCC	ACA	ATT	GAA	.CTG	ACT	GCT	TCT	'GCA	ACA	ATT	GAAC	
	A	R	L	E	A	H	Ь	P	G	V	N	L	Т	D	E	D	V	V	N	L	-
781																				TCCA	840
	TA	CCT	GTA(CAC.	AGG	TAA	GCT	GTG	ACA	ACG	ATC	TTG	AAG	ACT	GCG	ATC	AGT	'TAA	.CAG	AGGT	
	M	D	М	С	P	F	D	T	V	A	R	T	s	D	A	Т	Q	L	S	P	-
841				-+-			+				+			-+-			+			GGGT + CCCA	900
	F	С	D	L	F	т	Н	D	E	W	I	Q	Y	D	Y	L	Q	s	L	G	_
																				CGTT	
901																				GCAA	960
	ĸ	Y	Y	G	Y	G	A	G	N	P	L	G	P	A	Q	G	v	G	F	V	-
961																				CCAC	1020
701				•																GGTG	1020
	N	E	L	I	A	R	L	т	Н	s	P	v	Q	D	Н	T	s	Т	N	Н	-
L021																				CTCT	1080
	TG	AAA	CCT	GAG	ATT	'GGG	TCG	ATC	AAA	'GGG	TAA	CTI	:GCG	ATO	JAA <i>F</i>	CAT	rgce	ACT	GAA	GAGA	
	m	т	Τ.	C	ЪT	ъ	70	m	177		-	ът	7.		Ψ.	37	71	-	-	~	

Fig. 24b

1081																				GCCA	1140
1001																				CGGT	1140
	Н	D	N	Т	M	V	ន	I	F	F	A	L	G	L	Y	N	G	T	K	P	-
1141				-+-			+				+			-+-			+			_	1200
	AA	CAG	ATG.	ATG.	AAG.	ACA	ACT	TAG	ATA	ACT	TCT	TTG	ACT	GCC	AAT	GAG	ACG	AAG.	AAC	CTGA	
	L	s	Т	Т	s	V	E	s	I	E	E	T	D	G	Y	s	A	s	M	Т	-
1201																				ACCA	1260
	CA	AGG'	TAA	GCG.	ACG.	ATC	TCG	TAA	GCA	ACT	TTA	CTA	.CGT	TAC	ACT	TCG	ACT	TTT	CCT	TGGT	
	V	P	F	A	A	R	A	Y	V	E	M	M	Q	С	Ε	A	E	K	E	P	-
1061																				CAAG	1220
1261 -																				GTTC	1320
	L	V	R	V	L	V	N	D	R	V	V	P	L	H	G	С	A	V	D	K	-
																				TGGT	
1321														-			•			acca	1380
	L	G	R	С	K	R	D	D	F	V	E	G	L	s	F	A	R	s	G	G	-
		CTG																			
1381		GAC		-					_	404											
	λT	T.7	T-2	177	~	172	70	-													




Fig. 25a




Fig. 25b

1081																				GCCA	1140
																				CGGT	1110
	H	D	N	T	M	V	s	I	F	F	A	L	G	L	Y	N	G	Т	K	P	-
1141																				GACT	1200
																	•			CTGA	1200
	L	S	Т	Т	S	V	E	ន	Ι	E	E	Т	D	G	Y	S	A	S	W	T	-
1201																				ACCA	1260
	CA	AGG'	TAA	GCG.	ACG	ATC	TCG	AAT	GCA	ACT	TTA	CTA	CGT	TAC	ACT	TCG	ACT	TTT	CCT	TGGT	
	V	P	F	A	A	R	A	Y	V	E	M	M	Q	С	E	A	E	K	E	P	_
1261																				CAAG	1320
1141 AA 1201 CA V 1261 AA L 1321 AA L 1381																				GTTC	1320
	L	V	R	v	L	V	N	D	R	v	v	P	L	Н	G	C	A	v	D	K	-
1221																				TGGT	1200
1321											-			-			-			ACCA	1380
	L	G	R	С	ĸ	R	D	D	F	V	E	G	L	s	F	A	R	s	G	G	-
1201							CGC			404											
130T							GCG.		_	404											
	ът	TAT	ъ	.	~	177	74														

COMBINED DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY (Includes Reference to PCT International Applications)	Attorney's Docket Number: 5808.200-US
As a below named inventor, I hereby declare that:	
My residence, post office address and citizenship are as stated below next to my name.	
I believe I am the original, first and sole inventor (if only one name is listed below) or an original joint inventor (if plural names are listed below) of the subject matter which is claimed and patent is sought on the invention entitled:	nal, first and for which a
Improved Phytases	
The specification of which (check only one item below): [] is attached hereto [X] was filed as United States application	
Application No. To Be Assigned	
on January 20, 2000 and was amended on	
[] was filed as PCT international application Number	
on and was amended under PCT Article 19 on	
I hereby state that I have reviewed and understand the contents of the above-identified spincluding the claims, as amended by an amendment referred to above.	pecification,
I acknowledge the duty to disclose information which is material to patentability of this apaccordance with Title 37, Code of Federal Regulations, §1.56.	oplication in
I hereby claim priority benefits under Title 35, United States Code, §119 of any provisional application(s) for patent or inventor's certificate or of any PCT international applications(s) from inventor's certificate or of any PCT international applications(s) designating at least one country the United States of America listed below and have also identified below any foreign application or inventor's certificate or any PCT international application(s) designating at least of other than the United States of America filed by me on the same subject matter having a filing that of the application(s) of which priority is claimed:	For patent or y other htan cation(s) for one country

PRIOR U.S. PROVISIONAL/FOREIGN/PCT APPLICATION(S) AND ANY PRIORITY CLAIMS LINDER 35 U.S.C. 110			. ,	•	•		
PRIOR ILS PROVISIONAL/FOREIGNIDOT APPLICATION(S) AND ANY PROPIENT OF ANY							
PRIOR II S PROVISIONAL/FOREIGN/DCT ADDITION/OLAND AND ANY PROPERTY OF A							
	PRIOR U.S. PROV	ISIONAL	/FOREI	GN/PCT	' Δ PPI I	ICATION(S) AND ANY PRIODITY OF ADACHDED 25 110 C 110	_

COUNTRY (if PCT, indicated "PCT")	A DDI TO A TYONG A TO THE	DATE OF FILING		Y CLAIMED
	APPLICATION NUMBER	(day, month, year)	UNDER	35 USC 119
Denmark	PA 1999 00092	22 January 1999	[X] YES	[] NO
Denmark	PA 1999 01340	21 September 1999	[X] YES	[]NO
United States	60/117,659	28 January 1999	[X] YES	[] NO
United States	60/156,495	28 September 1999	[X] YES	[] NO
			[]YES	[] NO

COMBINED DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY (Includes Reference to PCT International Applications)

Attorney's Docket Number:

5808.200-US

I hereby claim the benefit under Title 35, United States Code '120 of any United States application(s) or PCT international application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the claims of this applications is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of Title 35, United States Code, '112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, '1 56(a) which occurred between the filing date of the prior application(s) and the national or PCT international filing date of this application

		PRIOR U	S. APPLICATIO	NS OR PCT INTE	RNATIONAL APPLICATIONS DESIGN UNDER 35 U S C. 120	NATING THE U.	S FOR BENE	FIT	
			US AF	PLICATIONS			STAT	US (Check on	e)
U S APPLICATION NUMBER				U S FILING DATE		Patented	Pending	Abandoned	
		· · · · · · · · · · · · · · · · · · ·							
-									
		PCT	APPLICATIONS	S DESIGNATING	THE U.S.				
APPLICATION NO FILI		NG DATE	US SERIAL NUMBERS ASSIGNED (if any)						
	-								
		· · · · · · · · · · · · · · · · · · ·							
POM	ED OF ATTORNEY	A							
33,72	28 Reg No. 35,127	Reg No 36,	993 Reg No 41	dias J. Lambiris '	ng attorney(s) and/or agent(s) to prosecute Valeta A. Gregg Carol E. Rozek Ro 18,475	e this application obert L Starnes	and transact at Reza Green,	ll business in the P Reg No 30,335	atent and Reg No
Send Correspondence to: Steve T. Zelson, Esq. Novo Nordisk of North America, Inc.					Direct Telephone Calls To: Steve T Zelson				
		New York, I	on Avenue, Suite 6 New York 10174-					367-0123	
1	Full Name of Inventor	Family Name Lehmann City			First Given Name	Second Given Name Country of Citizenship			
	Residence &				Martin State or Foreign Country				
	Citizenship	Princeton Office Post Office Address ess 258 Sayre Drive			United States	Germany State & Zip Code/Country New Jersey 07043, USA			
	Post Office Address				City Princeton				
2	Full Name of Inventor	Family Name			First Given Name		Second Giv	en Name	· · · · · · · · · · · · · · · · · · ·
	Residence & Citizenship	City			State or Foreign Country		Country of	Citizenship	
	Post Office	Post Office	Address		City				
	Address				Cuy		State & Zip	Code/Country	
3	Full Name of Inventor	Family Nan	ie		First Given Name		Second Giv	en Name	
	Residence &	City			State or Foreign Country		Complete	Taur III	
	Citizenship				Since of A steepin Country		Country of	Citizenship	
	Post Office Address	Post Office	Address		City	10	State & Zip	Code/Country	
4	Full Name of Inventor	Family Nam	ne		First Given Name		Second Giv	en Name	······································
	Residence & Cıtizenship	City			State or Foreign Country		Country of	Citizenship	
	Post Office	Post Office A	Address		City		State & Zin	Code/Country	
1	Address	I			1		1		

	Poli Marri	Family Name	ations)	First Circo Name	360	8.200-US	
	Full Name of Inventor	ганиу маше		First Given Name		Second Given Name	
	Residence & Citizenship	City		State or Foreign Country		Country of Citizenship	
	Post Office Address	Post Office Address	City			State & Zip Code/Country	
	Full Name of Inventor	Family Name		First Given Name		Second Given Name	
	Residence & Citizenship	City		State or Foreign Country		Country of Citizenship	
	Post Office Address	Post Office Address		City		State & Zip Code/Country	
	Full Name of Inventor	Family Name		First Given Name		Second Given Name	
	Residence & Citizenship	City		State or Foreign Country		Country of Citizenship	
	Post Office Address	Post Office Address	-	City		State & Zip Code/Country	
Family Name Full Name of Inventor			First Given Name		Second Given Name		
	Residence & Citizenship	City		State or Foreign Country		Country of Citizenship	
	Post Office Address	Post Office Address		City		State & Zip Code/Country	
	Full Name of Inventor			First Given Name State or Foreign Country		Second Given Name	
	Residence & Citizenship	City				Country of Citizenship	
	Post Office Address	Post Office Address		City		State & Zip Code/Country	
	further that th	lese statements were made with the	knowledge that will:	are true and that all statements made on in ful false statements and the like so made a n willful false statements may jeopardize th	re nunishable b	v fine or imprisonment or both	
ignature of Inventor 1			Signature of Inventor 2		Signat	Signature of Inventor 3	
Date Signature of Inventor 4 Date		Date Signature of Inventor 5		Date	Date Signature of Inventor 6		
				Signat			
			Date		Date		
_	re of Inventor 7		Signature of Inventor	D		ure of Inventor 9	